EF

62

0

A

KEY

NATIONAL ARITHMETIC,

EXHIBITING THE OPERATION OF

THE MORE DIFFICULT QUESTIONS

IN THAT WORK;

FOR THE USE OF TEACHERS ONLY.

By BENJAMIN GREENLEAF, A. M.,

AUTHOR OF THE "COMMON SCHOOL ARITHMETIC," "ALGEBRA," ETC.

NEW ELECTROTYPE EDITION.

BOSTON:

PUBLISHED BY ROBERT S. DAVIS & CO.

NEW YORK: D. APPLETON & CO., AND PHINNEY, BLAKEMAN, & MASON.

PHILADELPHIA: J. B. LIPPINCOTT AND COMPANY.

COLUMBUS, OHIO: RILEY AND BOWLES.

1862.

Educt 118.62.435
V

GREENLEAF'S SERIES OF MATHEMATICS.

1. NEW PRIMARY ARITHMETIC; OR, MENTAL ARITHMETIC, upon the Inductive Plan; with Easy Exercises for the Slate. Designed for Primary Schools. 72 pp.

2. INTELLECTUAL ARITHMETIC, upon the Inductive Plan; being an advanced Intellectual Course, for Common Schools and Academies. Improved edition. 154 pp.

3. COMMON SCHOOL ARITHMETIC; OR, INTRODUCTION TO THE NATIONAL ARITHMETIC. Improved stereotype edition. 324 pp.

4. THE NATIONAL ARITHMETIC, being a complete course of Higher Arithmetic, for advanced scholars in Common Schools, High Schools, and Academies. New electrotype edition, with additions and improvements. 444 pp.

5. PRACTICAL TREATISE ON ALGEBRA, for Academies and High Schools, and for advanced Students in Common Schools. Improved stereotype edition. 360 pp.

6. ELEMENTS OF GEOMETRY; with Practical Applications to Mensuration. Designed for Academies and High Schools. Electrotype edition. 320 pp.

COMPLETE KEYS TO THE INTELLECTUAL, COMMON SCHOOL, AND NATIONAL ARITHMETICS, THE PRACTICAL TREATISE ON ALGEBRA, AND GEOMETRY, containing Solutions and Explanations, *for Teachers only*. In 5 volumes.

☞ Two editions of the NATIONAL ARITHMETIC, and also of the COMMON SCHOOL ARITHMETIC, one containing the ANSWERS to the examples, and the other without them, are published. Teachers are requested to state in their orders *which edition* they prefer.

PREFACE.

THE object of the author, in this publication, is to aid the teacher in communicating instruction to his pupils, and in detecting any error which they may have made in the operation of the examples.

Every instructor who has a large number of scholars under his care is aware that it is a great tax on his time, especially when in school, to examine the operation of many arithmetical questions; whereas, by the aid of a Key, he may readily detect any mistake in the operation. Besides, amid the labors of the school-room, it is often very difficult for the most able arithmetician to recollect, at the moment, all the principles involved in the solution of difficult questions; but, by recurring to a Key, this difficulty will be obviated.

The author would recommend to teachers never to point out *directly* to the pupil the method of solving a problem, nor perform the labor for him; but suggest and explain such principles as will enable him to perform the question himself.

The answers to all the examples in the Arithmetic are inserted in the Key, for the convenience of those teachers who may prefer to use the edition of the Arithmetic which does not contain the answers.

<div style="text-align:right">B. GREENLEAF.</div>

BRADFORD, MASS., *September*, 1857.

CONTENTS.

KEY

GREENLEAF'S ARITHMETIC.

NUMERATION.

1.	(Art. **40**, p. **22.**)	29
2.		407
3.		23,007
4.		5,000,027
5.		7,205,005
6.		2,207,604,009
7.		105,909,308,201
8.		9,000,000,008,000,000,046
9.		15,000,000,000,031,000,017
10.		507,000,000,000,203,000,057,000,018
11.		9,000,000,000,000,000,047,007,002,000,392
12.	15,000,000,000,000,000,000,000,000,010,127,026,320,426	

NOTE. — The above is the French method.

ADDITION.

(ART. **47**, p. **26.**)

17.	30,530	24.	300,000	31.	3,837,156
18.	31,643	25.	264,088	32.	150
19.	26,798	26.	357,477	33.	26,199
20.	28,578	27.	276,605	34.	264
21.	34,383	28.	3,980,839	35.	4,801,393
22.	29,340	29.	4,183,478	36.	5,067,696
23.	283,649	30.	31,881,050	37.	5,840,428

1*

38.	4,344,737	42.	62,075	46.	119
39.	4,935,497	43.	10,601	47.	$ 228
40.	1,937,678	44.	11,087	48.	$ 37,443
41.	118,106	45.	$ 82,871		

(ART. 48, p. 28.)

2.	296	4.	25,976	6.	936,318
3.	1,832	5.	643,322	7.	23,191,876

SUBTRACTION.

4. (ART. 52, p. 31.)	5,676	24.	408,881,883,715
5.	5,119	25.	61,475,423
6.	4,409	26.	999,999
7.	2,589	27.	1
8.	48,447	28.	6,686,136
9.	46,698	29.	760,702,380
10.	17,672	30.	31,309,891
11.	53,859	31.	16,680,605
12.	411,001	32.	10,014,098,379
13.	426,944	33.	85
14.	6,202,102	34.	110
15.	799,081	35.	190
16.	1,439	36.	993,044
17.	92,690	37.	$ 11,810
18.	243,334	38.	
19.	617,441	39.	173
20.	900,981	40.	1,026
21.	98,999,080	41.	4,004
22.	788,889	42.	45 and 38
23.	9,393,239,896,461	43.	519,853,026

1. (ART. 53, p. 33.)	138	5.	1,237,311
2.	525 dollars.	6.	2,500,000
3.	389 dollars.	7.	49,632 dollars.
4.	9,187 dollars.	8.	572,206 dollars.

MULTIPLICATION.

5. (Art. **63**, p. **40.**)	3,156,492	26.	59,784
6.	6,172,835	27.	3,545,304
7.	1,979,796	28.	584,720,181,340
8.	30,316,704	29.	594,731,545
9.	16,294,896	30.	119,109,094,835
10.	22,204,188	31.	406,781,410,014
11.	45,005,091	32.	318,697,622,634
12.	77,377,566	33.	230,896,467,247
13.	293,468,329	34.	137,260,338,494
14.	161,539,842	35.	213,255,462,816
15.	274,135,320	36.	395,018,272
16.	17,247,986,832	37.	70,136,114,040
17.	$26,645	38.	475,065,601,536
18.	$5,529	39.	20,406,081,008,060,402
19.	$2,779	40.	915,527,086,788,307
20.	$21,053	41.	454,115,186,861,492
21.	13,505	42.	12,032,109,124,168,023
22.	24,386	43.	81,000,108,000,036
23.	$4,886	44.	52,370,625
24.	4,888	45.	114,972
25.	9,021	46.	29,657,416,470,704

(Art. **64**, p. **42.**)

2.	252,801	5.	2,639,559,272
3.	$11,025	6.	897,264
4.	2,784		

(Art. **64**, p. **43.**)

3.	18,190	8.	63,126,063,000
4.	410,600	9.	3,720
5.	70,000,000	10.	$888,000
6.	9,594,000,000	11.	$2,050,000
7.	700,000,000	12.	2,850,000,000

DIVISION.

(ART. 77, p. 49.) Quotients.	Rem.		Quotients.	Rem.
		30.	17,327	
8.	25,569	2		
9.	151,617	2	31. 69,255	1
10.	66,930	2	32. 71,451	
11.	12,090,447	2	33. 8,650	111
12.	20,747	8	34. 90,365	28
13.	39,936	4	35. 4,598	297
14.	260,171	28	36. 226,447	174
15.	68,241	8(	37. 5,091	5091
16.	111,946,492	1	38. 7,060,504	4267
17.	23,762,387	2	39. 88,888	2341
18.	20,166,474	1	40. 800,008	4567
19.	17,964,186	4	41. 908,007,004	8765
20.	33,081,425	3	42. 2,069	
21.	13,698,246	4	43. 2,700 pounds.	
22.	26,316,692	1	44. 134	
23.	169,739,167	3	45. 987	
24.	133,557,795	1	46. 17	
25.	129,629,629	3	47. $85\frac{148}{365}$	
26.	126,984,126	6	48. $384\frac{8}{13}$ hours.	
27.	17,166	0	49. $12,402	
28.	153,227	44	50. 35	
29.	275,175	0	51. A's 76; B's 68; C's 48.	

(ART. 78, p. 51.)					
3.	321		7.	138	45
4.	308	1	8.	273	18
5.	38	38	9.	$121\frac{12}{15}$	
6.	507	40			

(ART. 79, p 52.)					
			8.	37	411,111
3.	12,345,678	9	9.	89,765	432,156
4.	9,876,543	0	10.	164,000	
5.	5	2,100	11.	$21.42\frac{5}{7}	
6.	11	91,853	12.	$494\frac{155}{153}$	
7.	3	137,851			

CANCELLATION.

(ART. 85, p. 55.)

3. $\dfrac{\overset{2}{\cancel{24}} \times 16}{\underset{1}{\cancel{12}}} = 32.$

4. $\dfrac{\overset{3}{\cancel{48}} \times 8}{\underset{1}{\cancel{16}}} = 24.$

5. $\dfrac{\overset{1}{\cancel{7}} \times \overset{5}{\cancel{10}} \times \overset{2}{\cancel{12}} \times 5}{\underset{2}{\cancel{14}} \times \underset{9}{\cancel{18}} \times \cancel{6}} = 2\tfrac{45}{9} = 2\tfrac{7}{9}.$

6. $\dfrac{15 \times \overset{1}{\cancel{7}} \times \overset{1}{\cancel{27}} \times \overset{4}{\cancel{40}}}{\underset{2}{\cancel{54}} \times \underset{2}{\cancel{14}} \times \underset{1}{\cancel{10}} \times 2} = \tfrac{15}{2} = 7\tfrac{1}{2}.$

7. $\dfrac{\overset{1}{\cancel{13}} \times \overset{5}{\cancel{15}} \times \overset{2}{\cancel{20}} \times 5}{\underset{2}{\cancel{26}} \times \cancel{10} \times \cancel{2} \times 3} = \tfrac{25}{2} = 12\tfrac{1}{2}.$

8. $\dfrac{\overset{4}{\cancel{28}} \times \overset{1}{\cancel{27}} \times \overset{3}{\cancel{21}} \times 15 \times \overset{2}{\cancel{18}}}{\underset{1}{\cancel{7}} \times \underset{2}{\cancel{54}} \times \underset{1}{\cancel{7}} \times 3 \times 9} = 60.$

9. $\dfrac{\overset{2}{\cancel{56}} \times 11}{\cancel{28}} = 22.$

10. $\dfrac{\overset{2}{\cancel{14}} \times \overset{8}{\cancel{24}} \times \overset{1}{\cancel{9}}}{\underset{7}{\cancel{63}} \times \underset{1}{\cancel{3}}} = 16 \text{ cents.}$

11. $\dfrac{5 \times \overset{3}{\cancel{12}} \times 7}{\cancel{3} \times \cancel{4}} = 35.$

12. $\dfrac{\overset{2}{\cancel{8}} \times \overset{\cancel{15}}{\cancel{60}} \times \overset{5}{\cancel{75}}}{\underset{3}{\cancel{90}} \times \underset{5}{\cancel{40}}} = 10.$

(ART. 87, p. 57.)

(2.)	(3.)	(4.)
63013 × 17	79245 × 19	32067812 × 16
441091	713205	192406872
1071221	1505655	513084992

(ART. 88, p. 57.)

(2.)	(3.)	(4.)
6651 × 108	111223 × 104	2042 × 1009
53208	444892	18378
718308	11567192	2060378

(Art. **89**, p. **58.**)

(2.)	(3.)	(4.)
13317 × 51	71389 × 21	12062 × 91
66585	142778	108558
679167	1499169	1097642

(Art. **90**, p. **58.**)

(2.)	(3.)	(4.)
8360 × 7001	10613 × 801	91603 × 2001
58520	84904	183206
58528360	· 8501013	183297603

(Art. **91**, p. **59.**)

(2.)
915
22⅖
‾‾‾‾
1830
1830
‾‾‾‾‾‾
$\overline{20130}$ = product by 22.
366 = product by ⅖.
$\overline{20496}$ = product by 22⅖.

(3.)
1224½
18
‾‾‾‾
9792
1224
‾‾‾‾‾
$\overline{22032}$
2$\frac{4}{7}$=⅐ of 18. $\overline{22034\frac{1}{2}}$

(4.)
180
69⅙
‾‾‾‾
1620
1080
30= ⅙ of 180. $\overline{12450}$

(Art. **92**, p. **59.**)

(2.)	(3.)	(4.)
8)6805600	4)179240	6)19237800
850700	44810	3206300

(5.)	(6.)	(7.)
8)12345678000	3)3130	3)53400
1543209750	1043⅓	17800

(8.)	(9.)
4)771000	6)9168000
192750	1528000

(10.)	(11.)
8)1993000	3)28044000
249125	9348000

(ART. **93,** p. **61.**)

(3.)   61370913
              96488
          ‾‾‾‾‾‾‾‾‾‾
          490967304 = the product by 8.
         2945803824 = the last product × 6.
         5891607648   = the last product × 2.
         ‾‾‾‾‾‾‾‾‾‾‾‾‾
         5921556653544

(4.)   8649347864 multiplicand.
           1325769612 multiplier.
          ‾‾‾‾‾‾‾‾‾‾‾
          103792174368 = the product by 12.
          .830337394944   = the foregoing product × 8 for 96.
         4982024369664   = the last product × 6 for 576.
        1141713918048   = the first product × 11 for 132.
        ‾‾‾‾‾‾‾‾‾‾‾‾‾‾‾
        11467042561708308768 product, Ans.

(ART. **94,** p. **61.**)

(2.)	(3.)
77777770000	41623100000
7777777	416231
77769992223	41622683769

(4.)	(5.)
987654000000	87654300000
987654	876543
3)987653012346	3)87653423457
329217670782	29217807819
	2
	58435615638

(6.)	(7.)
9999990000	325678950000
999999	32567895
9998990001	3)325646382105
	108548794035

(8.)
6666600000
66666
3)6666533334
2222177778
2
4444355556

(9.)
91234567800
912345678
90322222122

(10.)
12345670000
1234567
12344485433

(11.)
98123452000000
98123452
98123353876548

CONTRACTIONS IN DIVISION.

(ART. **95**, p. **62**.)

(2.)
89630
3
26889|0

(3.)
123450
6
7407|00

(4.)
18621
8
1489|68

(5.)
317121
4
126848|4

(6.)
876735
3
26302|05

(7.)
123456
. 8
987|648

(8.)
61678500
4
246714|000

(9.)
9500
6
57|000

(10.)
12000
3
36|000

(11.)
150000
8
1200|000

(12.)
333⅓
3
10|00

(13.)
120
4
48|0

(14.)
616350
4
24654|00

(ART. **96**, p. **64.**)

(4.)	(5.)	(5.)
12332 | 655	98755 | 1235	98755 | 1235
12 | 987	9 | 9990	9 | 9990
1 | 999	98765 9990. Ans.	1 | 9999
12345 Ans.		98765 Ans.

(6.) 9123456779 | 876543211
              9 | 999999990
              1 | 999999999
       9123456789 Ans.

(ART. **97**, p. **64.**)

(2.)
44)39006(886 22/44
   380
   ‾‾‾
   286
   ‾‾‾
    22

(3.)
34)1088(32
   68
   ‾‾
    0

(4.)
191)5157(27
    1337
    ‾‾‾‾
       0

(5.)
7750)1133123(146 1623/7750.
     35812
     ‾‾‾‾‾
     48123
     ‾‾‾‾‾
      1623

(ART. **98**, p. **65.**)

(2.)
9¼)13120
4   4
‾‾‾‾‾‾‾‾‾‾‾‾‾
37)52480(1418 14/37
   37
   ‾‾‾
   154
   148
   ‾‾‾
    68
    37
   ‾‾‾
   310
   296
   ‾‾‾
    14

(3.)
36) 76672 5/7
7   7
‾‾‾‾‾‾‾‾‾‾‾‾‾‾
252)536710(2129 202/252.
    504
    ‾‾‾
    327
    252
    ‾‾‾
    751
    504
    ‾‾‾
    2470
    2268
    ‾‾‾‾
     202

2

```
        (4.)                              (5.)
    205)2090¼                         16½)10626
      3    3                            2     2
    615)6271(10¹²¹                   33 ) 21252(644
      615                              198
      ───                             ───
      121                             145
                                      132
                                      ───
                                      132
                                      132
                                      ───
```

```
        (6.)                  (7.)                  (8.)
    69⅙)12450            17¾)5591¼            10½)2667
      6    6               4    4               2    2
    415 ) 74700(180     71)22365(315        21 ) 5334(254
      415                  218                  42
      ───                  ───                  ──
      3320                 106                  113
      3320                  71                  105
      ────                 ───                  ───
         0                 355                   84
                           355                   84
```

```
        (9.)                 (10.)                (11.)
    272¼)136125          2¾)119              31¼)12968¾
      4     4              7    7              4     4
    1089 ) 544500(500   17 ) 833(49         125 ) 51875(415
      5445                 68                  500
      ────                 ───                 ───
        00                 153                 187
                           153                 125
                           ───                 ───
                                               625
                                               625
                                               ───
```

PROBLEMS.

1. (ART. **99,** p. **67.**) $2763 + $4650 + $8950 = $16363.
2. $929 − $279 = $650.
3. 6476 − 242 = 6234 feet.

4. $1519 + 328 = 1847.$

5. $1963 - 199 = 1764$; $1764 \div 2 = 882$, miles B travelled; $882 + 199 = 1081$, miles A travelled.

6. $\$250 + 410 = \$660$; $\$4698 - 660 = \$4038$; $\$4038 \div 3 = \$1346$, George received; $\$1346 + \$250 = \$1596$, James received; $\$1346 + \$410 = \$1756$, Edwin received.

7. $\$8463 \div 217 = \$39.$

8. $19 \times 3 = 57$; $684 \div 57 = 12$ weeks.

9. $3808 \div 224 = 17$ men.

10. $\$575 \times 99 = \$56925.$

11. $96 \times 22 = 2112$; $63360 \div 2112 = 30.$

12. $1101 \times 13 = 14313.$

MISCELLANEOUS EXAMPLES.

(PAGE 68.)

1. $200 + 305 + 230 + 282 + 171 = 1188$, Ans.

2. $\$175 + \$87 + \$31 = \$293$; $\$38 + \$12 = \$50$; $\$293 - \$50 = \$243$, Ans.

3. $97 \times 5 = \$485$; $97 - 17 = 80$; $80 \times 8 = \$640$; $\$640 - \$485 = \$155$, gain, Ans.

4. $3787 \times 1728 = 6543936$ cubic inches, Ans.

5. 175686lb. $\div 987 = 178$lb., Ans.

6. $120 + 80 + 160 = 360$ acres, Ans.

7. $\$8395 \div 365 = \$23$, Ans.

8. $12 \times 6 = 72$; $12 \times 12 \times 6 = 864$; $864 - 72 = 792$, Ans.

9. $\$7 \times 8 = \$56$; $\$8 \times 3 = \$24$; $\$56 + \$24 = \$80$, Ans.

10. $\$31 + \$45 = \$76$; $3952 \div 76 = 52$, Ans.

11. $13 \times 4 = 52$, Ans.

12. $\$250,000 \div 500 = \$500$, Ans.

13. $127 + 212 = 339$; $500 - 339 = 161$; $\$47 \times 127 = \$5969$; $\$96 \times 212 = \$20352$; $\$37 \times 161 = \$5957$; $\$5969 + \$20352 + \$5957 = \$32,278$; $\$32,278 - \$17,876 = \$14,402$, Ans.

14. $17 - 7 = 10$; $18 - 10 = 8$ miles, Ans.

15. $15 \times 5 = 75$ days, Ans

16. $2 + 8 = 10$; $10 \times 4 = 40$; $40 + 32 = 72$, $72 \div 2 = 36$; $36 \times 10 = 360$; $860 \div 24 = 15$, Ans.

17. $16 + 4 = 20$; $20 \times 2 = 40$; $126 + 40 = 166$; $48 \div 2 = 24$; $34 \times 6 = 204$; $17 - 5 = 12$; $204 \div 12 = 17$; $17 + 24 = 41$; $166 - 41 = 125$, Ans.

18. $683 - 16 = 667$; $667 \div 23 = 29$ pupils, Ans.

19. $12 + 40 = 52$; $40 \times 5 = 200$; $12 \times 6 = 72$; $52 + 200 + 72 + 7 = 331$ miles, Ans.

20. $9891 - 1211 = 8680$; $8680 \div 2 = 4340$, A received; $9891 - 4340 = 5551$, B received, Ans.

21. $15 \times 16 = 240$; $4080 \div 240 = 17$, third number, Ans.

22. $\$4 \times 17 = \$68$; $\$2 \times 32 = \$64$; $\$68 + \$64 = \$132$; $132 \div 6 = 22$ tons, Ans.

23. $100 + 200 + 300 = 600$; $5608 - 600 = 5008$; $5008 \div 4 = 1252$, first year; $1252 + 100 = 1352$, second year; $1352 + 100 = 1452$, third year; $1452 + 100 = 1552$, fourth year, Ans.

24. $\$45 - \$35 = \$10$; $\$10 \times 12 = \$120$; $\$1100 - \$620 = \$480$; $480 \div 120 = 4$ years, Ans.

25. $19782 + 31 = 19813$, Ans.

26. $1885 \div 65 = 29$; $\$4473 + \$812 = \$5285$; $\$65 + \$6 = \$71$; $4473 \div 71 = 63$ shares; $63 - 29 = 34$ shares remaining; $\$5285 - \$1885 = \$3400$; $\$3400 \div 34 = \$100$, Ans.

UNITED STATES MONEY.

(Art. **107**, p. **73**.)

2.	76500 cents.	5.	$\$12.345$
3.	$72\frac{6}{10}$ cents.	6.	123560 mills.
4.	$\$3.29$	7.	2220 cents.

ADDITION.

(Art. **108**, p. **73.**)		6.	$1717.062
3.	$328.722	7.	$154.355
4.	$1805.847	8.	$7.105
5.	$3320.675		

SUBTRACTION.

(Art. **109**, p. **74.**)		7.	$13.875
3.	$278.486	8.	$909.75
4.	$69.066	9.	$3.43
5.	$154.069	10.	$2.36
6.	$2058.08		

MULTIPLICATION OF UNITED STATES MONEY.

(Art. **110**, p. **75.**)		10.	$44.748
2.	$16.38	11.	$109.25
3.	$58.59	12.	$790.92
4.	$591.25	13.	$65.10
5.	$3.358	14.	$142.02
6.	$249.28	15.	$48.222
7.	$1120.32	16.	$48910.95
8.	$358.28	17.	$67.16
9.	$102.69	18.	$70.664

DIVISION OF UNITED STATES MONEY.

(Art. **111**, p. **77.**)		13.	$3.75
4.	$1.625	14.	$2.28
5.	425	15.	47
6.	$3.89	16.	17
7.	$1.75	17.	691
8.	329	18.	$4.68
9.	$0.75	19.	$0.18
10.	$4.00	20.	$132.55
11.	144	21.	$1.12
12.	$0.06		

2*

PRACTICAL QUESTIONS BY ANALYSIS.

(ART. 116, p. 79.)		27.	$60.17½
2.	$118.82	28.	$12467.25
8.	$7.24½	30.	$28.20
4.	$810.20	31.	$42.75
5.	$1126.93½	32.	$9.035¼
6.	$4668595.00	33.	$771.65
8.	$120.66⅔	34.	$283.12¼
9.	$105.00	35.	$35.526⅞
10.	$72.68¾	37.	$0.13
12.	$3800.00	38.	$4.16⅔
13.	$337.50	39.	$72.25
14.	$502.25	40.	$29.70
15.	$22.50	41.	$2.50
16.	$6996.00	42.	$0.22
18.	$190.00	43.	$0.20
19.	$3255.75	45.	152
20.	$103.35	46.	84.
21.	$52.95	47.	362
22.	$129.525	48.	27
24.	$876.375	49.	50
25.	$472.50	50.	216
26.	$7.98¾		

BILLS.
(ART. 122, p. 83.)

(1.) JAMES DOW.	(2.) SAMUEL SMITH.
$0.45 × 17 = $7.65	$0.98 × 13 = $12.74
.37 × 19 = 7.03	.15 × 16 = 2.40
.46 × 16 = 7.36	.13 × 36 = 4.68
.87 × 13 = 11.31	.9 × 47 = 4.23
.63 × 9 = 5.67	.19 × 12 = 2.28
.56 × 25 = 14.00	.17 × 7 = 1.19
.31 × 17 = 5.27	.61 × 13 = 7.93
.16 × 19 = 3.04	
	$35.45
$61.33	

(3.)   WILSON, NILES & CO.

$6.00 × 2 = $12.00
5.00 × 3 = 15.00
1.80 × 5 = 9.00
.25 × 17 = 4.25
.60 × 13 = 7.80
.50 × 19 = 9.50
.60 × 3 = 1.80
1.12½ × 7 = 7.87½
.22 × 15 = 3.30
15.00 × 5 = 75.00
4.50 × 3 = 13.50
1.50 × 5 = 7.50
4.50 × 1 = 4.50
               _____
               $171.02½

(4.)   ALBERT CRAWFORD Dr.

$5.25 × 17 = $89.25
1.62 × 29 = 46.98
.17 × 60 = 10.20
.27 × 49 = 13.23
3.19 × 18 = 57.42
2.75 × 27 = 74.25
.61 × 75 = 45.75
.75 × 36 = 27.00
.18 × 49 = 8.82
              _____
              $372.90

Cr.

Cash, $83.00
$30.00 × 3 = 90.00
4.00 × 7 = 28.00
2.00 × 4 = 8.00
1.75 × 5 = 8.75
2.25 × 7 = 15.75
Cash,   = 60.00
Draft,   = 45.00
              _____
              $338.50
              _____

Remains due, $34.40

(5.)   BENJAMIN TREAT.

$25.50 × 37 = $943.50
16.17 × 41 = 662.97
97.75 × 40 = 3910.00
169.37 × 13 = 2201.81
                _____
                $7718.28

(6.)   J. C. PORTER.

$8.25 × 17 = $140.25
.50 × 50 = 25.00
.08½ × 140 = 11.90
.63 × 120 = 75.60
              _____
              $252.75

(7.)   JOHN CUMMINGS.

$6.25 × 97 =	$606.25	Am't brought up	$12811.36
5.95 × 167 =	993.65	1.61 × 39 =	62.79
6.07 × 87 =	528.09	.17 × 197 =	33.49
5.75 × 196 =	1127.00	.69 × 86 =	59.34
7.25 × 275 =	1993.75	1.17 × 78 =	91.26
1.16 × 69 =	80.04	.85 × 187 =	158.95
.67 × 136 =	91.12	11.61 × 91 =	1056.51
.76 × 68 =	51.68	17.15 × 83 =	1423.45
1.37 × 169 =	231.53	3.16 × 47 =	148.52
9.67 × 76 =	734.92	18.15 × 35 =	635.25
69.70 × 89 =	6203.30	9.47 × 47 =	445.09
3.47 × 49 =	170.03	6.83 × 57 =	389.31

Am't carried up, $12811.86 $17315.32

LEDGER ACCOUNTS.

(Art. 123, p. 87.)

1. $ 461.97   2. $ 3165.60
3. $4130.23   4. $21995.54

REDUCTION OF COMPOUND NUMBERS.

ENGLISH MONEY.

(Art. 128, p. 90.)

(3.)   (4.)
127£. 15s. 8d.   4)122672far.
  20   12)30668d.
─────   ───────────
2555s.   20)2555s. 8d.
  12   ─────────────
─────   127£. 15s. 8d.
30668d.
   4
─────
122672far.

(5.)

28£. 19s. 11d. 3far.
20
_____
579s.
12
_____
6959d.
4
_____
27839far.

(6.)

4)27839far.
_____
12)6959d. 3far.
_____
20)579s. 11d.
_____
28£. 19s. 11d. 3far.

(7.)

378£.
20
_____
7560s.
12
_____
90720d.

(8.)

12)90720d.
_____
20)7560s.
_____
378£.

AVOIRDUPOIS WEIGHT.

(ART. **129**, p. **91**.)

(1.) 165T. 13cwt. 3qr. 19lb. 14oz.
20
_____
3313cwt.
4
_____
13255qr.
25
_____
66284
26511
_____
331394lb.
16
_____
1988368
331395
_____
5302318oz.

(2.) 16)5302318oz.
_____
25)331394lb. 14oz.
_____
4)13255qr. 19lb.
_____
20)3313cwt. 3qr.
_____
165T. 13cwt. 3qr. 19lb. 14oz.

(3.) 3T. 16cwt. 2qr. 18lb.
 20
 ――――
 76cwt.   (4.) 16)122688oz.
  4   25)7668lb.
 ――――   4)306qr. 18lb.
 306qr.   20)76cwt. 2qr.
  25   3T. 16cwt. 2qr. 18lb.
 ――――
 1538
 613
 ――――
 7668lb.
  16
 ――――
 46008
 7668
 ――――――
 122688oz.

(5.) 2T. 17cwt. 3qr. 16lb. 15oz. 13dr.
 20
 ――――
 57cwt.   (6.) 16)1482749dr.
  4   16)92671oz. 13dr.
 ――――   25)5791lb. 15oz.
 231qr.   4)231qr. 16lb.
  25   20)57cwt. 3qr.
 ――――   Ans. 2T. 17cwt. 3qr. 16lb. 15oz. 13dr.
 1161
 463
 ――――
 5791lb.
  16
 ――――
 34751   (7.) 7T. 17cwt.   (8.) 19cwt. 3qr. 20lb.
 5792   20   4
 ――――――   ――――   ――――
 92671oz.   157cwt.   79qr.
  16   4   25
 ――――――   ――――   ――――
 556029   628qr.   395
 92672   25   160
 ――――――――   ――――   ――――
 1482749dr., Ans.   3140   1995lb.
                     1256   .09
                     ――――   ――――――
                     15700lb. $179.55, Ans.
                      .07
                     ――――――
                   $1099.00, Ans.

TROY WEIGHT.

(ART. **130,** p. **92.**)

(1.)　28lb. 11oz. 12pwt. 15gr.
　　　　12
　　　347oz.
　　　　20
　　　6952pwt.
　　　　24
　　27813
　13905
　166863gr., Ans.

(2.)　24)166863gr.
　　　　　20)6952pwt. 15gr.
　　　　　　12)347oz. 12pwt.
　　　　Ans. 28lb. 11oz. 12pwt. 15gr.

(3.)　3lb. 10oz.
　　　　12
　　　46oz.
　　　　20
　　　920pwt.
　　　　24
　　22080gr., Ans.

(4.)　24)22080gr.
　　　　　20)920pwt.
　　　　　12)46oz.
　　　　　　3lb. 10oz., Ans.

(5)　73lb. 11oz.
　　　　12
　　　887oz.
　　　　20
　　17740pwt.
　　　$.062
　　35480
　106440
　$1099.88, Ans.

(6.)　.062)$1099.88
　　　　　20)17740pwt.
　　　　　12)887oz.
　　　　Ans. 73lb. 11oz.

(7.) 57lb. 7oz.   (8.) 19lb. 6oz. 16pwt.   (9.) 13lb. 9oz.

```
      12                    12                     12
    ─────                 ─────                  ─────
    691oz.                234oz.                  165
   20.593⅚                  20                  1.3857
    ─────                 ─────                  ─────
     2073                4696pwt.                 1155
     6219                  .93                     825
     3455              ───────────               1320
     1382              $4367.28, Ans.             495
    ─────                                         165
      138⅚                                    ───────────
───────────────                             $228.6405, Ans.
$14229.901⅚, Ans.
```

APOTHECARIES' WEIGHT.

(ART. **131**, p. **93**.)

(1.) 23℔ 9℥ 0ʒ 2Ɖ 13gr.

```
    12
  ─────
  285℥
     8
  ─────
 2280ʒ
     3
  ─────
 6842Ɖ
    20
───────────────
136853gr., Ans.
```

(2.) 20)136853gr.

        3)6842Ɖ

        8)2280ʒ

       12)285℥

      Ans. 23℔ 9℥ 0ʒ 2Ɖ 13gr.

(3.) 23℔

```
    12
  ─────
  276℥
     8
  ─────
 2208ʒ
     3
  ─────
 6624Ɖ, Ans.
```

(4.) 3)6624Ɖ

      8)2208ʒ

   12)276℥

      23℔, Ans.

(5.) 47℔ 0℥ 0Ʒ 1Ә 19gr.

    12

5643̸   (6.) 20)270759gr.

    8   3)13537Ә 19gr.

4512Ʒ   8)4512Ʒ 1Ә

    3 ·   12)5643̸

13537Ә   Ans. 47℔ 0℥ 0Ʒ

   20   [1Ә 19gr.

270759gr., Ans.

(7.) 1℔

    12

  12Ʒ

    8

  96Ʒ

    3

288Ә

   20

5)5760gr.

1152

  12½

$144.00

  1.80

$142.20, Ans.

AVOIRDUPOIS, TROY, AND APOTHECARIES' WEIGHT COMPARED.

(ART. 132, p. 94.)

(1.) 13lb. 6oz.

  7000   437½gr

91000   6

 2625 2625gr.

5760)93625(16lb.

 576

3602

3456

 1465

   12

5760)17580(3oz.

 1728

  300

   20

6000 (Carried forward to p. 26.)

(2.) 16lb. 3oz. 1pwt. 1gr.

   12

195oz.

  20

3901pwt.

  24

7000)93625(13lb.

7000

23625

21000

 2625

  16

7000)42000(6oz.

42000

3

(Brought forward.)
5760)6000(1pwt.
5760
———
240
24
———
5760)5760(1gr.
5760
———

(3.)   (4.)
3lb. 8oz. 19pwt.   856dr.
12   3
———   ———
44oz.   1068
20   20
———   ———
890pwt.   24)21360
24   20)890
———   ———
20)21360gr.   12)44oz. 10pwt.
3)1068   Ans. 3lb. 8oz. 10pwt.
———
356dr., Ans.

(5.)   (6.)
2lb. 8oz.   2lb. 8oz.   12lb.   12lb.
16   7000   437½gr.   16   7000
———   ———   8   ———   24)84000gr.
40oz.   14000   3500gr.   192oz.   20)3500pwt.
2.40   3500   37½   175oz.
———   ———   ———   ———
$ 96.00   20)17500gr. $ 72.00   .40
875Ð   70 $ 70.00
———   Ans. $ 2.00 loss.
.20
———
$ 175
96
———
$ 79 gain, Ans.

LINEAR OR LONG MEASURE.

(ART. **133**, p. **96**.)

(1.) 96deg. 56m. 7fur. 32rd. 12ft. 6in.

  69⅙

  870   (2.) 12)424320486in.

  581   16½)35360040ft. 6in.

   16   40)2143032rd. 12ft.

  6696m.   8)53575fur. 32rd.

   8   69⅙)6696m. 7fur.

 53575fur.   Ans. 96deg. 56m. 7fur. 32rd.

  40   [12ft. 6in., Ans.

 2143032rd.

  16½

 12858194 (3.) 79m.   (4.) 16½)417120ft.

 2143033   8   40)25280rd.

 1071516   632fur.   8)632fur.

35360040ft.   40   Ans. 79m.

  12   25280rd.

Ans. 424320486in.   16½

      417120ft., Ans.

(5.) 396   (6.) 12)3136320in.

  40   16½)261360ft.

 15840rd.   2   2

  16½   33)522720

 95040   40)15840rd.

 15840   396fur., Ans.

 7920

261360ft.

  12

3136320in., Ans.

(7.)　30ms.
　　　　8
　　──────
　　240fur.
　　　40
　　──────
　　9600rd.
　　　16½
　　──────
　　57600
　　9600
　　4800
　　──────
　158400ft.
　　　12
　──────────
1900800in., Ans.

(8.)　12)1900800in.
　　16½)158400ft.
　　　2　　　　2
　　──────────
　　33)316800
　　　　40)9600rd.
　　　　　8)240fur.
　　　　　　──────
　　　　　　30ms., Ans.

CLOTH MEASURE.

(Art. 134, p. 96.)

(1.)
17yd. 3qr. 2na.
　　4
──────
71qr.
　4
──────
286na., Ans.

(2.)
4)286na.
4)71qr. 2na.
17yd. 3qr. 2na., Ans.

(3.)
365yd. 1qr. 3na.
　　4
──────
1461qr.
　4
──────
5847na., Ans.

(4.)
4)5847na.
4)1461qr. 3na.
　365yd. 1qr. 3na., Ans.

(5.)
71E.E. 4qr.
　5
──────
359qr.
　4
──────
1436na., Ans.

(6.)
4)1436na.
5)359qr.
Ans. 71E.E. 4qr.

(7.)   (8.)

47yd. 3qr.   31¼E.E.
___4___   __5__

191qr.   4)156qr.
1.25   __39__

955   3
382   _____
191                       $117, Ans.
_____
$238.75, Ans.

SURFACE OR SQUARE MEASURE.

(ART. **135**, p. **97.**)

(1.)   57A. 3R. 27p. 21yd. 8ft. 57in.
         _4_   (2.)
       231R   144)363331893in.
        40   9)2523138ft. 21in.
      9267p.   30¼)280348yd. 6ft.
        30¼   4   4
     278031   121)1121392
       2316¾   40)9267p. 85 ÷ 4 = 21yd. 2ft. 36in.
    280347½yds.   4)231R. 27p.
        9   57A. 3R. 27p. 21yd. 2ft. 36in.
   2523137¾ft.   6   21
       144   Ans. 57A. 3R. 27p. 21yd. 8ft. 57in.
   _____
   10092555
   10092553
   2523127
       108
   _____
   363331893in., Ans.
              8*

(3.)   25A.   (4.) 272¼)1089000ft.   (5.)   365S. M.
         4   4   4   640
       ────   ────   ────   ─────
       100R.   1089)4356000   14600
        40   40)4000p.   2190
       ────   ────   ───────
       4000p.   4)100R.   233600A.
       272¼   ────   160
       ────   25A., Ans.   ───────
       8000   14016000
      28000   ＼   2336
       8000   ─────────
       1000   Ans. 37376000sq. rd.
      ─────
    1089000ft., Ans.

(6.) 160)37376000 square rods.   (7.) 144)12345678
        640)233600 acres.   9)85733ft. 126 in.
          ───────────   ───────────────────
          365 square miles.   30¼)9525yd. 8ft.
                                        ──────────────────
                                          40)314p. 26½yd.
                                        ─────────────────
                                           4)7R. 34p.
                                        ────────────
                                            1A. 3R.
                            1A. 3R. 34p. 26½yd. 8ft. 126in.
                                     ½yd. = 4ft.   72in.
                            ──────────────────────────────
                       Ans. 1A. 3R. 34p. 27yd. 4ft. 54in.

(8.) 39A. 2R. 16p.   6336 poles.
        4   272¼
      ──────   ──────
      158R.   12672
       40   44352
      ──────   12672
      6336p.   1584
       3.75   ─────────
      ──────   1724976 square feet.
      31680   0.25
      44352   ─────────
      19008   8224880
    ─────────   3449952
    $23760.00   ─────────
                                     431244.00
                                      23760.00
                                    ───────────
                                    $407,484.00, Ans.

SURVEYOR'S MEASURE.

(1.)   (ART. **136**, p. **98**.)   (2.)

46m. 3fur. 5ch. 251.   100)3715251.

  8   10)3715ch. 251.

371fur.   8)371fur. 5ch.

  10   46m. 3fur.

3715ch.   Ans. **46m. 3fur. 5ch. 251.**

  100

3715251., Ans.

(3.)   (5.)   (6.)

97m.   1377sq. ch. $ 80 ÷ 160 = $ 0.50.

  8   16   625)2,126,250 square links.

776fur.   8262   3402sq. rd.

  10   1377   0.50

7760ch.   40)22032 $ 1701.00, Ans.

  100   4)550R. 32p.

7760001., Ans.   137A. 2R.

      137A. 2R. 32p., Ans.

CUBIC OR SOLID MEASURE.

(1.)   (ART. **137**, p. **100**.)   (2.)

29 cords.   1728)6414336 cubic inches.

  128   128)3712 cubic feet.

232   (3.)   29 cords, Ans.

 58   19 tons.

 29   40   (4)

3712ft.   760ft.   1728)1313280 cubic inches.

1728   1728   40)760 feet.

29696   6080   19 tons, Ans.

 7424   1520

25984   5320

 3712   760

Ans. 6414336in.   1313280 cubic inches, Ans.

(5.) 128 × 128 = 16384 cubic feet. Ans.
(6.) 16384 ÷ 128 = 128 cords, Ans.
(7.) 4 × 40 × 7 = 1120 cubic feet, Ans.
(8.) 8650ft. ÷ 128 = 67 cords, 74 cubic feet, Ans.
(9.) 17 × 11 × 9 = 1683 cubic feet, Ans.

LIQUID OR WINE MEASURE.
(ART. 138, p. 101.)

(1.) 57T. 3hhd. 50gal. 3qt.
    4
231hhd.
  63
14603gal.
   4
58415qt.
   2
116830pt.

(2.)
2)116830 pints.
4)58415qt.
63)14603gal. 3qt.
  4)231hhd. 50gal.
   57T. 3hhd.
57T. 3hhd. 50gal. 3qt., Ans.

(3.) 96hhd. 47gal. 2qt.
   63
  295
 580
6095gal.
  4
24382qt.
  2
48764pt.
  4
195056 gills, Ans.

(4.)
4)195056 gills.
2)48764pt.
4)24382qt.
63)6095gal. 2qt.
  96hhd. 47gal.
Ans. 96hhd. 47gal. 2qt.

(5.)
40hhd.
 63
120
240
2520gal.
  4
10080qt.
  2
20160pt.
0.37½
141120
60480
10080
$7560.00, Ans.

(6.) 2   126
   63   4
  126   504
0.40   0.12
$50.40 $60.48
          50.40
      $10.08, Ans.

BEER MEASURE.

(ART. **139**, p. **102**.)

(1.) $46 \times 54 = 2484$gal.; 2484gal. $+ 49$gal. $= 2533$gal.; $2533 \times 4 = 10132$qt.; $10132 \times 2 = 20264$pt., Ans.

(2.) $20264 \div 2 = 10132$qt.; $10132 \div 4 = 2533$gal.; $2533 \div 54 = 46$hhd. 49gal., Ans.

(3.) $368 \times 54 = 19872$gal.; $19872 \times 4 = 79488$qt.; $79488 \times 2 = 158976$pt., Ans.

(4.) $158976 \div 2 = 79488$qt.; $79488 \div 4 = 19872$gal.; $19872 \div 54 = 368$hhd., Ans.

(5.) $76 \times 54 = 4104$gal.; $4104 \times 0.29 = \$1190.16$, Ans.

(6.) $47 \times 54 = 2538$gal.; 2538gal. $+ 36$gal. $= 2574$gal.; $2574 \times 4 = 10296$qt.; $10296 \times 0.05 = \$514.80$, Ans.

DRY MEASURE.

(ART. **140**, p. **103**.)

(1.) $35 \times 4 = 140$pk.; 140pk. $+ 3$pk. $= 143$pk.; $143 \times 8 = 1144$qt.; $1144 \times 2 = 2288$pt., Ans.

(2.) $2288 \div 2 = 1144$qt.; $1144 \div 8 = 143$pk.; $143 \div 4 = 35$bu. 3pk., Ans.

(3.) $676 \times 36 = 24336$bu.; $24336 \times 4 = 97344$pk., Ans.

(4.) $97344 \div 4 = 24336$bu.; $24336 \div 36 = 676$ch., Ans.

(5.) $50 \times 0.60 = \$30.00$; $50 \times 5 = 250$pk.; $250 \times 0.15 = \$37.50$; $\$37.50 - \$30.00 = \$7.50$ gain, Ans.

(6.) $96 \times 0.42 = \$40.32$; $2304 \div 32 = 72$bu.; $72 \times 0.45 = \$32.40$; $\$40.32 - \$32.40 = \$7.92$ loss, Ans.

DRY, LIQUID, AND BEER MEASURE COMPARED.

(ART. **141,** p. **104.**)

(1.) 4hhd. 15gal. beer = 231gal.; $231 \times 282 = 65142$; $65142 \div 231 = 282$gal. wine = 4hhd. 30gal., Ans.

(2.) 4hhd. 30gal. = 282 wine gal.; $282 \times 231 = 65142$; $65142 \div 282 = 231$ beer gal. = 4hhd. 15gal., Ans.

(3.) $2820 \times 4 = 11280$qt.; $11280 \times 0.04 = \$451.20$; $2820 \times 282 = 795240$; $795240 \div 231 = 3442\frac{4}{6}\frac{6}{6}$gal. wine measure; $3442\frac{4}{6}\frac{6}{6} \times 4 = 13770\frac{3}{9}\frac{9}{9}$qt.; $13770\frac{3}{9}\frac{9}{9} \times 0.06 = \$826.22\frac{7}{7}\frac{7}{7}$; $\$826.22\frac{7}{7}\frac{7}{7} - \$451.20 = \$375.02\frac{7}{7}\frac{7}{7}$, Ans.

(4.) $2538 \times 4 \times 0.04 = \$406.08$; $2538 \times 231 = 586278$; $586278 \div 282 = 2079$; $2079 \times 4 \times 0.06 = \$498.96$; $\$498.96 - \$406.08 = \$92.88$ gain, Ans.

(5.) $385 \times 4.00 = \$1540.00$; 385bu. $\times 268\frac{4}{5} = 103488$; $103488 \div 231 = 448$bu.; $448 \times 32 \times 0.20 = \$2867.20$; $\$2867.20 - \$1540.00 = \$1327.20$ gain, Ans.

(6.) $1000 \times 1.05 = \$1050.00$; 1000bu. $\times 268\frac{4}{5} = 268800$; $268800 \div 231 = 1163\frac{7}{11}$bu.; $1163\frac{7}{11} \times 1.12 = \$1303.27$; $\$1303.27 - \$1050.00 = \$253.27$ gain, Ans.

(7.) $30 \times 1728 = 51840$ cubic inches; $51840 \div 282 = 183\frac{39}{47}$gal.; $51840 \div 268\frac{4}{5} = 192\frac{6}{7}$gal.; $192\frac{6}{7} - 183\frac{39}{47} = 9\frac{9}{3\frac{2}{9}5}$gal., Ans.

(8.) $365 \times 4 \times 0.05 = \$73.00$; $365 \times 231 = 84315$; $84315 \div 282 = 299$gal.; $299 \times 4 \times 0.05 = \$59.80$; $\$73.00 - \$59.80 = \$13.20$, Ans.

TIME.

(Art. 142, p. 106.)

(1.) 365da. 5h. 48min. 49sec.
       24
   ————
   1465
    730
   ————
   8765h.
     60
   ————
  525948m.
     60
   ————
31556929sec., Ans.

(2.)
60)31556929sec.
  60)525948m. 49sec.
    24)8765h. 48m.
      ————
     365da. 5h.

Ans. 365da. 5h. 48m. 49sec.

(3.) 2348yrs. + 1855yrs. = 4203yrs.; 365da. 6h. = 31557600 sec.; 31557600sec. × 4203 = 132636592800sec., Ans.

(4.) 31556929 seconds in a solar year; therefore 74726807872 ÷ 31556929 = 2368 years, Ans.

(5.) June 13da. + July 31 + August 31 + September 30 + October 31 + November 30 + December 31 + January 31 + February 16 + 365 + 365 = 974da. = 2 yrs. 244da., Ans.

CIRCULAR MEASURE.
(Art. 143, p. 107.)

(1.) 27S. 27° 43′
     30
   ————
   837°
    60
   ————
 50263′, Ans.

(2.)
60)50263′
  30)837° 43′
   ————
  27S. 27°

Ans. 27S. 27° 43′.

(3.) 44 × 30 = 1320°; 1320° + 18° = 1338°; 1338 × 60 = 80280′; 80280′ + 57′ = 80337′; 80337 × 60 = 4820220″; 4820220″ + 23″ = 4820243″, Ans.

(4.) 4820243 ÷ 60 = 80337′ 23″; 80337 ÷ 60 = 1338° 57′; 1338 ÷ 30 = 44S. 18°; 44S. 18° 57′ 23″, Ans.

(5.) 360 × 60 = 21600′; 21600 × 60 = 1296000, Ans.

(6.) 1296000 ÷ 60 = 21600′; 21600 ÷ 60 = 360°, Ans.

MISCELLANEOUS.

(Art. 144, p. 108.)

(1.) $4 \times 5 + 4 = 24$; $24 \times 2 + 1 = 49$; $49 \times 20 + 10 = 990$; $990 \times 24 = 23760$ sheets, Ans.

(2.) $23760 \div 24 = 990$qr.; $990 \div 20 = 49$rm. 10qr.; $49 \div 2 = 24$bun. 1rm.; $24 \div 5 = 4$ba. 4bun.; 4ba. 4bun. 1rm. 10qr., Ans.

(3.) $10 \times 8 + 6 = 86$; $86 \times 21\frac{1}{2} + 8 = 1857$; $1857 \times 14 = 25998$lbs.

(4.) $25998 \div 14 = 1857$; $1857 \div 21\frac{1}{2} = 86$ pigs 8 stone; $86 \div 8 = 10$ fother 6p.; 10 fother 6 pigs 8 stone, Ans.

(5.) $56 \times 12 \times 0.23 = \$154.56$, Ans.

(6.) $\$22.00 \div 200 = \$0.11$, Ans.

(7.) $302 \times 8 \times 0.30 = \$724.80$, Ans.

(8.) $\$4.00 \div 100 = \$0.04$; $50.24 \div .04 = 1256$ pounds.

(9.) $12 \times 12 \times 12 \times \$0.045 = \$77.76$.

(10.) $56 \times 2 = 112$lb.; $112 \times 0.20 = \$22.40$; 196lb. $\div 2 = 98$lb.; $98 \times 0.05 = \$4.90$; $\$22.40 - \$4.90 = \$17.50$, Ans.

MISCELLANEOUS EXAMPLES IN REDUCTION.

(Page 109.)

(1.) $57 \times 20 + 15 = 1155$s.; $1155 \times 12 = 13860$d.; $13860 \times 2 = 27720$ half-pence, Ans.

(2.) $59 \times 12 = 708$oz.; $708 \times 20 + 13 = 14173$pwt.; $14173 \times 24 + 15 = 340167$gr., Ans.

(3.) $340167 \div 24 = 14173$pwt. 15 gr.; $14173 \div 20 = 708$oz. 13pwt.; $708 \div 12 = 59$lb.; 59lb. 13pwt. 15gr., Ans.

(4.) $761 \times 4 = 3044$qr.; $3044 \div 5 = 608$E.E. 4qr., Ans.

(5.) $61 \times 3 = 183$qr.; $183 \div 4 = 45$yd. 3qr., Ans.

(6.) $63 \times 4 = 252$qt.; $252 \times 2 = 504$pt.; $504 \div 3 = 168$ bottles, Ans.

(7.) 2ft. 8in. $= 32$in.; $15 \times 8 \times 40 \times 16\frac{1}{2} \times 12 = 950400$in.; $950400 \div 32 = 29700$ times, Ans.

(8.) 2oz. 12pwt. $= 52$pwt.; 5lb. 2oz. 8pwt. $= 1248$pwt.; $1248 \div 52 = 24$ spoons, Ans.

(9.) 14ft. 9in. $=$ 177in.; $436 \times 8 \times 40 \times 16\frac{1}{2} \times 12 = 276$-24960in.; $27624960 \div 177 = 156073\frac{39}{177}$ times, Ans.

(10.) $123 \times 78 \times 4 = 38376$ ears; $38376 \div 8 = 4797$qt.; 4797qt. $\div 8 = 599$pk. 5qt.; 599pk. $\div 4 = 149$bu. 3pk. 5qt., Ans.

(11.) 5yd. 2qr. 3na. $=$ 91na.; $182 \times 4 \times 4 = 2912$na.; $2912 \div 91 = 32$ suits, Ans.

(12.) 5pwt. 10gr. $=$ 130gr.; 3lb. 1oz. 2pwt. 2gr. $=$ 17810gr.; $17810 \div 130 = 137$ rings, Ans.

(13.) 18in. $\div 3 = 6$in.; 6in. $\times 4 = 24$in.; 56ft. $\times 60 = 3360$ft.; $3360 \times 144 = 483840$in.; $483840 \div 24 = 20160$ shingles, Ans.

(14.) $56 \times 25 \times 2 = 2800$sq. ft.; $2800 \times 6 = 16800$ shingles, Ans.

(15.) 22m. 3fur. 17rd. $=$ 7177rd.; $25000 \times 320 = 8000000$rd.; $8000000 \div 7177 = 1114\frac{6822}{7177}$da., Ans.

(16.) 7lb. 10oz. $=$ 122oz.; 10cwt. 3qr. 16lb. $=$ 1091lb.; 1091. $\times 16 = 17456$oz.; $17456 \div 122 = 143\frac{5}{61}$ weeks, Ans.

(17.) $7 \times 63 = 441$gal.; $441 \times 4 = 1764$qt.; $1764 \times 0.09 = \$ 158.76$, Ans.

(18.) $15 \times 54 = 810$gal.; $810 \times 4 = 3240$qt.; $3240 \times 2 = 6480$pt.; $6480 \times 0.03 = \$ 194.40$, Ans.

(19.) $73 \times 32 = 2336$qt.; $2336 \times 0.02 = \$ 46.72$, Ans.

(20.) $29 \times 57 = 1653$yd.; $1653 \times 0.15 = \$ 247.95$, Ans.

(21.) $120 \times 4\frac{1}{2} \times 4 = 2160$ cubic feet; $\$ 4.00 \div 128 = \$ 0.03125$; $0.03125 \times 2160 = \$ 67.50$, Ans.

(22.) $33 \times 18 = 594$sq. ft.; $594 \div 9 = 66$sq. yd.; $\$ 0.20 \times 66 = \$ 13.20$, Ans.

(23.) $20 \times 25 = 500$ pills; $6 + 5 + 4 = 15$gr.; $500 \times 15 = 7500$gr., Ans.

(24.) $87 \times 63 = 5481$gal.; $5481 \times 0.33 = \$ 1808.73$, Ans.

(25.) 128ft. $\div 2 = 64$ft.; $64 \times 880 = 56320$oz.; $128 \times 480 = 61440$oz.; 56320oz. $+ 61440$oz. $= 117760$oz.; 117-760 $\div 16 = 7360$lb., Ans.

4

(26.) 24 × 0.43 = $ 10.32; $ 1548.00 ÷ 10.32 = $ 150.00, Ans.

(27.) From 1837 to 1857 there are 5 leap years, viz., 1840, 1844, 1848, 1852, and 1856. Therefore, $ 10.00 × 5 — $ 50.00; $ 200.00 — $ 50.00 = $ 150.00, Ans.

(28.) 1,000,000 × 25¾ = 25,800,000gr.; 25,800,000 ÷ 7000 = 3685½lb., Ans.

(29.) 188 × 0.50 = $ 94.00; 188gal. ÷ 2 = 94gal.; 94 × 231 = 21714; 21714 ÷ 282 = 77gal.; 77 × 4 = 308qt.; 308 × 0.12½ = $ 38.50; 94 × 4 = 376qt.; 876 × 0.14 = $ 52.64; $ 52.64 + $ 38.50 = $ 91.14; $ 94.00 — $ 91.14 = $ 2.86, Ans.

ADDITION OF COMPOUND NUMBERS.

(ART. **145**, p. **112.**)

2. 324T. 15cwt. 2qr. 15lb. 12oz. 9dr.
3. 233cwt. 1qr. 6lb. 4oz. 5dr.
4. 209lb. 7oz. 15pwt. 8gr.
5. 385lb. 7oz. 5pwt. 10gr.
6. 183℔ 6℥ 3℈ 1Ə 19gr.
7. 246℔ 10℥ 3℈ 2Ə 2gr.
8. 195deg. 55m. 5fur. 24rd. 1ft. 1in.
9. 317m. 3fur. 18rd. 4yd. 2ft. 3in.
10. 229yd. 3qr. 3na. 1¼in.
11. 2513E.E. 3qr. 2na. 0in.
12. 2038A. 1R. 13p. 2ft. 95in.
13. 317A. 0R. 24p. 13¾ft.
14. 160m. 0fur. 1ch. 1p. 12l.
15. 194m. 6fur. 9ch. 0p. 12l.
16. 335T. 23ft. 1173in.
17. 378C. 96ft. 1460in.
18. 354tu. 0hhd. 30gal. 1qt.
19. 286hhd. 42gal. 1qt. 1pt.
20. 784hhd. 24gal. 2qt. 0pt.

21. 298bu. 0pk. 4qt. 1pt.
22. 128bu. 2pk. 7qt.
23. 227y. 7m. 16da. 21h. 28min. 2sec.
24. 240w. 1da. 23h. 33min. 8sec.
25. 5S. 10° 35′ 16″.
26. 11S. 2° 22′ 42″.
27. 20£. 17s. 10d.
28. 5lb. 9oz. 4pwt. 20gr.
29. 7℔ 10℥ 3ℨ 1℈ 4gr.
30. 117cwt. 1qr. 22lb.
31. 175yd. 2qr. 2na.
32. 1060m. 5fur. 16rd. 5yd. 1ft.
33. 588A. 1R. 31p.
34. 7S. 29° 33′ 56″.

SUBTRACTION OF COMPOUND NUMBERS.

(Art. 146, p. 116.)

1. 435£. 16s. 3d.
2. 67£. 18s. 5¾d.
3. 435£. 15s. 9¼d.
4. 51T. 18cwt. 2qr. 21lb. 9oz. 8dr.
5. 53cwt. 3qr. 20lb. 14oz.
6. 54lb. 4oz. 14pwt. 19gr.
7. 38lb. 7oz. 14pwt. 13gr.
8. 52℔ 6℥ 3ℨ 1℈ 15gr.
9. 5℔ 5℥ 0ℨ 1℈ 17gr.
10. 6m. 7fur. 38rd. 2ft. 11in.
11. 9deg. 4m. 5fur. 37rd. 4yd. 1ft. 4in.
12. 48yd. 2qr. 2na. 1¼in.
13. 31E.E. 4qr. 2na.
14. 38A. 2R. 5p. 264ft. 33in.
15. 3A. 1R. 38p. 18yd. 7ft. 36in.
16. 1m. 7fur. 1ch. 2p. 23l.
17. 12m. 6fur. 8ch. 0p. 24l.

18. 30T. 37ft. 1620in.

19. 163C. 53ft. 1289in.

20. 68tu. 1hhd. 53gal. 3qt.

21. 577hhd. 52gal.

22. 17ch. 35bu.

23. 12bu. 3pk. 4qt.

24. 4mo. 23da. 20h. 45min. 42sec.

25. 28y. 1mo. 15da. 21h. 48min. 5sec.

26. 9S. 2° 56′ 52″.

27. 2S. 27° 21′ 54″.

28. 67A. 0rd. 38p. 265¼ft.

29. 99£. 16s. 5½d.

30. 24956m. 7fur. 22rd. 15ft. 9in.

31. 4C. 50ft.

32. 11yd. 1qr. 3na.

33. 33cwt. 2q. 20lb.

34. 54gal. 0qt. 1pt.

35. 6A. 2R. 32p.

36. 12° 11′ 27″.

37. 86bu. 1pk. 0qt. 1pt.

38. 1T. 19ft. 1418in.

————

MULTIPLICATION OF COMPOUND NUMBERS.

(ART. **147**, p. **119.**)

2. 19£. 10s. 4d.

3. 557T. 19cwt. 1qr. 11lb. 15oz. 7dr.

4. 39lb. 10oz. 13pwt. 3gr.

5. 261lb. 11oz. 0pwt. 0gr.

6. 427℔ 10℥ 0℈ 2Ə 14gr.

7. 858deg. 44m. 4fur. 6rd. 7ft. 0in.

8. 215m. 7fur. 9ch. 3p. 1l.

9. 181A. 3R. 11p. 6yd. 4ft. 41in.

10. 57yd. 2qr. 3na.

11. 123tu. 3hhd. 36gal. 3qt.

12. 209hhd. 55gal. 3qt. 0pt. 1gi.

13. 118bu. 1pk. 5qt.
14. 110y. 343d. 3h. 41m. 12sec.
15. 149deg. 9m. 5fur. 13rd. 3yd. 1ft.
16. 214A. 3R. 12p.
17. 3d. 16h. 54m.
18. 29bu. 0p. 0qt.

(ART. 148, p. 121.)

2. 56T. 14cwt. 3qr. 15lb.
3. 5£. 4s. 3d.
4. 10£. 8s. 3d.
5. 12£. 13s. 0d.
6. 1290£. 4s. 0d.
7. 32lb. 9oz. 15pwt.
8. 746m. 5fur.
9. 15° 0′ 0″.
10. 1275A. 2R. 16p. 22yd. 8ft. 32in.
11. 2y. 68d. 19h. 54m.

(ART. 149. p. 122.)

2. 89hhd. 52gal. 3qt. 1pt.
3. 179bu. 3pk. 5qt. 0pt. 1gi.
4. 275ch. 19bu. 2pk.
5. 23£. 11s. $5\frac{1}{4}$d.
6. 3419A. 2R. 23p.
7. 3375yd. 3qr. 1na. $0\frac{1}{4}$in.
8. 44hhd. 52gal. 2qt. 1pt.
9. 6357m. 5fur. 14rd. $11\frac{1}{2}$ft.
10. 175gal. 2qt. 0pt.
11. 15T. 38ft. 1074in.
12. 132C. 2ft.

4*

DIVISION OF COMPOUND NUMBERS.

(Art. **150**, p. **123.**)

2. 2£. 8s. 9½d.
3. 61T. 19cwt. 3qr. 17lb. 15oz. 15dr.
4. 7lb. 11oz. 14pwt. 15gr.
5. 32lb. 8oz. 17pwt. 12gr.
6. 38℔ 10℥ 5ℨ 2 Э 14gr.
7. 71deg. 38m. 2fur. 13rd. 14ft. 4in.
8. 17m. 7fur. 9ch. 3p. 23l.
9. 16A. 2R. 4p. 19yd. 7ft. 79in.
10. 10yd. 3qr. 3na.
11. 17tun. 2hhd. 50gal. 1qt.
12. 29hhd. 61gal. 3qt. 1pt. 3gi.
13. 19bu. 2pk. 7qt. 1pt.
14. 13y. 316d. 15h. 27m. 39sec.
15. 16deg. 39m. 3fur. 39rd. 5yd. 2ft.
16. 23A. 3R. 19½p.
17. 7h. 24m. 30sec.
18. 3bu. 2pk. 4qt.

(Art. **151**, p. **124.**)

2. 12cwt. 2qr. 11lb.
3. 0£. 5s. 9½d.
4. 0£. 9s. 11d.
5. 0£. 11s. 6d.
6. 13£. 8s. 9½d.
7. 3oz. 5pwt. 15gr.
8. 24m. 7fur. 4rd.
9. 0° 15′.
10. 39A. 3R. 17p. 30yd. 8ft. 100in.
11. 2d. 5h. 17m. 19sec.

(Art. **152**, p. **125.**)

2. 2hhd. 19gal 0qt. 1pt.
3. 3bu. 1pk. 4qt. 1pt. 1gi.

4. 16ch. 7bu. 2pk. 0qt. 0pt.
5. 0£. 8s. 3¼d.
6. 117A. 3R. 27p.
7. 37yd. 3qr. 2na. 2in.
8. 47gal. 3qt. 1pt.
9. 17m. 3fur. 13rd. 14ft.
10. 3gal. 1qt. 1pt.
11. 37ft. 978in.
12. 7C. 98ft.
13. 4T. 15cwt. 2qr. $10\frac{129}{148}$lb.
14. 19m. 3fur. 39rd. 13ft. $2\frac{79}{87}$in.
15. 24A. 3R. $6\frac{23}{38}$p.
16. 9A. 1R. 19p. $139\frac{85}{87}$ft.
17. 13A. 0R. 27p. 3yd. 0ft. $45\frac{2}{11}$in.

———

PRINCIPLES AND APPLICATIONS.

(ART. 153, p. 127.)

(2.)		
y.	mo.	d.
1857	3	19
1854	5	3
2	10	16

(3.)		
y.	mo.	d.
1857	5	12
1856	9	26
0	7	16

(4.)		
y.	mo.	d.
1776	6	4
1620	11	22
155	6	12

(5.)		
y.	mo.	d.
1799	11	14
1732	1	22
67	9	22

(ART. 154, p. 128.)

2. From Dec. to Feb. = 2 mo., $31 \times 2 = 62$ days.
   For Nov. 14d., Feb. 12d., $16 + 12 = \underline{28}$
   $\overline{90 \text{ days.}}$

3. From July to May = 10mo., $10 \times 31 = 310$ days.
     For June 13 days,   13
     ———
     323
     For Sept. 1d., Nov. 1d., Feb. 3d., April 1,   6
     ———
     317 days.

4. From April to May = 1mo.,   30 days.
     For March 28 days, May 2 days,   30
     ———
     60 days.

5. From Dec. to April = 4mo., $4 \times 31 = 124$ days.
     For Nov. 27 days, April 3 days,   30
     ———
     154
     For Feb. 3 days,   3
     ———
     151 days.

6. From Feb. to Dec. = 10 mo., $10 \times 31 = 310$ days.
     For Jan. 25 days, Dec. 10 days,   35
     ———
     345
     For Feb. 2 days, April 1, June 1, Sept. 1, Nov. 1,   6
     ———
     Ans. 339 days.

(Art. 155, p. 129.)

2. From April 2 to July 4 = 93 days.
     $93 \div 7 = 13$ weeks, 2 days.
     2 days after Wednesday = Friday, Ans.

3. From Jan. 1 to June 17 = 168 days.
     $168 \div 7 = 24$ weeks.
     Tuesday, Ans.

4. From Jan. 1 to Dec. 25 = 358 days.
     $358 \div 7 = 51$ weeks, 1 day.
     1 day before Tuesday = Monday, Ans.

5. From Nov. 4 to Feb. 1 = 89 days.

  89 ÷ 7 = 12 weeks, 5 days, therefore February will com-
  mence 5 days after Tuesday = Sunday. If Sunday be
  the 1st day, Monday will be the 2nd and 9th days.

6. From Dec. 20 to March 1 = 72 days, it being *leap year*.
  90 − 72 = 18 days; the note will therefore become
  due March 19. 91 ÷ 7 = 13 weeks. As there is no re-
  mainder, and as the note was given on Thursday, it will be
  payable on Wednesday, March 19.

Note. — In reckoning the interest on any note, it is not customary to
charge interest on the day the note is paid, but it is reckoned on the day
it is given.

_____

DIFFERENCE OF LATITUDE.

(Art. **157**, p. **130.**)

2. Latitude of Quebec   = 46° 48′ N.
   Latitude of New Orleans   = 29° 57′ N.
   Difference of Latitude   = 16° 51′, Ans.

3. Latitude of Washington City   = 38° 53′ N.
   Latitude of Cape Horn   = 55° 58′ S.
   Difference of Latitude   = 94° 51′, Ans.

4. Latitude of Valparaiso   = 33° 2′ S.
   Latitude of San Francisco   = 37° 48′ N.
   Difference of Latitude   = 70° 50′, Ans.

5. Latitude of New York City   = 40° 42′ N.
   Difference of Latitude N.   = 17° 33′ N.
   Latitude of Havana   = 23° 9′ N., Ans.

6. Latitude of Mobile   = 30° 41′ N.
   Difference of Latitude   = 9° 15′
   Latitude of Philadelphia   = 39° 56′ N., Ans.

DIFFERENCE OF LONGITUDE.

(ART. 159. p. 131.)

2. Longitude of Washington City   = 77° 16′ W.
    Longitude of Paris   =   2° 20′ E.
    Difference of Longitude   = 79° 36′, Ans.

3. Longitude of Cape Flattery   = 124° 43′ W.
    Longitude of St. Croix River   = 67° 2′ W.
    Difference of Longitude   = 57° 41′, Ans.

4. Longitude of Sacramento City   = 120° 0′ W.
    Longitude of Raleigh   = 78° 48′ W.
    Difference of Longitude   = 41° 12′, Ans.

5. Longitude of Fort Leavenworth   = 94° 44′ W.
    Longitude of Hartford, Ct.   = 72° 40′ W.
    Difference of Longitude   = 22° 4′, Ans.

6. Longitude of Honolulu   = 157° 52′ W.
    Longitude of Canton   = 113° 14′ E.
                               271° 6′

   360° — 271° 6′ = 88° 54′, Ans.

LONGITUDE AND TIME.

(ART. 160, p. 132.)

2. Longitude of Galveston   =   14° 43′
                                             4
    Difference of time   =   0h. 58m. 52sec.
                                    12h. 0m. 0sec.
                                    12h. 58m. 52sec.

3. Longitude of Valparaiso $\qquad = 71°\ 37'\ W.$
   Longitude of Rome $\qquad\qquad = 20°\ 30'\ E.$

$$\overline{92°\ \ 7'}$$
$$4$$

   Difference of time $\qquad = \overline{6h.\ \ 8m.\ 28sec.}$
$$11h.\ 15m.\ \ \ 0s.\ A.M.$$
   Time at Rome $\qquad\qquad = \overline{5h.\ 23m.\ 28s.\ P.M.}$

4. Longitude of Jerusalem $\qquad = 35°\ 32'\ E.$
   Longitude of Baltimore $\qquad = 76°\ 37'\ W.$

$$\overline{112°\ \ 9'}$$
$$4$$

   Difference of time $\qquad = \overline{7h.\ 28m.\ 36sec.}$

   Time at Jerusalem $\qquad = 9h.\ \ 0m.\ \ 0s.\ A.M.$
$$7h.\ 28m.\ 36s.\ A.M.$$
   Time at Baltimore $\qquad = \overline{1h.\ 31m.\ 24s.\ A.M.,\ Ans.}$

(Art. **161**, p. **133**.)

(2.) $\quad 29m. \div 4 = 7°\ 15'$
$\quad 36sec. \div 4 = 0°\ \ 9'$
$$\overline{7°\ 24'}$$

(3.) $\ 2h. \times 15 = 30°$
$\quad 20m. \div\ \ 4 = \ 5°$
$\quad 40sec. \div\ \ 4 = \ \ 0°\ 10'$
$$\overline{35°\ 10'}$$

(4.) $\ 1h. \times 15 = 15°\ \ 0'$
$\quad 20sec. \div\ \ 4 = \ \ 0°\ \ 5'$
$$\overline{15°\ \ 5'}$$
$$75°\ 10'$$
$$\overline{90°\ 15'\ W.}$$

(5.) $\ 53m. \div 4 = 13°\ 15'$
$\quad 30sec. \div 4 = \ \ 0°\ \ 7'\ 30''$
$$\overline{13°\ 22'\ 30''}$$

(6.) $\ 1h. \times 15 = 15°\ \ 0'$
$\quad 37m. \div\ \ 4 = \ \ 9°\ 15'$
$\quad 12sec. \div\ \ 4 = \ \ 0°\ \ 3'$
$$\overline{Take\ 24°\ 18'}$$
$$From\ 93°\ \ 5'$$
$$\overline{68°\ 47'\ \textbf{West.}}$$

(7.) $\ 7h. \times 15 = 105°\ \ 0'$
$\quad 15m. \div\ \ 4 = \ \ 3°\ 45'$
$\quad 40sec. \div\ \ 4 = \ \ 0°\ 10'$
$$\overline{108°\ 55'}$$
$$30°\ \ 0'$$
$$\overline{78°\ 55'\ \textbf{West.}}$$

$$(8.)\ \text{4h.} \times 15 = 60° \ 0'$$
$$\text{44m.} \div 4 = 11° \ 0'$$
$$\text{32sec.} \div 4 = \ \ 0° \ 8'$$
$$\overline{\qquad 71° \ 8'}$$

MISCELLANEOUS EXAMPLES.

(Page 134.)

(1.)
```
   57 650 000
  263 517 496
  626 400 000
  100 000 000
    1 445 000
    1 500 000
33)1050 512 496
   31,833 712
```

(2.) $755 - 125 = 630$; $630 \div 2 = 315$; $315 + 48 = 363$ bushels in the second; $315 - 48 = 267$ bushels in the third.

(3.) $30 \times 3 = 90$ miles A travels. He has therefore travelled round the island three times. $30 \times 5 = 150$; $150 \div 30 = 5$; B has travelled round the island five times. A and B are therefore together.

(4.) $\$1750 \times 2 = \$3500$; $\$103 \times 19 = \$1957$; $\$3500 + \$1957 + \$113 = \$5570$, Ans.

(5.) $960 \div 2 = 480$; $480 \div 12 = 40$; $40 \div 2 = 20$ bushels each for those who left; $480 \div 8 = 60$; $60 \div 2 = 30$; $30 + 20 = 50$ bushels for each who remained.

(6.) $652.00 \div .50 = 1304$ sheep, Ans.

(7.) $27 \times 18 = 486$sq. ft.; $486 \div 9 = 54$yd.; $54 \times 2.25 = \$121.50$, Ans.

(8.) $365 \times 2\frac{1}{2} = 912\frac{1}{2}$h.; $912\frac{1}{2}$h. $\times 20 = 18250$h. in 20 years; $18250 \div 12 = 1520$da. 10h. $= 4$y. 60da. $10\frac{1}{2}$h., Ans.

(9.) 7C. 76ft. 1671in. + 16C. 28ft. 56in. + 29C. 127ft. 1000in. + 29C. 10ft. 1216in. = 82C. 115ft. 487in.; 82C. 115ft. 487in. — 45C. 96ft. 0in. = 37C. 19ft. 487in., Ans.

(10.) $42° \ 21' + 1° \ 15' = 43° \ 36'$; $43° \ 36' - 10° \ 40' = 32° \ 56'$, Ans.

(11.) 2000lb. $\times 2 = 4000$lb.; $4000 \div 54 = 74\frac{2}{27}$ cubic feet, Ans.

(13.) $\$295,300,000 \div 250,000 = \$1181.20$; $\$295,300,000 \div 4 = \$73,825,000$, Ans.

(14.) $216 \times 1728 = 373248$in.; $373248 \div 231 = 1615\frac{93}{231}$gal.;
  $1615\frac{93}{231} \div 63 = 25$hhd. $40\frac{93}{231}$gal., Ans.

(15.) Ans. 11th day of May; 131st day of the year.

(16.) 18T. 17cwt. 3qr. 20lb. $= 37795$lb.; $37795 \times 0.04 =$
  \$ 1511.80; 4T. 6cwt. 1qr. 14lb. $= 8639$lb.; $8639 \times$
  $0.05 = $ \$ 431.95; 7T. 1cwt. 3qr. 10lb. $= 14185$lb.;
  $14185 \times 0.06 = $ \$ 851.10; 8639lb. $+$ 14185lb. $=$
  22824lb.; 37795lb. $-$ 22824lb. $=$14971lb.; 14971lb. $\div$
  $4 = 3742\frac{3}{4}$lb.; $3742\frac{3}{4} \times 0.06 = $ \$ 224.56$\frac{1}{2}$; 14971lb.
  $- 3742\frac{3}{4}$lb. $= 11228\frac{1}{4}$lb.; $11228\frac{1}{4}$lb. $\div 2 = 5614\frac{1}{8}$lb.;
  $5614\frac{1}{8} \times 0.10 = $ \$ 561.41$\frac{1}{4}$; $5614\frac{1}{8} \times 0.12 =$
  \$ 673.69$\frac{1}{2}$; \$ 673.69$\frac{1}{2} \div 2 = $ \$ 336.84$\frac{3}{4}$; \$ 431.95 $+$
  \$ 851.10 $+$ \$ 224.56$\frac{1}{2}$ $+$ \$ 561.41$\frac{1}{4}$ $+$ \$ 336.84$\frac{3}{4}$ $=$
  · \$ 2405.87$\frac{1}{2}$; \$ 2405.87$\frac{1}{2}$ $-$ \$ 1511.80 $= $ \$ 894.07$\frac{1}{2}$, Ans.

(17.) 3m. 7fur. 29rd. 15ft. $+$ 5m. 0fur. 10rd. 1$\frac{1}{2}$ft. $=$ 9m.; 9m.
  $\times 6\frac{1}{2} = 58\frac{1}{2}$m., the distance both travel each day;
  $2691 \div 58\frac{1}{2} = 46$da., the number of days they travel
  before they meet. 46 days from the 1st of January, omit-
  ting 8 Sabbaths, as in duty bound, will be February 23d,
  1857, at 2h. 30min. P. M. Swift will have travelled
  1186m. 4fur. 22rd. 13ft. 6in.; and Fleet 1504m. 3fur.
  17rd. 3ft. As January begins on Thursday, the 23d of
  February will be on Monday, Ans.

EXAMPLES BY ANALYSIS.
(Page **136.**)

(1.) \$ 8.75 $\div$ 7 $= $ \$ 1.25; \$ 1.25 $\times$ 20 $= $ \$ 25.00, Ans.

(2.) \$ 85.00 $\div$ 5 $= $ \$ 17.00; \$ 17.00 $\times$ 17 $= $ \$ 289.00, Ans.

(3.) \$ 0.75 $\div$ 3 $= $ \$ 0.25; \$ 0.25 $\times$ 37 $= $ \$ 9.25, Ans.

(4.) \$ 1.92 $\div$ 4 $= $ \$ 0.48; \$ 0.48 $\times$ 37 $= $ \$ 17.76, Ans.

(5.) \$ 1.08 $\div$ 12 $= $ \$ 0.09; \$ 0.09 $\times$ 25 $= $ \$ 2.25, Ans.

(6.) \$ 63.00 $\div$ 9 $= $ \$ 7.00; \$7.00 $\times$ 27 $= $ \$ 189.00, Ans.

(7.) 20m. $\div$ 5 $=$ 4m.; 28 $\div$ 4 $=$ 7h., Ans.

(8.) 49 crackers $\div$ 7 $=$ 7 crackers; 7 crackers $\times$ 19 $= $ 133
  crackers, Ans.

(9.) $20 ÷ 5 = $4; 40 × 4 = $ 160.00, Ans.

(10.) $0.36 ÷ 3 = $ 0.12; $ 0.12 × 37 = $ 4.44, Ans.

(11.) $0.72 ÷ 9 = $0.08; $ 0.08 × 37 = $ 2.96, Ans.

(12.) 2£. 17s. 5d. ÷ 52 = 0£. 1s. $1\frac{1}{4}$d; 0£. 1s. $1\frac{1}{4}$d. × 76 = 4£. 3s. 11d., Ans.

(13.) 4£. 3s. 11d. ÷ 76 = 0£. 1s. $1\frac{1}{4}$d.; 0£. 1s. $1\frac{1}{4}$d. × 52 = 2£. 17s. 5d., Ans.

(14.) 17m. 4fur. 28rd. ÷ 6 = 2m. 7fur. 18rd.; 2m. 7fur. 18rd. × 100 = 293m. 1fur., Ans.

(15.) 41bu. 3pk. 4qt. 1pt. ÷ 7 = 5bu. 3pk. 7qt. 1pt.; 5bu. 3pk. 7qt. 1pt. × 12 = 71bu. 3pk. 2qt.; 71bu. 3pk. 2qt. × 7 = 502bu. 2pk. 6qt., Ans.

(16.) 39A. 2R. 5p. 8yd. 6ft. 108in. ÷ 8 = 4A. 3R. 30p. 20yd.; 4A. 3R. 30p. 20yd. × 9 = 44A. 1R. 35p. 28yd. 6ft. 108in.; 44A. 1R. 35p. 28yd. 6ft. 108in. × 8 = 355A. 3R. 7p. 18yd. 2ft. 36in., Ans.

(17.) 63gal. 3qt. ÷ 4 = 15gal. 3qt. 1pt. 2gi.; 15gal. 3qt. 1pt. 2gi. × 37 = 589gal. 2qt. 1pt. 2gi., Ans.

(18.) 5yd. 3qr. 1na. ÷ 4 = 1yd. 1qr. $3\frac{1}{4}$na.; 1yd. 1qr. $3\frac{1}{4}$na. × 36 = 52yd. 1qr. 1na., Ans.

(19.) 11T. 3cwt. 2qr. ÷ 4 = 2T. 15cwt. 3qr. 12lb. 8oz.; 2T. 15cwt. 3qr. 12lb. 8oz. × 23 = 64T. 5cwt. 0qr. 12lb. 8oz., Ans.

(20.) 286da. 4h. 33min. × 12 = 3434da. 6h. 36min., the time one man would dig it; 3434da. 6h. 36min. ÷ 72 = 47da. 16h. 45min. 30sec., time 72 men would dig it, Ans.

(21.) 27yd. 1qr. ÷ 21 = 1yd. 1qr. 0na. $1\frac{5}{7}$in; 1yd. 1qr. 0na. $1\frac{5}{7}$in. × 11 = 14yd. 1qr. 0na. $0\frac{5}{7}$in., Ans.

(22.) 174m. 0fur. 26rd. ÷ 7 = 24m. 6fur. 38rd.; 24m. 6fur. 38rd. × 10 = 248m. 5fur. 20rd., Ans.

(23.) 4 × 60 = 240 pair; $192.00 ÷ 240 = $ 0.80; $192.00 ÷ 4 = $ 48.00; $ 48.00 × 25 = $ 1200.00, Ans.

(24.) 3A. 2R. 20p. ÷ 4 = 0A. 3R. 25p., cost of one hogshead; 0A. 3R. 25p. × 30 = 27A. 0R. 30p., Ans.

(25.) 20deg. 49m. 5fur. 35rd. 5yd. 0ft. 3in. ÷ 9 = 2deg. 6m. 7fur. 6rd. 4yd. 1ft. 11in.

20deg. 49m.   5fur. 35rd. 5yd.   0ft. 3in.

                                    10
_____
207deg. 12⅚m. 2fur. 39rd.   ½yd. 2ft. 6in.
                            ½yd. = 1ft. 6in.
_____
207deg. 12⅚m. 2fur. 39rd. 1yd.   1ft. 0in.
        ⅚m. = 6fur. 26rd. 3yd.   2ft. 0in.
_____
207deg. 13m.   1fur. 25rd. 5yd.   0ft. 0in., Ans.

FACTORING.

(Page **141.**)

(2.)	(3.)	(4.)	(5.)
3)105	2)220	2)936	3)1953
5)35	2)110	2)468	3)651
7)7	11)55	2)234	7)217
1	5)5	3)117	31)31
Ans. 3, 5, 7.	1	3)39	1
	Ans. 2, 5, 11.	13)13	Ans. 3, 7, 31.
		1	
		Ans. 2, 3, 13.	

(6.)	(7.)	(8.)		
2)12462	11)19987	3)225	3)435	2)540
3)6231	23)1817	3)75	5)145	2)270
31)2077	79)79	5)25	29	3)135
67)67	1	5)5		3)45
1	Ans. 11, 23, 79.	1		3)15
Ans. 2, 3, 31, 67.		Ans. 3, 5.		5)5
				1

(9.) 2)960   2)1568   2)5824

       2)480   2)784   2)2912

       2)240   2)392   2)1456

       2)120   2)196   2)728

       2)60   2)98   2)364

       2)30   7)49   2)182

       3)15   7)7   7)91

       5)5   1   13)13

       1   Ans. 2.   1

(10.) 2)2340   2)11934   3)12987   3)14859

       2)1170   3)5967   3)4329   3)4953

       3)585   3)1989   3)1443   13)1651

       3)195   3)663   13)481   127)127

       5)65   13)221   37)37   1

       13)13   17)17   1

       1   1   Ans. 3, 3, 13.

(11.) 3)105

       5)35

       7)7

       1   Ans. 3, 5, 7.

DIVISORS OR MEASURES.

(Art. **194,** p. **145.**)

(2.) $72 = 2 \times 2 \times 2 \times 3 \times 3$.

Divisors. $\begin{cases} 1, 2, 4, 8 & = 2 \times 2 \times 4. \\ 3, 6, 12, 24 & = (2 \times 2 \times 2) \times 3. \\ 9, 18, 36, 72 & = (2 \times 2 \times 2) \times (3 \times 3). \end{cases}$

(3.) $105 = 3 \times 5 \times 7$.

     Exponent of 3 is $1 + 1 = 2$.

     Exponent of 5 is $1 + 1 = 2$.

     Exponent of 7 is $1 + 1 = 2$.

     $2 \times 2 \times 2 = 8$, the number of divisors.

4. $1764 = 2 \times 2 \times 3 \times 3 \times 7 \times 7.$

2 (the exponent of factor 2) $+ 1 = 3$; $2 + 1 = 3$; $2 + 1 = 3$; $3 \times 3 \times 3 = 27$, Ans.

5. $3528 = 2 \times 2 \times 2 \times 3 \times 3 \times 7 \times 7 =$

3 (the exponent of the factor 2) $+ 1 = 4$; $2 + 1 = 3$; $2 + 1 = 3$; $4 \times 3 \times 3 = 36$, Ans.

6. $5880 = 2 \times 2 \times 2 \times 3 \times 5 \times 7 \times 7.$

$3 + 1 = 4$; $1 + 1 = 2$; $1 + 1 = 2$; $2 + 1 = 3$; $4 \times 2 \times 2 \times 3 = 48$, Ans.

COMMON DIVISORS.

(Art. **198**, p. **146.**)

2. $51 = 3 \times 17.$

$153 = 3 \times 3 \times 17.$

$255 = 3 \times 5 \times 17.$

The prime factors which are common are 1, 3, 17. Their products are found as in Art. **194.**

Divisors 1, 3, 17, 51 = Ans. 1, 3, 17, 51.

3. $180 = 2 \times 2 \times 3 \times 3 \times 5.$

$360 = 2 \times 2 \times 2 \times 3 \times 3 \times 5.$

2, 2, 3, 3, 5, are common. Hence,

    1,   2,   4,

    3,   6, 12 $= (2 \times 2) \times 3.$

    5, 10, 20 $= (2 \times 2) \times 5.$

    9, 18, 36 $= (2 \times 2) \times (3 \times 3).$

  15, 30, 60 $= (2 \times 2) \times (3 \times 5).$

45, 90, 180 $= (2 \times 2) \times (3 \times 3 \times 5).$

Ans. 1, 2, 3, 4, 5, 6, 9, 10, 12, 15, 18, 20, 30, 36, 45, [60, 90, 180.

4. $2025 = 3 \times 3 \times 3 \times 3 \times 5 \times 5.$

$6075 = 3 \times 3 \times 3 \times 3 \times 3 \times 5 \times 5.$

$8100 = 2 \times 2 \times 3 \times 3 \times 3 \times 3 \times 5 \times 5.$

The factors $3 \times 3 \times 3 \times 3 \times 5 \times 5$ are common.

The exponent of 3 is $4 + 1 = 5$; the exponent of 5 is $2 + 1 = 3$; and $5 \times 3 = 15$, Ans.

5*

5. $4500 = 2 \times 2 \times 3 \times 3 \times 5 \times 5 \times 5.$

$9000 = 2 \times 2 \times 2 \times 3 \times 3 \times 5 \times 5 \times 5.$

The *common* prime factors are $2 \times 2 \times 3 \times 3 \times 5 \times 5 \times 5.$ Their exponents are $2 + 1 = 3$; $2 + 1 = 3$; $3 + 1 = 4$; and $3 \times 3 \times 4 = 36$, Ans.

(ART. **200,** p. 148.)

THE GREATEST COMMON DIVISOR OR MEASURE.

2.	56	6.	35	10.	15
3.	32	7.	1	11.	78
4.	57	8.	1	12.	4 acre lots.
5.	1	9.	12	13.	6 bushels.

LEAST COMMON MULTIPLE.

(ART. **203,** p. 151.)

(2.) 3 13 37 91

$3 \times 37 \times 91 = 10101.$

(3.)

3)9	14	30	35	47
5)3	14	10	35	47
2)3	14	2	7	47
7)3	7	1	7	47
3	1	1	1	47

$47 \times 3 \times 7 \times 2 \times 5 \times 3 = 29610$, Ans.

(4.) 6 8 10 18 20 | 24
         3   5

$3 \times 5 \times 24 = 360$, Ans.

(5.) 14 19 38 | 57
        14   2

$14 \times 57 = 798$, Ans.

(6.) 20 36 48 | 50
         2 18 | 24
         3

$3 \times 24 \times 50 = 3600$, Ans.

(7.) 15 25 35 45 | 100
                 7   9

$7 \times 9 \times 100 = 6300$, Ans.

(8.) 100 200 300 400 | 575
                  12 | 16
                   3

$3 \times 16 \times 575 = 27600$, Ans.

(9.) $\cancel{1}$ $\cancel{2}$ $\cancel{3}$ $\cancel{4}$ $\;5\;$ $\;6\;$ $\;8\;$ | 9

$\qquad\qquad 5\quad \cancel{2}\quad 8$

$5 \times 8 \times 9 = 360; \; 2520 \div 360 = 7, \; \textbf{Ans.}$

(10.) $\cancel{18}$ $\cancel{24}$ $\;36\;$ $\;20\;$ $\;48\;$ | 126

$\qquad\qquad \cancel{2}\quad 10\; | \;8$

$\qquad\qquad\qquad 5$

$5 \times 8 \times 126 = 5040, \; \textbf{Ans.}$

(11.) $\cancel{4}$ $\;\cancel{6}\;$ $\;10\;$ | 12 $\qquad\qquad$ (12.) $\;50\;$ $\;40\;$ | 75

$\qquad\qquad 5 \qquad\qquad\qquad\qquad\qquad\quad \cancel{2}\quad 8$

$5 \times 12 = 60\text{qt.}, \; \textbf{Ans.} \qquad\qquad 8 \times 75 = 600, \; \textbf{Ans.}$

MISCELLANEOUS EXAMPLES.
(Page 152.)

(1.) 7)6174 $\qquad\qquad$ (2.) 5)5775

$\quad$ 7)882 $\qquad\qquad\qquad\quad$ 5)1155

$\quad$ 7)126 $\qquad\qquad\qquad\quad$ 7)231

$\quad$ 2)18 $\qquad\qquad\qquad\quad\;$ 3)33

$\quad$ 3)9 $\qquad\qquad\qquad\qquad$ 11)11

$\quad$ 3)3 $\qquad\qquad\qquad\qquad\quad$ 1 $\quad$ 11, Ans.

$\qquad$ 1 $\quad$ Ans. 3 times.

(3.) 3)19929 $\qquad\qquad$ (4.) 2)2338

$\quad$ 7)6643 $\qquad\qquad\qquad\quad$ 7)1169

$\quad$ 13)949 $\qquad\qquad\qquad\;$ 167)167

$\quad$ 73)73 $\qquad\qquad\qquad\qquad$ 1

$\qquad$ 1

$73 \times 13 \times 7 = 6643, \; \text{Ans.} \qquad$ $2338 \div 2 = 1169$ $\Big\}$ Ans.

$\qquad\qquad\qquad\qquad\qquad\qquad\qquad 2338 \div 7 = \;\; 334$

(5.) 5)17385
     3)3477
    19)1159
     61)61
       1

Ans. 3, 5, 19, 61.

(6.) 2)3000 $5 \times 5 \times 5 \times 3 \times 2 \times 2 = 1500$ ⎫
    3)1500 $5 \times 5 \times 5 \times 2 \times 2 \times 2 = 1000$ ⎬ Bins.
    5)500 $5 \times 5 \times 5 \times 3 \times 2 \quad\;\; = \;\;750$ ⎭
    2)100
    2)50   1, 2, 3 = Bags.
    5)25   **Ans.**
    5)5
     1

(7.) 136)152(1 $152 \div 8 = 19$ classes of ladies.
    136         $136 \div 8 = 17$ classes of gentlemen.
   16)136(8   **Ans.**
    128
     8)16(2
     16

8. The velocity of the hands of a clock is as the times in which they perform one revolution. The second-hand performs a revolution in 60 seconds, the minute-hand in 3600 seconds, and the hour-hand in 43200 seconds.

    60)43200   3600   60
     60) 720   60   1
        12   1   1

$60 \times 60 \times 12 = 43200$ seconds $= 12$ hours, Ans.

9. Greatest common divisor of 348, 372, 444, 492 = 12; $348 \div 12 = 29$ rails; $372 \div 12 = 31$ rails; $444 \div 12 = 37$ rails; $492 \div 12 = 41$ rails; $29 + 31 + 37 + 41 = 138$ rails; $138 \times 5 = 690$ rails; 12ft. + 9in. = 12ft. 9in., length of each rail, Ans.

10. 3A. 2R. 1p. = 561p.; 5A. 3R. 15p. = 935p.; 8A. 0R. 29p. = 1309p.; 12A. 3R. 17p. = 2057p.; 15A. 0R. 31p. = 2431p.; 1309 ÷ 187 = 7; 2057 ÷ 187 = 11; 187p. is therefore the common divisor, and each field will contain 187p. = 1A. 0R. 27p., Ans.

$$561)935(1$$
$$\underline{561}$$
$$374)561(1$$
$$\underline{374}$$
$$187)374(2$$
$$\underline{374}$$

(11.) $2772 = 2 \times 2 \times 3 \times 3 \times 7 \times 11$
$12 = 2 \times 2 \times 3$
$12 \times 3 = 36$
$12 \times 7 = 84$ } Ans.
$12 \times 11 = 132$

(12.) $3 + 1 = 4; 5 + 1 = 6; 7 + 1 = 8$

$$2) \underline{4 \quad 6 \quad 8}$$
$$2) \underline{2 \quad 3 \quad 4}$$
$$1 \quad 3 \quad 2$$

$2 \times 2 \times 3 \times 2 = 24; 24 - 1 = 23$ days, Ans.

COMMON FRACTIONS.

REDUCTION.

(ART. 220, p. 156.)

2.	$\frac{4}{21}$	5.	$\frac{7}{54}$	8.	$\frac{4}{7}$	11.	$\frac{41}{61}$
3.	$\frac{3}{4}$	6.	$\frac{3}{35}$	9.	$\frac{416}{875}$	12.	$\frac{408}{509}$
4.	$\frac{3}{7}$	7.	$\frac{81}{422}$	10.	$\frac{811}{1115}$	13.	$\frac{41}{152}$

(ART. 221, p. 157.)

2.	$11\frac{2}{15}$	5.	$3\frac{134}{161}$	8.	125
3.	$14\frac{7}{15}$	6.	$111\frac{1}{8}$	9.	1
4.	$7\frac{12}{17}$	7.	$91\frac{28}{45}$	

(Art. **222**, p. **157**.)

3.	$\frac{90}{4}$	7.	$\frac{100}{1}$	10.	$7\frac{10\,7}{61}$	13.	$\frac{7}{1}$
4.	$2\frac{377}{16}$	8.	$\frac{85}{17}$	11.	$68\frac{601}{97}$	14.	$2\frac{47}{13}$
5.	$10\frac{146}{59}$	9.	$2\frac{554}{97}$	12.	$20\frac{000}{199}$	15.	$\frac{465}{4}$
6.	$4\frac{1}{7}$						

(Art. **223**, p. **158**.)

3. $\frac{2}{3} \times \frac{5}{6} \times \frac{7}{8} \times \frac{11}{12} = \frac{770}{1728} = \frac{385}{864}$, Ans.

4. $\frac{\cancel{6}}{7} \times \frac{11}{\underset{5}{\cancel{15}}} \times \frac{\cancel{3}}{5} \times \frac{1}{\underset{3}{\cancel{18}}} = \frac{11}{525}$, Ans.

5. $\frac{\overset{1}{\cancel{4}}}{7} \times \frac{5}{\underset{2}{\cancel{8}}} \times \frac{3}{8} \times \frac{11}{13} = \frac{165}{1456}$, Ans.

6. $\frac{6}{11} \times \frac{6}{\underset{1}{\cancel{7}}} \times \frac{1}{4} \times \frac{\overset{3}{\cancel{21}}}{1} = \frac{108}{44} = 2\frac{5}{11}$, Ans.

7. $\frac{7}{11} \times 15\frac{7}{8} \times 5\frac{7}{10} \times 100 = \frac{7}{11} \times \frac{127}{8} \times \frac{57}{\underset{1}{\cancel{10}}} \times \frac{\overset{10}{\cancel{100}}}{1} =$

$[\frac{506730}{88} = 5758\frac{13}{44}$, Ans.

8. $\frac{\overset{1}{\cancel{3}}}{\underset{1}{\cancel{4}}} \times \frac{\overset{1}{\cancel{4}}}{7} \times \frac{11}{\underset{8}{\cancel{24}}} = \frac{11}{56}$, Ans.

9. $\frac{7}{\cancel{11}} \times \frac{\cancel{11}}{\cancel{25}} \times \frac{\cancel{25}}{31} \times \frac{7.75}{1} = \frac{54.25}{31} =$ \$1.75, Ans.

10. $\frac{4}{9} \times \frac{9}{17} \times \frac{17}{18} \times 3\frac{3}{5} = \frac{4}{\cancel{9}} \times \frac{\cancel{9}}{\cancel{17}} \times \frac{\cancel{17}}{\cancel{18}} \times \frac{\cancel{18}}{5} = \frac{4}{5}$ gal., Ans.

11. $\frac{1}{\underset{2}{\cancel{4}}} \times \frac{\cancel{2}}{3} \times \frac{3}{4} = \frac{1}{8}$, Ans.

12. $\dfrac{\cancel{4}}{\cancel{7}} \times \dfrac{9}{\underset{5}{\cancel{20}}} \times \dfrac{\overset{3}{\cancel{15}}}{16} \times \dfrac{\overset{2}{\cancel{14}}}{\cancel{17}} \times \dfrac{\overset{2}{\cancel{34}}}{1} = \dfrac{108}{16} = \$6.75$, Ans.

COMMON DENOMINATORS.

(Art. 226, p. 160.)

2. $\frac{44}{72}, \frac{40}{72}, \frac{63}{72}, \frac{30}{72}$.

3. $\frac{720}{1320}, \frac{704}{1320}, \frac{1254}{1320}, \frac{275}{1320}$.

4. $\frac{12}{84}, \frac{18}{84}, \frac{32}{84}, \frac{15}{84}$.

5. $\frac{22}{42}, \frac{24}{42}, \frac{23}{42}, \frac{21}{42}$.

6. $\frac{210}{308}, \frac{84}{308}, \frac{178}{308}, \frac{231}{308}$.

7. $\frac{30}{60}, \frac{40}{60}, \frac{45}{60}, \frac{48}{60}$.

8. $\frac{584}{693}, \frac{308}{693}, \frac{315}{693}, \frac{441}{693}$.

9. $\frac{90}{120}, \frac{105}{120}, \frac{20}{120}, \frac{456}{120}$.

10. $\frac{70}{168}, \frac{63}{168}, \frac{96}{168}, \frac{798}{168}$.

11. $\frac{24}{42}, \frac{18}{42}, \frac{22}{42}, \frac{21}{42}$.

12. $\frac{224}{252}, \frac{147}{252}, \frac{238}{252}, \frac{24}{252}$.

13. $\frac{570}{600}, \frac{148}{600}, \frac{165}{600}, \frac{12}{600}$.

14. $\frac{210}{240}, \frac{148}{240}, \frac{105}{240}, \frac{84}{240}$.

15. $\frac{14}{63}, \frac{441}{63}, \frac{504}{63}, \frac{324}{63}$.

16. $\frac{80}{120}, \frac{96}{120}, \frac{105}{120}$.

17. $\frac{368}{630}, \frac{568}{630}, \frac{189}{630}$.

18. $\frac{546}{1001}, \frac{572}{1001}, \frac{616}{1001}$.

19. $\frac{384}{624}, \frac{192}{624}, \frac{4836}{624}$.

20. $\frac{1485}{2295}, \frac{1920}{2295}, \frac{612}{2295}$.

21. $\frac{2040}{2295}, \frac{540}{2295}, \frac{2631.6}{2295}$.

22. $\frac{21}{42}, \frac{28}{42}, \frac{24}{42}, \frac{33.6}{42}$.

23. $\frac{528}{1188}, \frac{756}{1188}, \frac{6039}{1188}$.

24. $\frac{24}{48}, \frac{36}{48}, \frac{8}{48}, \frac{816}{48}$.

25. $\frac{140}{120}, \frac{576}{120}, \frac{2580}{120}$.

26. $\frac{12912}{14014}, \frac{5086}{14014}, \frac{5390}{14014},$

$\quad \left[\frac{8008}{14014}, \frac{7007}{14014}\right.$.

27. $\frac{28506816}{178431552}, \frac{37088064}{178431552},$

$\quad \left[\frac{722813}{178431552}\right.$.

ADDITION OF COMMON FRACTIONS.

(Art. 228, p. 162.)

3.	$3\frac{10}{17}$.	11.	1.	18.	$9\frac{115}{269}$.
4.	$2\frac{19}{23}$.	12.	$3\frac{9}{60}$.	19.	$18\frac{311}{360}$.
5.	$1\frac{40}{57}$.	13.	$1\frac{83}{140}$.	20.	$45\frac{1}{126}$.
6.	$1\frac{11}{12}$.	14.	$63\frac{349}{504}$.	21.	$40\frac{4}{15}$.
7.	$24\frac{26}{341}$.	15.	$9\frac{31}{84}$.	22.	$1068\frac{37}{80}$.
8.	$24\frac{47}{72}$.	16.	$6\frac{1}{3}$.	23.	$12\frac{89}{504}$.
9.	$2\frac{38}{45}$.	17.	$17\frac{7}{20}$.	24.	$13\frac{31}{44}$.
10.	$2\frac{188}{360}$.				

SUBTRACTION OF COMMON FRACTIONS

(Art. 230, p. 165.)

3.	$\frac{7}{17}$.	11.	$\frac{7}{40}$.	19.	$\frac{8}{25}$.
4.	$\frac{9}{19}$.	12.	$\frac{269}{1726}$.	20.	$\frac{33}{100}$.
5.	$\frac{14}{37}$.	13.	$\frac{13}{250}$.	21.	$\frac{5}{54}$.
6.	$\frac{2}{39}$.	14.	$\frac{19}{34}$.	22.	$\frac{3}{56}$.
7.	$\frac{5}{28}$.	15.	$\frac{5}{37}$.	23.	$1\frac{9}{28}$.
8.	$\frac{15}{37}$.	16.	$\frac{124}{325}$.	24.	$1\frac{11}{12}$.
9.	$\frac{1}{4}$.	17.	$\frac{627}{722}$.	25.	$\frac{1}{12}$.
10.	$\frac{5}{36}$.	18.	$\frac{92}{231}$.		

(Art. 231, p. 166.)

2.	$26\frac{5}{8}$.	6.	$15\frac{139}{237}$.	10.	$77\frac{9}{23}$.
3.	$11\frac{1}{4}$.	7.	$16\frac{1}{4}$.	11.	$680\frac{9}{8}$.
4.	$670\frac{9}{50}$.	8.	$5\frac{4}{7}$.	12.	$30\frac{1}{6}$.
5.	$368\frac{23}{38}$.	9.	$18\frac{4}{7}$.	13.	$31\frac{8}{19}$.

(Art. 232, p. 167.)

(2.)	(3.)	(4.)
$18\frac{3}{8} = 18\frac{27}{72}$	$73\frac{4}{5} = 73\frac{48}{60}$	$67\frac{1}{3} = 67\frac{3}{9}$
$9\frac{8}{9} = 9\frac{64}{72}$	$16\frac{11}{12} = 16\frac{55}{60}$	$16\frac{2}{3} = 16\frac{6}{9}$
$8\frac{35}{72}$, Ans.	$56\frac{53}{60}$, Ans.	$50\frac{6}{9}$, Ans.

(5.)	(6.)	(7.)
$29\frac{18}{19} = 29\frac{162}{171}$	$144\frac{3}{4} = 144\frac{39}{52}$	$171\frac{15}{22} = 171\frac{150}{220}$
$15\frac{4}{9} = 15\frac{76}{171}$	$99\frac{11}{13} = 99\frac{44}{52}$	$91\frac{9}{10} = 91\frac{198}{220}$
$14\frac{86}{171}$, Ans.	$44\frac{47}{52}$, Ans.	$79\frac{43}{55}$, Ans.

(8.)	(9.)	(10.)
$101\frac{7}{8} = 101\frac{35}{40}$	$165\frac{1}{2} = 165\frac{8}{16}$	$77\frac{11}{12} = 77\frac{220}{240}$
$93\frac{4}{5} = 93\frac{32}{40}$	$98\frac{7}{8} = 98\frac{14}{16}$	$19\frac{18}{8} = 19\frac{228}{240}$
$8\frac{3}{40}$, Ans.	$66\frac{5}{8}$, Ans.	$57\frac{232}{240}$, Ans.

<div style="text-align:center">(11.) (12.) (13.)</div>

$84\frac{23}{24} = 84\frac{276}{288}$ $671\frac{1}{21} = 671\frac{9213}{59843}$ $17\frac{123}{457} = 17\frac{87453}{324927}$

$15\frac{1}{12} = 15\frac{264}{288}$ $183\frac{60}{83} = 183\frac{48748}{59843}$ $8\frac{34}{711} = 8\frac{196938}{324927}$

$69\frac{12}{288}$, Ans. $487\frac{18397}{59843}$, Ans.   Ans. $8\frac{95442}{324927}$

14. $63 - 7\frac{9}{11} = 55\frac{2}{11}$ gal., Ans.

15. $30 - 5\frac{7}{12} = 24\frac{5}{12}$ days, Ans.

16. $17\frac{5}{8} + 28\frac{7}{12} = 46\frac{5}{24}$; $144 - 46\frac{5}{24} = 97\frac{19}{24}$ lb, Ans.

17. $34 - 9\frac{7}{8} = 24\frac{1}{8}$ yd., Ans.

18. $40 \times \frac{2}{17} = 4\frac{12}{17}$; $40 \times \frac{3}{11} = 7\frac{3}{11}$; $4\frac{12}{17} + 7\frac{3}{11} = 11\frac{183}{187}$; $40 - 11\frac{183}{187} = 28\frac{4}{187}$ miles, Ans.

19. $\frac{1}{4}$ of a square yard $= \frac{1}{4}$ of 9 feet $= 2\frac{1}{4}$ square feet. 1 yard $= 3$ feet; $\frac{1}{6}$ of 3 feet $= 6$ inches. 6 inches squared $= 36$ square inches $= \frac{1}{4}$ of a square foot. $2\frac{1}{4}$ feet $- \frac{1}{4}$ foot $= 2$ square feet, Ans.

MISCELLANEOUS EXAMPLES IN ADDITION AND SUBTRACTION OF FRACTIONS.

<div style="text-align:center">(PAGE 168.)</div>

1. $\frac{3}{4}, \frac{1}{2}, \frac{7}{8} = \frac{6}{8}, \frac{4}{8}, \frac{7}{8}$; $6 + 4 + 7 = 17$; $17 \div 8 = 2\frac{1}{8}$, Ans.

2. $\frac{5}{8} + \frac{1}{2} + \frac{1}{3} + \frac{5}{6} = \frac{15}{24} + \frac{12}{24} + \frac{8}{24} + \frac{20}{24} = \frac{15+12+8+20}{24} = \frac{55}{24} = \$2\frac{7}{24}$, Ans.

3. $20\frac{7}{10}, 19\frac{1}{2}, 22\frac{1}{16} = 20\frac{56}{80}, 19\frac{40}{80}, 22\frac{5}{80}$; $20\frac{56}{80} + 19\frac{40}{80} + 22\frac{5}{80} = 62\frac{81}{80}$ miles, Ans.

4. $6\frac{1}{2}, 19\frac{4}{5}, 3\frac{3}{4} = 6\frac{10}{20}, 19\frac{16}{20}, 3\frac{15}{20}$; $6\frac{10}{20} + 19\frac{16}{20} + 3\frac{15}{20} = 30\frac{1}{20}$ tons, Ans.

5. $\frac{1}{5}, \frac{1}{3} = \frac{3}{15}, \frac{5}{15}$; $\frac{3}{15} + \frac{5}{15} = \frac{8}{15}$; $1 - \frac{8}{15} = \frac{15}{15} - \frac{8}{15} = \frac{7}{15}$, Ans.

6. $1 - \frac{2}{3} = \frac{3}{3} - \frac{2}{3} = \frac{1}{3}$; $\frac{1}{3} \times \frac{1}{4} = \frac{1}{12}$; $\frac{2}{3} + \frac{1}{12} = \frac{8}{12} + \frac{1}{12} = \frac{9}{12} = \frac{3}{4}$; $1 - \frac{3}{4}$; $\frac{4}{4} - \frac{3}{4} = \frac{1}{4}$, Ans.

7. $11\frac{5}{8}, 9\frac{1}{2} = 11\frac{5}{8}, 9\frac{4}{8}$; $11\frac{5}{8} + 9\frac{4}{8} = 21\frac{1}{8}$; $31\frac{1}{4}, 21\frac{1}{8} = 31\frac{2}{8}, 21\frac{1}{8}$; $31\frac{2}{8} - 21\frac{1}{8} = 10\frac{1}{8}$ yards, Ans.

<div style="text-align:center">6</div>

8. $4\frac{7}{8}$, 11, $26\frac{1}{2} = 4\frac{6}{14}$, 11, $26\frac{7}{14}$; $4\frac{6}{14} + 11 + 26\frac{7}{14} = 41\frac{13}{14}$; $84\frac{7}{8} - 41\frac{13}{14} = 42\frac{21}{56}$, $+ 3\frac{3}{4} = 46\frac{11}{56}$; $46\frac{11}{56} - 13\frac{8}{11} = 46\frac{121}{616} - 13\frac{448}{616} = 32\frac{299}{616}$; $32\frac{299}{616} + 3\frac{1}{2} = 32\frac{299}{616} + 3\frac{308}{616} = 35\frac{497}{616}$ gallons, Ans.

9. $19\frac{3}{4}$, $36\frac{1}{3}$, $33\frac{5}{8} = 19\frac{18}{24}$, $36\frac{8}{24}$, $33\frac{15}{24} = 19\frac{18}{24} + 36\frac{8}{24} + 33\frac{15}{24} = 89\frac{17}{24}$; $89\frac{17}{24} - 71\frac{3}{8} = 89\frac{17}{24} - 71\frac{9}{24} = 18\frac{1}{3}$ yards, Ans.

MULTIPLICATION OF COMMON FRACTIONS.

(Art. **235**, p. **171**.)

5. $12 \times \dfrac{5}{7} = \dfrac{12}{1} \times \dfrac{5}{7} = \dfrac{60}{7} = 8\frac{4}{7}$, Ans.

6. $\dfrac{2}{7} \times 12 = \dfrac{2}{7} \times \dfrac{12}{1} = \dfrac{24}{7} = 3\frac{3}{7}$, Ans.

7. $\dfrac{14}{17} \times \dfrac{17}{42} = \dfrac{\overset{1}{\cancel{14}}}{\cancel{17}} \times \dfrac{\cancel{17}}{\underset{3}{\cancel{42}}} = \dfrac{1}{3}$, Ans.

8. $\dfrac{3}{7} \times \dfrac{19}{20} = \dfrac{57}{140}$, Ans.

9. $\dfrac{4}{5} \times \dfrac{6}{11} = \dfrac{24}{55}$, Ans.

10. $\dfrac{7}{12} \times \dfrac{11}{16} = \dfrac{77}{192}$, Ans.

11. $\dfrac{8}{11} \times \dfrac{4}{7} = \dfrac{32}{77}$, Ans.

12. $\dfrac{3}{4} \times \dfrac{15}{16} = \dfrac{45}{64}$, Ans.

13. $\dfrac{16}{17} \times \dfrac{11}{12} = \dfrac{\overset{4}{\cancel{16}}}{17} \times \dfrac{11}{\underset{3}{\cancel{12}}} = \dfrac{44}{51}$, Ans.

14. $\dfrac{9}{10} \times \dfrac{14}{1} = \dfrac{9}{\cancel{10}} \times \dfrac{\overset{7}{\cancel{14}}}{1} = \dfrac{63}{5} = 12\frac{3}{5}$, Ans.

15. $13 \times \dfrac{4}{7} = \dfrac{13}{1} \times \dfrac{4}{7} = \dfrac{52}{7} = 7\frac{3}{7}$, Ans.

16. $16 \times \dfrac{3}{19} = \dfrac{16}{1} \times \dfrac{3}{19} = \dfrac{48}{19} = 2\frac{10}{19}$, Ans.

17. $11 \times \dfrac{4}{7} = \dfrac{11}{1} \times \dfrac{4}{7} = \dfrac{44}{7} = 6\frac{2}{7}$, Ans.

18. $\dfrac{9}{10} \times \dfrac{14}{1} = \dfrac{9}{\cancel{10}} \times \dfrac{\overset{7}{\cancel{14}}}{1} = \dfrac{63}{5} = 12\frac{3}{5}$, Ans.

19. $\dfrac{8}{9} \times \dfrac{19}{1} = \dfrac{152}{9} = 16\frac{8}{9}$, Ans.

20. $\dfrac{9}{11} \times \dfrac{22}{27} = \dfrac{\overset{1}{\cancel{9}}}{\underset{1}{\cancel{11}}} \times \dfrac{\overset{2}{\cancel{22}}}{\underset{3}{\cancel{27}}} = \dfrac{2}{3}$, Ans.

21. $\dfrac{4}{9} \times \dfrac{18}{19} = \dfrac{4}{\underset{1}{\cancel{9}}} \times \dfrac{\overset{2}{\cancel{18}}}{19} = \dfrac{8}{19}$, Ans.

22. $\dfrac{3}{19} \times \dfrac{38}{39} = \dfrac{\overset{1}{\cancel{3}}}{\underset{1}{\cancel{19}}} \times \dfrac{\overset{2}{\cancel{38}}}{\underset{13}{\cancel{39}}} = \dfrac{2}{13}$, Ans.

23. $\dfrac{7}{9} \times \dfrac{9}{11} = \dfrac{7}{\cancel{9}} \times \dfrac{\cancel{9}}{11} = \dfrac{7}{11}$, Ans.

24. $\dfrac{1}{99} \times \dfrac{99}{100} = \dfrac{1}{\cancel{99}} \times \dfrac{\cancel{99}}{100} = \dfrac{1}{100}$, Ans.

25. $\dfrac{3}{7} \times \dfrac{7}{11} \times \dfrac{11}{24} + 100 = \dfrac{\overset{1}{\cancel{3}}}{7} \times \dfrac{\cancel{7}}{\cancel{11}} \times \dfrac{\cancel{11}}{\underset{8}{\cancel{24}}} \times \dfrac{100}{1} = \dfrac{100}{8} = 12\tfrac{1}{2},$
[Ans.

26. $\dfrac{1}{2} \times \dfrac{2}{3} \times \dfrac{7}{8} \times \dfrac{11}{1} = \dfrac{1}{\cancel{2}} \times \dfrac{\cancel{2}}{3} \times \dfrac{7}{8} \times \dfrac{11}{1} = \dfrac{77}{24} = 3\tfrac{5}{24},$ Ans.

27. $\dfrac{7}{12} \times \dfrac{17}{1} = \dfrac{119}{12} = \$9\tfrac{11}{12},$ Ans.

28. $\dfrac{9}{20} \times \dfrac{37}{1} = \dfrac{333}{20} = \$16\tfrac{13}{20},$ Ans.

29. $\dfrac{5}{\cancel{5}} \times \dfrac{\cancel{5}}{1} \times \dfrac{7}{1} = \$35,$ Ans.

30. $161\tfrac{11}{15} \times 19\tfrac{11}{28} = \dfrac{2426}{15} \times \dfrac{543}{28} = \dfrac{1317318}{420} = 3136\tfrac{33}{70},$ Ans.

31. $\dfrac{3}{7} \times 8\tfrac{3}{4} = \dfrac{3}{7} \times \dfrac{35}{4} = \dfrac{105}{28} = 3\tfrac{3}{4},$ Ans.

32. $\dfrac{9}{10} \times 17\tfrac{3}{11} = \dfrac{9}{10} \times \dfrac{190}{11} = \dfrac{1710}{110} = 15\tfrac{6}{11},$ Ans.

33. $\dfrac{8}{9} \times 71\tfrac{4}{5} = \dfrac{8}{9} \times \dfrac{359}{5} = \dfrac{2872}{45} = 63\tfrac{37}{45},$ Ans.

34. $\dfrac{3}{4} \times 9\tfrac{1}{4} \times \dfrac{2}{3} \times 17 = \dfrac{\cancel{3}}{4} \times \dfrac{37}{\underset{2}{\cancel{4}}} \times \dfrac{\cancel{2}}{\cancel{3}} \times \dfrac{17}{1} = \dfrac{629}{8} = 78\tfrac{5}{8},$
[Ans.

35. $\dfrac{9}{10} \times 7 \times \dfrac{11}{15} \times 87\tfrac{3}{11} = \dfrac{\overset{3}{\cancel{9}}}{\cancel{10}} \times \dfrac{7}{1} \times \dfrac{\cancel{11}}{\underset{5}{\cancel{15}}} \times \dfrac{\overset{96}{\cancel{960}}}{\cancel{11}} = \dfrac{2016}{5} =$
[$403\tfrac{1}{5},$ Ans.

36. $8 \times \dfrac{7}{9} = \dfrac{8}{1} \times \dfrac{7}{9} = \dfrac{56}{9} = 6\tfrac{2}{9},$ Ans.

37. $12 \times \dfrac{5}{7} = \dfrac{12}{1} \times \dfrac{5}{7} = \dfrac{60}{7} = 8\tfrac{4}{7},$ Ans.

38. $15 \times \dfrac{6}{11} = \dfrac{15}{1} \times \dfrac{6}{11} = \dfrac{90}{11} = 8\frac{2}{11}$, Ans.

39. $\dfrac{7}{\cancel{8}} \times \dfrac{\cancel{4}}{11} = \dfrac{7}{22}$, Ans.
2

40. $3\frac{7}{9} \times 10\frac{4}{7} = \dfrac{34}{9} \times \dfrac{74}{7} = \dfrac{2516}{63} = 39\frac{59}{63}$, Ans.

41. $\dfrac{2}{3} \times 7\frac{1}{4} \times \dfrac{7}{8} \times 11\frac{3}{4} = \dfrac{\cancel{2}}{3} \times \dfrac{29}{\cancel{4}} \times \dfrac{7}{8} \times \dfrac{47}{4} = \dfrac{9541}{192} = 49\frac{133}{192}$,
2 [Ans.

42. $\dfrac{2}{7} \times 9 \times \dfrac{3}{5} \times 17 = \dfrac{2}{7} \times \dfrac{9}{1} \times \dfrac{3}{5} \times \dfrac{17}{1} = \dfrac{918}{35} = 26\frac{8}{35}$, Ans.

43. $\dfrac{4}{7} \times 8\frac{3}{10} \times \dfrac{4}{7} \times 9\frac{1}{4} = \dfrac{4}{7} \times \dfrac{83}{10} \times \dfrac{\cancel{4}}{7} \times \dfrac{37}{\cancel{4}} = \dfrac{12284}{490} = 25\frac{17}{245}$,
 [Ans.

(ART. **236**, p. **172**.)

(3.)	(4.)	(5.)
$8\frac{2}{5}$	$3\frac{1}{6}$	$8\frac{2}{7}$
7	17	13
$\frac{2}{5} \times 7 = 4\frac{1}{5}$	$\frac{1}{6} \times 17 = 2\frac{5}{6}$	$\frac{2}{7} \times 13 = 5\frac{4}{7}$
$7 \times 8 = 56$	$3 \times 17 = 41$	$8 \times 13 = 104$
$60\frac{1}{5}$	$43\frac{5}{6}$	$109\frac{4}{7}$

(6.)	(7.)	(8.)
$13\frac{8}{11}$	$11\frac{6}{7}$	$7\frac{6}{11}$
37	8	5
$\frac{8}{11} \times 37 = 26\frac{10}{11}$	$\frac{6}{7} \times 8 = 6\frac{6}{7}$	$\frac{6}{11} \times 5 = 2\frac{8}{11}$
$37 \times 13 = 481$	$8 \times 11 = 88$	$5 \times 7 = 35$
$507\frac{10}{11}$	$94\frac{6}{7}$	$\$\,0.37\frac{8}{11}$

6*

(9.)	(10.)	(11.)
$23_{\frac{7}{12}}$	$8\frac{3}{8}$	$6\frac{3}{8}$
6	5	9
$\frac{7}{12} \times 6 = \overline{3\frac{1}{2}}$	$\frac{3}{8} \times 5 = \overline{1\frac{7}{8}}$	$\frac{3}{8} \times 9 = \overline{3\frac{3}{8}}$
$6 \times 23 = 138$	$8 \times 5 = 40$	$9 \times 6 = 54$
$\overline{\$141\frac{1}{2}}$	$\overline{\$41\frac{7}{8}}$	$\overline{\$57\frac{3}{8}}$

(12.)	(13.)	(14.)
$\$6.37\frac{1}{2}$	$9\frac{3}{8}$	$4\frac{3}{8}$
12	11	1.75
$\frac{1}{2} \times 12 = \overline{6}$	$\frac{3}{8} \times 11 = \overline{4\frac{1}{8}}$	$\frac{3}{8} \times 1.75 = \overline{65\frac{5}{8}}$
$12 \times 6.37 = 76.44$	$11 \times 9 = 99$	$1.75 \times 4 = 700$
$\overline{\$76.50}$	$\overline{\$103\frac{1}{8}}$	$\overline{\$7.65\frac{5}{8}}$

(15.)	(16.)	(17.)
$11\frac{7}{8}$	$\$10\frac{5}{8}$	$\$3\frac{1}{8}$
7	9	5
$\frac{7}{8} \times 7 = \overline{6\frac{1}{8}}$	$\frac{5}{8} \times 9 = \overline{5\frac{5}{8}}$	$\frac{1}{8} \times 5 = \overline{0\frac{5}{8}}$
$7 \times 11 = 77$	$9 \times 10 = 90$	$5 \times 3 = 15$
$\overline{\$83\frac{1}{8}}$	$\overline{\$95\frac{5}{8}}$	$\overline{\$15\frac{5}{8}}$

(18.)	(19.)
$\$7.62\frac{1}{2}$	$\$8.37\frac{1}{2}$
15	40
$\frac{1}{2} \times 15 = \overline{7\frac{1}{2}}$	$\frac{1}{2} \times 40 = \overline{20}$
$15 \times 7.62 = 114.30$	$40 \times 8.37 = 334.80$
$\overline{\$114.37\frac{1}{2}}$	$\overline{\$335.00}$

DIVISION OF COMMON FRACTIONS.

(Art. 239, p. 175.)

6. $\dfrac{7}{11} \div 18 = \dfrac{7}{11} \times \dfrac{1}{18} = \dfrac{7}{198}$, Ans.

7. $\dfrac{4}{9} \div \dfrac{7}{8} = \dfrac{4}{9} \times \dfrac{8}{7} = \dfrac{32}{63}$, Ans.

8. $18 \div \dfrac{7}{11} = \dfrac{18}{1} \times \dfrac{11}{7} = \dfrac{198}{7} = 28\frac{2}{7}$, Ans.

9. $\dfrac{5}{27} \div \dfrac{5}{3} = \dfrac{5}{27} \times \dfrac{3}{5} = \dfrac{15}{135} = \dfrac{1}{9}$, Ans.

10. $\dfrac{16}{21} \div \dfrac{2}{3} = \dfrac{8}{7} = 1\frac{1}{7}$, Ans.

11. $\dfrac{15}{22} \div 28 = \dfrac{15}{22} \times \dfrac{1}{28} = \dfrac{15}{616}$, Ans.

12. $\dfrac{1}{17} \div 27 = \dfrac{1}{17} \times \dfrac{1}{27} = \dfrac{1}{459}$, Ans.

13. $\dfrac{2}{15} \div 128 = \dfrac{\overset{1}{\cancel{2}}}{15} \times \dfrac{1}{\underset{64}{\cancel{128}}} = \dfrac{1}{960}$, Ans.

14. $\dfrac{11}{17} \div 98 = \dfrac{11}{17} \times \dfrac{1}{98} = \dfrac{11}{1666}$, Ans.

15. $\dfrac{14}{23} \div 19 = \dfrac{14}{23} \times \dfrac{1}{19} = \dfrac{14}{437}$, Ans.

16. $\dfrac{5}{6} \div 167 = \dfrac{5}{6} \times \dfrac{1}{167} = \dfrac{5}{1002}$, Ans.

17. $\dfrac{16}{29} \div 49 = \dfrac{16}{29} \times \dfrac{1}{49} = \dfrac{16}{1421}$, Ans.

18. $\dfrac{1}{15} \div 15 = \dfrac{1}{15} \times \dfrac{1}{15} = \dfrac{1}{225}$, Ans.

19. $27 \div \dfrac{1}{17} = \dfrac{27}{1} \times \dfrac{17}{1} = 459$, Ans.

20. $128 \div \dfrac{2}{15} = \dfrac{\overset{64}{\cancel{128}}}{1} \times \dfrac{15}{\underset{1}{\cancel{2}}} = 960$, Ans.

21. $98 \div \dfrac{11}{17} = \dfrac{98}{1} \times \dfrac{17}{11} = \dfrac{1666}{11} = 151\frac{5}{11}$, Ans.

22. $19 \div \frac{14}{23} = \frac{19}{1} \times \frac{23}{14} = \frac{437}{14} = 31\frac{3}{14}$, Ans.

23. $167 \div \frac{15}{18} = \frac{167}{1} \times \frac{18}{15} = \frac{3006}{15} = 200\frac{2}{5}$, Ans.

24. $49 \div \frac{16}{29} = \frac{49}{1} \times \frac{29}{16} = \frac{1421}{16} = 88\frac{13}{16}$, Ans.

25. $15 \div \frac{1}{15} = \frac{15}{1} \times \frac{15}{1} = 225$, Ans.

26. $\frac{36}{51} \div \frac{3}{17} = \frac{12}{3} = 4$, Ans.

27. $\frac{31}{97} \div \frac{31}{301} = \frac{\cancel{31}}{97} \times \frac{301}{\cancel{31}} = \frac{301}{97} = 3\frac{10}{97}$, Ans.

28. $\frac{5}{6} \div \frac{8}{9} = \frac{5}{6} \times \frac{9}{8} = \frac{45}{48} = \frac{15}{16}$, Ans.

29. $\frac{11}{15} \div \frac{7}{11} = \frac{11}{15} \times \frac{11}{7} = \frac{121}{105} = 1\frac{16}{105}$, Ans.

30. $\frac{8}{25} \div \frac{14}{17} = \frac{\overset{4}{\cancel{8}}}{25} \times \frac{17}{\underset{7}{\cancel{14}}} = \frac{68}{175}$, Ans.

31. $\frac{16}{21} \div \frac{1}{15} = \frac{16}{21} \times \frac{15}{1} = \frac{240}{21} = 11\frac{3}{7}$, Ans.

32. $\frac{9}{25} \div 7\frac{3}{4} = \frac{9}{25} \times \frac{4}{31} = \frac{36}{775}$, Ans.

33. $\frac{8}{11} \div \frac{164}{9} = \frac{8}{11} \times \frac{9}{148} = \frac{72}{1628} = \frac{18}{407}$, Ans.

34. $11\frac{3}{7} \div \frac{4}{7} = \frac{\overset{20}{\cancel{80}}}{\cancel{7}} \times \frac{\cancel{7}}{\underset{1}{\cancel{4}}} = 20$, Ans.

35. $21\frac{4}{5} \div 18\frac{4}{7} = \frac{109}{5} \times \frac{7}{130} = \frac{763}{650} = 1\frac{113}{650}$, Ans.

36. $17\frac{3}{11} \div 28\frac{11}{26} = \frac{190}{11} \times \frac{26}{739} = \frac{4940}{8129}$, Ans.

37. $161\frac{3}{17} \div 14\frac{3}{5} = \frac{2740}{17} \times \frac{5}{73} = \frac{13700}{1241} = 11\frac{49}{1241}$, Ans.

38. $\frac{7}{11} \times \frac{4}{5} = \frac{28}{55}$; $\frac{3}{5} \times \frac{8}{11} = \frac{24}{55}$; $\overset{7}{\cancel{28}} \times \frac{55}{\underset{6}{\cancel{24}}} = \frac{7}{6} = 1\frac{1}{6}$, Ans.

39. $\frac{5}{9} \times 7\frac{3}{11} = \frac{400}{99}$; $\frac{4}{11} \times 17\frac{3}{7} = \frac{488}{77}$; $\overset{100}{\underset{9}{\cancel{400}}} \times \overset{7}{\underset{122}{\cancel{488}}} = \frac{700}{1098}$

$[= \frac{350}{549}$, Ans.

40. $\frac{6}{17} \times 15 = \frac{90}{17}$; $\frac{7}{15} \times 22 = \frac{154}{15}$; $\frac{90}{17} \times \frac{15}{154} = \frac{1350}{2618} =$

$[= \frac{675}{1309}$, Ans.

41. $\frac{7}{7} - \frac{5}{7} = \frac{2}{7}$; $\frac{2}{3} \times \frac{2}{7} = \frac{4}{21}$; $\frac{2}{7} - \frac{4}{21} = \frac{2}{21}$; $\frac{2}{21} \times 3675 =$

$[350 ; \div 7 = \$50$, Ans.

42. $1 - \frac{1}{3} = \frac{2}{3}$; $\frac{2}{3} \times \frac{2}{3} = \frac{4}{9}$; $\frac{1}{3} + \frac{4}{9} = \frac{7}{9}$; $1 - \frac{7}{9} = \frac{2}{9}$; $\frac{2}{9} \times$

$[\frac{1}{7} = \frac{2}{63}$; $\frac{2}{63} \times 5000 = \$158\frac{46}{63}$, Ans.

(ART. **240**, p. **176**.)

2. $9)29\frac{3}{8}$

 $\overline{3}$, rem. $2\frac{3}{8}$; $2\frac{3}{8} = \frac{19}{8}$; $\frac{19}{8 \times 9} = \frac{19}{72}$; $3 + \frac{19}{72} = 3\frac{19}{72}$, Ans.

3. $7)14\frac{1}{2}$

 $\overline{2}$, rem. $\frac{1}{2}$; $\frac{1}{2 \times 7} = \frac{1}{14}$; $2 + \frac{1}{14} = 2\frac{1}{14}$, Ans.

4. $8)13\frac{3}{8}$

 $\overline{1}$, rem. $5\frac{3}{8}$; $5\frac{3}{8} = \frac{43}{8}$; $\frac{43}{8 \times 8} = \frac{43}{64}$; $1 + \frac{43}{64} = 1\frac{43}{64}$, Ans.

5. $6)14\frac{4}{5}$
$\overline{2}$, rem. $2\frac{4}{5}$; $2\frac{4}{5}=\frac{14}{5}$; $\frac{14}{5}\times_6=\frac{14}{30}$; $2+\frac{14}{30}=2\frac{14}{30}$, Ans.

6. $9)37\frac{3}{7}$
$\overline{4}$, rem. $1\frac{3}{7}$; $1\frac{3}{7}=\frac{10}{7}$; $\frac{10}{7}\times_9=\frac{10}{63}$; $4+\frac{10}{63}=4\frac{10}{63}$, Ans.

7. $11)96\frac{2}{3}$
$\overline{8}$, rem. $8\frac{2}{3}$; $8\frac{2}{3}=\frac{26}{3}$; $\frac{26}{3}\times_{11}=\frac{26}{33}$; $8+\frac{26}{33}=\$8\frac{26}{33}$,
                           [Ans.

8. $8)167\frac{7}{11}$
$\overline{20}$, rem. $7\frac{7}{11}$; $7\frac{7}{11}=\frac{84}{11}$; $\frac{84}{11}\times_8=\frac{84}{88}=\frac{21}{22}$; $20+\frac{21}{22}$
                           [$=20\frac{21}{22}$cwt., Ans.

9. $\frac{7}{8}\times\frac{1723}{1}=\frac{12061}{8}=1507\frac{5}{8}$; $12)1507\frac{5}{8}$
                           $\overline{125}$, rem. $7\frac{5}{8}$; $7\frac{5}{8}=\frac{61}{8}$;
          [$\frac{61}{8}\times_{12}=\frac{61}{96}$; $\$125+\frac{61}{96}=\$125\frac{61}{96}$, Ans.

10. $19)107\frac{3}{8}$
$\overline{5}$, rem. $12\frac{3}{8}$; $12\frac{3}{8}=\frac{99}{8}$; $\frac{99}{8}\times_{19}=\frac{99}{152}$; $5+\frac{99}{152}=$
$5\frac{99}{152}$; $\frac{99}{152}\times_{100}=\frac{9900}{152}=.65\frac{5}{38}$; $\$5+.65\frac{5}{38}=$
                              [$\$5.65\frac{5}{38}$, Ans.

11. $\frac{2}{7}$ of $\$1=\frac{2}{7}\times100=\frac{200}{7}$; $\frac{200}{7}=.28\frac{4}{7}$; $\$3+.28\frac{4}{7}=3.28\frac{4}{7}$;
         $15)3.28\frac{4}{7}$
             $\$\overline{0.21}$, rem. $13\frac{4}{7}$; $13\frac{4}{7}=\frac{95}{7}$; $\frac{95}{7}\times_{15}=\frac{95}{105}=\frac{19}{21}$;
                   [$\$0.21+\frac{19}{21}=\$0.21\frac{19}{21}$, Ans.

12. $12)\$3.75\frac{3}{4}$
      $\$\overline{.31}$, rem. $3\frac{3}{4}$; $3\frac{3}{4}=\frac{15}{4}$; $\frac{15}{4}\times_{12}=\frac{15}{48}=\frac{5}{16}$;
                  [$\$0.31+\frac{5}{16}=\$0.31\frac{5}{16}$, Ans.

13. $19)375\frac{11}{16}$
     $\overline{19}$, rem. $14\frac{11}{16}$; $14\frac{11}{16}=\frac{235}{16}$; $\frac{235}{16}\times_{19}=\frac{235}{304}$;
              [$19+\frac{235}{304}=19\frac{235}{304}$ acres, Ans.

REDUCTION OF COMPLEX FRACTIONS.

(ART. 242, p. 178.)

4. $\dfrac{4\frac{3}{7}}{\frac{2}{3}}=\dfrac{\frac{31}{7}}{\frac{2}{3}}=\frac{31}{7}\times\frac{3}{2}=\frac{93}{14}=6\frac{9}{14}$, Ans.

5. $\dfrac{\frac{3}{4}}{5\frac{2}{3}} = \dfrac{\frac{3}{4}}{\frac{17}{3}} = \frac{3}{4} \times \frac{3}{17} = \frac{9}{68}$, Ans.

6. $\dfrac{7}{4\frac{2}{3}} = \dfrac{\frac{7}{1}}{\frac{14}{3}} = \frac{7}{1} \times \frac{3}{14} = \frac{21}{14} = 1\frac{1}{2}$, Ans.

7. $\dfrac{7\frac{4}{11}}{8} = \dfrac{\frac{81}{11}}{\frac{8}{1}} = \frac{81}{11} \times \frac{1}{8} = \frac{81}{88}$, Ans.

8. $\dfrac{6\frac{2}{9}}{8\frac{2}{3}} = \dfrac{\frac{56}{9}}{\frac{26}{3}} = \frac{56}{9} \times \frac{3}{26} = \frac{168}{234} = \frac{28}{39}$, Ans.

9. $\dfrac{\frac{2}{7}}{\frac{3}{5}} = \frac{2}{7} \times \frac{5}{3} = \frac{10}{21}$, Ans.

10. $\dfrac{8}{\frac{1}{3}} = \dfrac{\frac{8}{1}}{\frac{1}{3}} = \frac{8}{1} \times \frac{3}{1} = 24$, Ans.

11. $\dfrac{\frac{4}{7}}{2} = \dfrac{\frac{4}{7}}{\frac{2}{1}} = \frac{4}{7} \times \frac{1}{2} = \frac{4}{14} = \frac{2}{7}$, Ans.

12. $\dfrac{5\frac{1}{3}}{\frac{3}{7}} = \dfrac{\frac{16}{3}}{\frac{3}{7}} = \frac{16}{3} \times \frac{7}{3} = \frac{112}{9} = 12\frac{4}{9}$, Ans.

13. $\dfrac{\frac{1}{4}}{6\frac{1}{2}} = \dfrac{\frac{1}{4}}{\frac{13}{2}} = \frac{1}{4} \times \frac{2}{13} = \frac{2}{52} = \frac{1}{26}$, Ans.

14. $\dfrac{3}{2\frac{1}{2}} = \dfrac{\frac{3}{1}}{\frac{5}{2}} = \frac{3}{1} \times \frac{2}{5} = \frac{6}{5} = 1\frac{1}{5}$, Ans.

15. $\dfrac{3\frac{1}{4}}{9} = \dfrac{\frac{13}{4}}{\frac{9}{1}} = \frac{13}{4} \times \frac{1}{9} = \frac{13}{36}$, Ans.

16. $\dfrac{11\frac{2}{3}}{12\frac{3}{5}} = \dfrac{\frac{35}{3}}{\frac{63}{5}} = \frac{35}{3} \times \frac{5}{63} = \frac{175}{189} = \frac{25}{27}$, Ans.

17. $\dfrac{\frac{7\frac{7}{9}}{11\frac{4}{5}}}{7} = \dfrac{\frac{\frac{70}{9}}{\frac{59}{5}}}{\frac{7}{1}} = \frac{70}{9} \times \frac{5}{59} \times \frac{1}{7} = \frac{350}{3717} = \frac{50}{531}$, Ans.

18. $\dfrac{\frac{7}{9}}{\frac{3}{5}} \Big/ \frac{5}{1} = \frac{7}{9} \times \frac{5}{3} \times \frac{5}{1} = \frac{175}{27} = 6\frac{13}{27}$, Ans.

(Art. **243**, p. **179**.)

1. $28\frac{3\frac{3}{7}}{4\frac{2}{7}}=28\frac{2\frac{7}{7}}{3\frac{0}{7}}$; $\frac{2\frac{7}{7}}{3\frac{0}{7}}=\frac{\overset{9}{2\frac{7}{7}}}{7}\times\frac{7}{\underset{10}{3\frac{0}{7}}}=\frac{9}{10}$; $28+\frac{9}{10}=28\frac{9}{10}=$

$\frac{289}{10}$; $\frac{1}{3}\times\frac{2}{7}\times\frac{289}{10}=\frac{578}{210}=2\frac{158}{210}$; $3\frac{39\frac{1}{2}}{105}=3\frac{\frac{79}{2}}{105}$;

$\frac{\frac{79}{2}}{105}=\frac{79}{2}\times\frac{1}{105}=\frac{79}{210}$; $3+\frac{79}{210}=3\frac{79}{210}$; $2\frac{158}{210}+$

$[3\frac{79}{210}=6\frac{9}{70}$, Ans.

2. $\frac{1}{9}=\frac{1}{9}$; $2\frac{5}{8}=\frac{21}{8}$; $\frac{45}{94\frac{7}{11}}=\frac{4\frac{5}{1}}{10\frac{4}{11}}=\frac{45}{1}\times\frac{11}{1041}=\frac{495}{1041}$;

$\frac{47\frac{5}{9}}{314\frac{3}{5}}=\frac{4\frac{28}{9}}{15\frac{73}{5}}=\frac{428}{9}\times\frac{5}{1573}=\frac{2140}{14157}$; $\frac{1}{9}+\frac{21}{8}+$

$\frac{495}{1041}+\frac{2140}{14157}.$ $\underline{3)9\ \ 8\ \ 1041\ \ 14157}$
                              $8\ \ \ 347\ \ \ 4719$

$3\times8\times347\times4719=39299832.$

$\begin{array}{r|l}
9 & 39299832 \\ \hline
8 & 4366648 \times \quad 1 = \quad 4366648 \\ \hline
1041 & 4912479 \times \quad 21 = 103162059 \\ \hline
14157 & 37752 \times \quad 495 = 18687240 \\ \hline
& 2776 \times 2140 = \quad 5940640 \\ \hline
\end{array}$

$\frac{132156587}{39299832}=3\frac{14257091}{39299832}$, Ans.

3. $\frac{49\frac{5}{8}}{97}=\frac{39\frac{7}{8}}{9\frac{7}{1}}=\frac{397}{8}\times\frac{1}{97}=\frac{397}{776}$; $\frac{34\frac{3}{5}}{145\frac{3}{11}}=\frac{17\frac{3}{5}}{15\frac{98}{11}}=\frac{173}{5}\times$

$[\frac{11}{1598}=\frac{1903}{7990}$; $\frac{397}{776}-\frac{1903}{7990}=\frac{847651}{3100120}$, Ans.

4. $\dfrac{27}{37\frac{4}{5}} = \dfrac{\frac{27}{1}}{\frac{189}{5}} = \dfrac{\overset{1}{\cancel{27}}}{1} \times \dfrac{5}{\cancel{189}\underset{7}{}} = \dfrac{5}{7}$;

$\dfrac{87\frac{2}{3}}{98\frac{1}{8}} = \dfrac{\frac{785}{9}}{\frac{785}{8}} = \dfrac{\cancel{785}}{9} \times \dfrac{8}{\cancel{785}} = \dfrac{8}{9}$;

$\dfrac{\frac{7}{8}}{2\frac{1}{3}} = \dfrac{\frac{7}{8}}{\frac{7}{3}} = \dfrac{\cancel{7}}{8} \times \dfrac{3}{\cancel{7}} = \dfrac{3}{8}$;

$\dfrac{81\frac{5}{11}}{128} = \dfrac{\frac{896}{11}}{\frac{128}{1}} = \dfrac{\overset{7}{\cancel{896}}}{11} \times \dfrac{1}{\cancel{128}} = \dfrac{7}{11}$;

$\dfrac{5}{\cancel{7}} \times \dfrac{\cancel{8}}{\cancel{9}} \times \dfrac{3}{\cancel{8}} \times \dfrac{\cancel{7}}{11} = \dfrac{5}{33}$, Ans.

5. $\dfrac{2}{3} \times 7\frac{3}{4} = \dfrac{2}{3} \times \dfrac{31}{4} = \dfrac{62}{12} = \dfrac{31}{6}$; $\dfrac{4}{5} \times 11\frac{4}{11} = \dfrac{4}{5} \times \dfrac{125}{11} =$

$\quad\qquad\qquad\qquad\qquad [\dfrac{500}{55} = \dfrac{100}{11}$, $\dfrac{31}{6} \times \dfrac{11}{100} = \dfrac{341}{600}$, Ans.

6. $\dfrac{4}{9} \times \dfrac{91}{1} = \dfrac{364}{9}$; $\dfrac{9}{10} \times \dfrac{87}{1} = \dfrac{783}{10}$; $\dfrac{364}{9} \times \dfrac{10}{783} = \dfrac{3640}{7047}$,

$\qquad\qquad\qquad\qquad\qquad\qquad\qquad\qquad\qquad [Ans.

MISCELLANEOUS EXAMPLES IN MULTIPLICATION AND DIVISION OF FRACTIONS.

(Page 179.)

1. $2\frac{3}{7} = \dfrac{17}{7}$; $7\frac{4}{17} = \dfrac{123}{17}$; $\dfrac{123}{\cancel{17}} \times \dfrac{\cancel{17}}{7} = \dfrac{123}{7} = 17\frac{4}{7}$, Ans.

2. $8\frac{1}{5} = \dfrac{41}{5}$; $4.68\frac{4}{7} = \dfrac{3280}{.7}$; $\dfrac{3280}{7} \times \dfrac{5}{41} = \dfrac{16400}{287}$; $\dfrac{16400}{287}$

$\qquad\qquad\qquad\qquad\qquad\qquad\qquad [= \$\,0.57\frac{1}{7}$, Ans.

3. $96\frac{3}{8} = \dfrac{771}{8}$; $1 - \dfrac{5}{8} = \dfrac{8}{8} - \dfrac{5}{8} = \dfrac{3}{8}$; $\dfrac{771}{8} \times \dfrac{3}{8} = \dfrac{2313}{64}$;

$\dfrac{2313}{64} \div 2 = \dfrac{2313}{64} \times \dfrac{1}{2} - \dfrac{2313}{128} = 18\frac{9}{128}$yd., Ans.

7

4. $18\frac{1}{3} \times \frac{3}{4} = \frac{55}{3} \times \frac{3}{4} = \frac{165}{12}$; $\quad 6\frac{1}{2} \times \frac{2}{3} = \frac{13}{2} \times \frac{2}{3} = \frac{26}{6}$; $\frac{165}{12}$

$$[\div \frac{26}{6} = \frac{165}{\underset{2}{\cancel{12}}} \times \frac{\cancel{6}}{26} = \frac{165}{52} = 3\frac{9}{52}, \text{ Ans.}$$

5. $1\frac{1}{3} = 1 + \frac{1}{3}$; $\frac{1}{3} = \frac{\frac{1}{2}}{\frac{1}{1}} = \frac{1}{2} \times \frac{1}{3} = \frac{1}{6}$; $1 + \frac{1}{6} = 1\frac{1}{6} = \frac{7}{6}$; $1 \div$

$$[\frac{7}{6} = \frac{1}{1} \times \frac{6}{7} = \frac{6}{7}, \text{ Ans.}$$

6. $1 + \frac{11}{12} = \frac{12}{12} + \frac{11}{12} = \frac{23}{12}$; $\quad 250 \times 12 = 3000$; $3000 \div$

$$[23 = \$130\frac{10}{23}, \text{ horse.}$$

$250 \times 11 = 2750$; $2750 \div 23 = \$119\frac{13}{23}$, chaise.

$\frac{7}{11} \times 130\frac{10}{23} = \frac{7}{11} \times \frac{3000}{23} = \frac{21000}{253} = \$83\frac{1}{253}$, harness.

7. $\$200 \times \frac{3}{4} = \$150$; $\$150 - \$144 = \$6$; $\$6 \times 4 =$

$$[\$24.00, \text{ Ans.}$$

8. $\frac{1}{5} \times \frac{3}{4} \times 3\frac{1}{8} = \frac{1}{5} \times \frac{3}{4} \times \frac{25}{8} = \frac{75}{160} = \frac{15}{32}$; $\frac{15}{32} \times \frac{1}{2} = \frac{15}{64}$;

$\frac{15}{32} \times \frac{15}{64} = \frac{225}{2048}$; $\frac{225}{2048} \div \frac{1}{2} = \frac{225}{2048} \times \frac{2}{1} = \frac{450}{2048} =$

$$[\frac{225}{1024}, \text{ Ans.}$$

9. $13\frac{7}{8} \times 25\frac{3}{4} = \frac{111}{8} \times \frac{103}{4} = \frac{11433}{32}$; $\frac{11433}{32} \div 2\frac{3}{5} = \frac{11433}{32}$

$$[\div \frac{13}{5}; \frac{11433}{32} \times \frac{5}{13} = \frac{57165}{416} = 137\frac{173}{416} \text{ bushels, Ans.}$$

10. $3\frac{1}{2} \times 9\frac{7}{8} = \frac{7}{2} \times \frac{79}{8} = \frac{553}{16}$; $\frac{553}{1} \div \frac{553}{16} = \frac{\cancel{553}}{1} \times \frac{16}{\cancel{553}} =$

$$[16 \text{ days, Ans.}$$

11. $\$0.90 \div 4 = \$0.22\frac{1}{2}$; that is, he will receive $\frac{1}{2}$ more.

12. $9\frac{4}{5} \times 16\frac{3}{4} = \frac{49}{5} \times \frac{67}{4} = \frac{3283}{20} = 164\frac{3}{20}$ miles per day.

$164\frac{3}{20} \times 4 = 656\frac{3}{5}$ miles in 4 days.

$164\frac{3}{20} \times 10 = 1641\frac{1}{2}$ miles in 10 days.

24h. $- 16\frac{3}{4}$h. $= 7\frac{1}{4}$h.; $7\frac{1}{4} \times 2 = 14\frac{1}{2}$ miles to deduct for drift in the night.

$164\frac{3}{20} - 14\frac{1}{2} = 149\frac{13}{20}$ miles gained per day.

$149\frac{13}{20} \times 10 = 1496\frac{1}{2}$ miles gained in 10 days.

$656\frac{3}{5}$m. $+ 1496\frac{1}{2}$m. $= 2153\frac{1}{10}$ miles' distance sailed in 14 days.

$2317\frac{1}{4}$m. $- 2153\frac{1}{10}$m. $= 164\frac{3}{20}$ miles remaining, which distance will be sailed the last day; therefore the boat will arrive at her port in 15 days, Ans.

A PROPOSED NUMERATOR OR DENOMINATOR.

(ART. **244**, p. **181**.)

3. $34 \div 17 = 2$; $\dfrac{17 \times 2}{20 \times 2} = \dfrac{34}{40}$, Ans.

4. $3\frac{6}{7} = \frac{27}{7}$; $9 \div 27 = \frac{1}{3}$; $\dfrac{27 \times \frac{1}{3}}{7 \times \frac{1}{3}} = \dfrac{9}{2\frac{1}{3}}$, Ans.

5. $5 \div 4 = 1\frac{1}{4}$; $\dfrac{4 \times 1\frac{1}{4}}{1 \times 1\frac{1}{4}} = \dfrac{5}{1\frac{1}{4}}$, Ans.

6. $12 \div 16 = \frac{3}{4}$; $\dfrac{15 \times \frac{3}{4}}{16 \times \frac{3}{4}} = \dfrac{11\frac{1}{4}}{12}$, Ans.

7. $15 \div 5 = 3$; $\dfrac{3 \times 3}{5 \times 3} = \dfrac{9}{15}$, Ans.

8. $2 \div 3 = \frac{2}{3}$; $\dfrac{7 \times \frac{2}{3}}{3 \times \frac{2}{3}} = \dfrac{4\frac{2}{3}}{2}$, Ans.

9. $35 \div 20 = 1\frac{3}{4}$; $\dfrac{19 \times 1\frac{3}{4}}{20 \times 1\frac{3}{4}} = \dfrac{33\frac{1}{4}}{35}$, Ans.

10. $\frac{12}{57} = \frac{1}{3}$; $\dfrac{1 \times 4}{3 \times 4} = \dfrac{4}{12}$; $\frac{67}{201} = \frac{1}{3}$; $\dfrac{1 \times 4}{3 \times 4} = \dfrac{4}{12}$, Ans.

COMMON NUMERATOR.

(ART. **246**, p. **182**.)

2. 24, the least common multiple of the numerators, $=$ common numerator.

$\frac{24}{5}$ of 9 = 27, new denominator. $\frac{8}{9} = \frac{24}{27}$

$\frac{24}{4}$ of 7 = 42, "   " $\frac{4}{7} = \frac{24}{42}$

$\frac{24}{3}$ of 4 = 32, "   " $\frac{3}{4} = \frac{24}{32}$

$\frac{24}{6}$ of 7 = 28, "   " $\frac{6}{7} = \frac{24}{28}$

$\left.\right\}$ Ans.

8. $\frac{5}{8}$, $2\frac{1}{2}$, $1\frac{3}{7}$ = $\frac{5}{8}$, $\frac{5}{2}$, $\frac{10}{7}$.

> 10, the least common multiple of the numerators, = common numerator.

$\frac{10}{5}$ of 8 = 16, new denominator. $\frac{5}{8} = \frac{10}{16}$
$\frac{10}{5}$ of 2 = 4, "   " $\frac{5}{2} = \frac{10}{4}$ } Ans.
$\frac{10}{10}$ of 7 = 7, "   " $\frac{10}{7} = \frac{10}{7}$

4. $4\frac{4}{15}$, $6\frac{2}{5}$, $6\frac{2}{3}$ = $\frac{64}{15}$, $\frac{32}{5}$, $\frac{20}{3}$.

> 320, the least common multiple of numerators, = common numerator.

$\frac{320}{64}$ of 15 = 75, new denominator. $\frac{64}{15} = \frac{320}{75}$
$\frac{320}{32}$ of 5 = 50, "   " $\frac{32}{5} = \frac{320}{50}$ } Ans.
$\frac{320}{20}$ of 3 = 48, "   " $\frac{20}{3} = \frac{320}{48}$

From the above process, it is evident they will meet in 320 days. A will have gone round the island 75 times, and have travelled $75 \times 50 = 3750$ miles. B will have gone round the island 50 times, and have travelled $50 \times 50 = 2500$ miles. C will have gone round the island 48 times, and have travelled $48 \times 50 = 2400$ miles.

GREATEST COMMON DIVISOR OF FRACTIONS.

(Art. 248, p. 183.)

2. Greatest common divisor of the numerators = $\ \ 4$ } Ans.
Least common denominator of the fractions = $\overline{315}$

3. $12\frac{3}{8}$, $9\frac{3}{4}$, $8\frac{1}{4}$ = $\frac{99}{8}$, $\frac{39}{4}$, $\frac{33}{4}$.
Greatest common divisor of the numerators = 3 } Ans.
Least common denominator of the fractions = $\overline{8}$

Note. — $\frac{3}{8}$ will divide each of the fractions, $12\frac{3}{8}$, $9\frac{3}{4}$, and $8\frac{1}{4}$, without a remainder.

4. Greatest common divisor of the numerators = $\ \ 1$ } Ans.
Least common denominator of the fractions = $\overline{60}$

5. $3\frac{4}{5}$, $5\frac{7}{10}$, $2\frac{8}{15}$ = $\frac{19}{5}$, $\frac{57}{10}$, $\frac{38}{15}$.

Greatest common divisor of the numerators = 19
Least common denominator of the fractions = 30 $\Big\}$ Ans.

6. $33\frac{3}{4}$, $67\frac{1}{2}$, $70\frac{7}{8}$ = $\frac{135}{4}$, $\frac{135}{2}$, $\frac{567}{8}$.

Greatest common divisor of the numerators = 27 $\Big\}$
Least common denominator of the fractions = $\overline{8}$ = $3\frac{3}{8}$ $\Big\}$ Ans.

$33\frac{3}{4} \div 3\frac{3}{8} = 10$ bags; $67\frac{1}{2} \div 3\frac{3}{8} = 20$ bags; $70\frac{7}{8} \div 3\frac{3}{8} =$
21 bags. $10 + 20 + 21 = 51$ bags, Ans.

7. $73\frac{7}{11}$, $88\frac{4}{11}$, $139\frac{10}{11}$ = $\frac{810}{11}$, $\frac{972}{11}$, $\frac{1539}{11}$.

Greatest common divisor of numerators   = 81
Least common denominator of the fractions = $\overline{11}$

$\frac{810}{11} + \frac{972}{11} + \frac{1539}{11} = \frac{3321}{11}$; $\frac{3321}{11} \div \frac{81}{11} = 41$ lots.
$81 \div 11 = 7\frac{4}{11}$ acres, the size of each lot.

LEAST COMMON MULTIPLE OF FRACTIONS.

(ART. **250**, p. **184.**)

2. $\frac{4}{5}$, $\frac{8}{3}$, and $\frac{6}{7}$.

Least common mult. of the numerators = 24
Greatest com. div. of the denominators = $\overline{1}$ = 24, Ans.

3. $3\frac{15}{16}$, $7\frac{7}{8}$, $5\frac{1}{4}$ = $\frac{63}{16}$, $\frac{63}{8}$, $\frac{21}{4}$.

Least common mult. of the numerators = 63
Greatest com. div. of the denominators = $\overline{4}$ = $15\frac{3}{4}$, Ans.

4. $\frac{3}{8}$, $\frac{6}{7}$, $\frac{9}{10}$.

Least common mult. of the numerators = 18
Greatest com. div. of the denominators = $\overline{1}$ = 18, Ans.

NOTE. — By this operation we find that 18 is the least whole number that
can be divided by the fractions $\frac{3}{8}$, $\frac{6}{7}$, and $\frac{9}{10}$, without a remainder.

5. $2\frac{1}{4}$, $4\frac{1}{2}$, $9\frac{3}{8}$ = $\frac{9}{4}$, $\frac{9}{2}$, $\frac{75}{8}$.

Least common mult. of the numerators = 225
Greatest com. div. of the denominators = $\overline{2}$ = $\$112\frac{1}{2}$.

$\frac{225}{2} \div \frac{9}{4} = 50$ sheep; $\frac{225}{2} \div \frac{9}{2} = 25$ calves; $\frac{225}{2} \div \frac{75}{8}$
= 12 yearlings.

7*

6. $3\frac{1}{2}$, $4\frac{2}{3}$, $5\frac{1}{4}$ = $\frac{7}{2}$, $\frac{14}{3}$, $\frac{21}{4}$.

    $80 \div \frac{7}{2} = 22\frac{6}{7}$ hours, the time A will go round the island. $80 \div \frac{14}{3} = 17\frac{1}{7}$ hours, the time B will go round the island. $80 \div \frac{21}{4} = 15\frac{5}{21}$ hours, the time C will go round the island.

    $22\frac{6}{7}$, $17\frac{1}{7}$, $15\frac{5}{21}$ = $\frac{160}{7}$, $\frac{120}{7}$, $\frac{320}{21}$.

    Least common mult. of 160, 120, 320 = $\dfrac{960}{7}$ = $137\frac{1}{7}$ hours.

    Greatest common divisor of 7, 7, 21 =

In $137\frac{1}{7} \div 8 = 17\frac{1}{7}$ days, they will all meet at the point from which they started.

$\frac{160}{7} \div \frac{160}{7} = 6$ times, A will go round the island.

$\frac{160}{7} \div \frac{120}{7} = 8$ times, B will go round.

$\frac{160}{7} \div \frac{320}{21} = 9$ times, C will go round.

$80 \times 6 = 480$ miles, A travels. $80 \times 8 = 640$ miles, B travels. $80 \times 9 = 720$ miles, C travels.

7. $3\frac{1}{2}$, $4\frac{3}{8}$, $5\frac{1}{4}$ = $\frac{7}{2}$, $\frac{35}{8}$, $\frac{21}{4}$.

    Least common multiple of 7, 35, 21 = $\dfrac{105}{2}$ = $52\frac{1}{2}$.

    Greatest common divisor of 2, 8, 4 =

As $52\frac{1}{2}$ can be divided by each of the fractions $3\frac{1}{2}$, $4\frac{3}{8}$, $5\frac{1}{4}$, it is certain that twice $52\frac{1}{2} = 105$ may be divided by them; and no less whole number than this is a multiple of $52\frac{1}{2}$.

REDUCTION OF DENOMINATE FRACTIONS.

(ART. **253,** p. **185.**)

2. $\frac{1}{1200} \times \frac{20}{1} \times \frac{12}{4} \times \frac{4}{1} = \frac{960}{1200} = \frac{4}{5}$, Ans.

3. $\frac{1}{960} \times \frac{12}{1} \times \frac{20}{1} \times \frac{24}{1} = \frac{576}{960} = \frac{3}{5}$, Ans.

4. $\frac{5}{2592} \times \frac{12}{1} \times \frac{9}{1} \times \frac{3}{1} = \frac{1440}{2592} = \frac{5}{9}$, Ans.

5. $\frac{3}{8800} \times \frac{4}{1} \times \frac{25}{1} \times \frac{16}{1} = \frac{4800}{8800} = \frac{6}{11}$, Ans.

6. $\frac{3}{8000} \times \frac{20}{1} \times \frac{4}{1} \times \frac{25}{1} = \frac{6000}{8000} = \frac{3}{4}$, Ans.

7. $\dfrac{1}{225} \times \dfrac{5}{1} \times \dfrac{4}{1} \times \dfrac{2\frac{1}{4}}{1} = \dfrac{45}{225} = \dfrac{1}{5}$, Ans.

8. $\dfrac{1}{110880} \times \dfrac{8}{1} \times \dfrac{40}{1} \times \dfrac{16\frac{1}{2}}{1} \times \dfrac{12}{1} = \dfrac{63360}{110880} = \dfrac{4}{7}$, Ans.

9. $\frac{1}{38016} \times \frac{3}{1} \times \frac{8}{1} \times \frac{40}{1} \times \frac{16\frac{1}{2}}{1} \times \frac{12}{1} = \frac{570240}{1140480} = \frac{1}{2}$, Ans.

10. $\frac{3}{25090560} \times \frac{4}{1} \times \frac{40}{1} \times \frac{272\frac{1}{4}}{1} \times \frac{144}{1} = \frac{18817920}{25090560} = \frac{3}{4}$,

[Ans.

11. $\frac{1}{1152} \times \frac{4}{1} \times \frac{63}{1} \times \frac{4}{1} = \frac{1008}{1152} = \frac{7}{8}$, Ans.

12. $\frac{3}{320} \times \frac{4}{1} \times \frac{8}{1} \times \frac{2}{1} = \frac{192}{320} = \frac{3}{5}$, Ans.

13. $\frac{1}{4207680} \times \frac{365\frac{1}{4}}{1} \times \frac{24}{1} \times \frac{60}{1} = \frac{525960}{4207680} = \frac{1}{8}$, Ans.

14. $\frac{3}{3200} \times \frac{4}{1} \times \frac{25}{1} \times \frac{16}{1} = \frac{4800}{3200} = \frac{3}{2}$, Ans.

(ART. 254, p. 186.)

2. $\frac{4}{5} \times \frac{1}{4} \times \frac{1}{12} \times \frac{1}{20} = \frac{1}{1200}$, Ans.

3. $\frac{3}{5} \times \frac{1}{24} \times \frac{1}{20} \times \frac{1}{12} = \frac{3}{28800} = \frac{1}{9600}$, Ans.

4. $\frac{5}{9} \times \frac{1}{3} \times \frac{1}{8} \times \frac{1}{12} = \frac{5}{2592}$, Ans.

5. $\frac{6}{11} \times \frac{1}{16} \times \frac{1}{25} \times \frac{1}{4} = \frac{6}{17600} = \frac{3}{8800}$, Ans.

6. $\frac{3}{4} \times \frac{1}{25} \times \frac{1}{4} \times \frac{1}{20} = \frac{3}{8000}$, Ans.

7. $\frac{1}{5} \times \frac{1}{2\frac{1}{4}} \times \frac{1}{4} \times \frac{1}{5} = \frac{1}{225}$, Ans.

8. $\frac{4}{7} \times \frac{1}{12} \times \frac{1}{16\frac{1}{2}} \times \frac{1}{40} \times \frac{1}{\underset{2}{8}} = \frac{1}{110880}$, Ans.

9. $\frac{1}{2} \times \frac{1}{12} \times \frac{1}{16\frac{1}{2}} \times \frac{1}{40} \times \frac{1}{8} \times \frac{1}{3} = \frac{1}{38016}$, Ans.

10. $\frac{3}{4} \times \frac{1}{144} \times \frac{1}{272\frac{1}{4}} \times \frac{1}{40} \times \frac{1}{4} = \frac{3}{25090560}$, Ans.

11. $\frac{7}{8} \times \frac{1}{4} \times \frac{1}{\underset{9}{63}} \times \frac{1}{4} = \frac{1}{1152}$, Ans.

12. $\frac{3}{5} \times \frac{1}{2} \times \frac{1}{8} \times \frac{1}{4} = \frac{3}{320}$, Ans.

13. $\dfrac{1}{8} \times \dfrac{1}{60} \times \dfrac{1}{24} \times \dfrac{1}{365\frac{1}{4}} = \dfrac{1}{4207680}$, Ans.

14. $\frac{3}{2} \times \frac{1}{16} \times \frac{1}{25} \times \frac{1}{4} = \frac{3}{3200}$, Ans.

(ART. 255, p. 187.)

(2.)

s.	d.
1	0
	7

24)7 0

Ans. 3½

(3.)

s.	d.	qr.
28	0	0
		7

9)196 0 0

Ans. 21 9 1¼

(4.)

cwt.	qr.	lb.	oz.	dr.
1	0	0	0	0
				7

11)7 0 0 0 0

Ans. 2 13 10 2$\frac{10}{11}$

(5.)

lb.	oz.	dr.
1	0	0
		4

9)4 0 0

Ans. 7 1$\frac{7}{9}$

(6.)

lb.	oz.	pwt.	gr.
1	0	0	0
			8

9)8 0 0 0

Ans. 10 13 8

(7.)

℔	ʒ	ʒ	Э	gr.
1	0	0	0	0
				4

13)4 0 0 0 0

Ans. 0 3 5 1 12$\frac{4}{13}$

(8.)

E.E.	qr.	na.	in.
1	0	0	0
			5

9)5 0 0 0

Ans. 2 3 0¼

(9.)

m.	fur.	rd.	ft.	in.
1	0	0	0	0
				11

13)11 0 0 0 0

Ans. 6 30 12 8$\frac{4}{13}$

(10.)

fur.	rd.	ft.	in.
1	0	0	0
			8

9)8 0 0 0

Ans. 35 9 2

(11.)

A.	R.	p.	yd.	ft.	in.
1	0	0	0	0	0
					7

13)7 0 0 0 0 0

Ans. 2 6 4 5 127$\frac{1}{13}$

(12.)

p.	ft.	in.
1	0	0
		9

17)9 0 0

Ans. 144 19$\frac{1}{17}$

(13.)

cord.	ft.	in.
1	0	0
		1

13)1 0 0

Ans. 9 1462$\frac{2}{13}$

	(14.)			
hhd.	gal.	qt.	pt.	gi.
1	0	0	0	0
				2
19)2	0	0	0	0
Ans. 6	2	1	0	$\frac{4}{19}$

	(15.)
hhd.	gal.
1	0
	7
9)7	0
Ans. 42	

	(16.)			
y.	da.	h.	m.	sec.
1	0	0	0	0
				11
23)11	0	0	0	0
Ans. 174	16	26		$5\frac{5}{23}$

17. $\$7\frac{3 \cdot 3}{4 \cdot \frac{4}{5}} = \$7\frac{36}{2 \cdot \frac{2}{5}}$; $\frac{36}{11} \times \frac{5}{22} = \frac{180}{242}$; $\$7\frac{180}{242}$, Ans.

(Art. 256, p. 188.)

2. $\dfrac{3 \times 4 + 2 = 14}{12 \times 4 = 48} = \frac{7}{24}$, Ans.

3. $21 \times 12 + 9 = 261$; $261 \times 4 + 1 = 1045$; $\left.\begin{array}{l} \\ 1045 \times 3 + 1 \\ 28 \times 12 \times 4 \times 3 \end{array}\right\} = \dfrac{3136}{4032}$

$[= \frac{7}{9}$, Ans.

4. $2 \times 25 + 13 = 63$; $63 \times 16 + 10 = 1018$; $\left.\begin{array}{l} \\ 1018 \times 16 + 2 = 16290 \\ 4 \times 25 \times 16 \times 16 \times 11 \end{array}\right.$ $16290 \times 11 + 10 \left.\vphantom{\begin{array}{l}a\\b\end{array}}\right\} = \dfrac{179200}{281600}$

$[= \frac{7}{11}$, Ans.

5. $7 \times 16 + 1 = 113$; $\dfrac{113 \times 9 + 7 = 1024}{16 \times 16 \times 9 = 2304} = \frac{4}{9}$, Ans.

6. $10 \times 20 + 13 = 213$; $\dfrac{213 \times 24 + 8 = 5120}{12 \times 20 \times 24 = 5760} = \frac{8}{9}$, Ans.

7. $\dfrac{268\frac{4}{5}}{231} = \dfrac{1344}{1155}$, Ans.

8. $2 \times 4 = 8 \times 2\frac{1}{4} + 1 = \dfrac{19 \times 13 + 5 = 252}{4 \times 4 \times 2\frac{1}{4} \times 13 = 468} = \frac{7}{13}$, Ans.

9. $2 \times 4 + 3 = 11 \times 2\frac{1}{4} = \dfrac{24\frac{3}{4} \times 4 + 1 = 100}{5 \times 4 \times 2\frac{1}{4} \times 4 = 180} = \frac{5}{9}$, Ans.

10. $6 \times 40 + 30 = 270 \times 16\frac{1}{2} + 12 = 4467 \times 12 + 8$ $\left.\begin{array}{l} = 53612 \times 3 = 160836 \times 13 + 12 \\ 8 \times 40 \times 16\frac{1}{2} \times 12 \times 3 \times 13 \end{array}\right\} = \dfrac{2090880}{2471040}$

$[= \frac{11}{13}$, Ans.

11. $$35 \times 16\frac{1}{2} + 9 = 586\frac{1}{2} \times 12 + 2 = \frac{7040}{7920} = \frac{8}{9}, \text{ Ans.}$$
$$40 \times 16\frac{1}{2} \times 12$$

12. $$\left.\begin{array}{l} 2 \times 40 + 6 = 86 \times 30\frac{1}{4} + 4 = 2605\frac{1}{2} \times 9 + 5 \\ = 23454\frac{1}{2} \times 144 + 127 = 3377575 \times 13 + 5 \end{array}\right\} = \frac{43908480}{81544320}$$
$$4 \times 40 \times 30\frac{1}{4} \times 9 \times 144 \times 13 = 81544320$$
$$[= \frac{7}{13}, \text{ Ans.}$$

13. $$144 \times 144 + 19 = 20755 \times 17 + 1 = \frac{352836}{666468} = \frac{9}{17}, \text{ Ans.}$$
$$272\frac{1}{4} \times 144 \times 17$$

14. $$9 \times 1728 + 1462 = 17014 \times 13 + 2 = \frac{221184}{2875392} = \frac{1}{13}, \text{ Ans.}$$
$$128 \times 1728 \times 13$$

15. $$6 \times 4 + 2 = 26 \times 2 + 1 = 53 \times 4 = 212 \times 19 + 4 = \frac{4032}{38304}$$
$$63 \times 4 \times 2 \times 4 \times 19 = 38304$$
$$[= \frac{2}{19}, \text{ Ans.}$$

16. $$\begin{array}{l} \text{1lb. avoirdupois} = 5760 \text{ grains} \\ \text{1lb. troy} \qquad = \overline{7000} \text{ grains} \end{array} = 1\frac{4}{4}\frac{4}{4}, \text{ Ans.}$$

17. $$174 \times 24 + 16 = 4192 \times 60 + 26 = 251546 \times 60 + 5 = 15092765 \times 23 + 5 = \frac{347133600}{725824800}$$
$$365\frac{1}{4} \times 24 \times 60 \times 60 \times 23 = 725824800$$
$$[= \frac{12}{25}, \text{ Ans.}$$

ADDITION OF DENOMINATE FRACTIONS.

(Art. 257, p. 190.)

(2.)

	cwt.	qr.	lb.
$\frac{7}{11}$ of a ton =	12	2	$22\frac{8}{11}$
$2\frac{1}{2}$ of a cwt. =		3	$2\frac{3}{11}$
Ans.	13	2	0

(3.)

	qr.	na.	in.
$\frac{3}{5}$ of a yd. =	2	1	$1\frac{7}{20}$
$\frac{1}{7}$ of an E. E. =		2	$1\frac{12}{14}$
$\frac{6}{7}$ of a qr. =		3	$0\frac{27}{28}$
Ans.	3	3	$1\frac{138}{140}$

(4.)

	fur.	rd.	ft.	in.
$\frac{7}{11}$ of a mile =	5	3	10	6
$\frac{4}{13}$ of a furlong =		12	5	$0\frac{12}{13}$
$2\frac{2}{22}$ of a yard =			1	$2\frac{8}{11}$
	5	15	16	$9\frac{93}{143} =$
Ans.	5	16	0	$3\frac{93}{143}$.

(5.)

	A.	R.	p.	ft.	in.
$\frac{5}{7}$ of an A. =	0	2	34	77	113$\frac{1}{7}$
$\frac{2}{3}$ of an A. =	0	2	26	181	72
$\frac{13}{14}$ of an A. =	0	3	28	155	82$\frac{2}{7}$
	2	1	9	141$\frac{1}{4}$	123$\frac{3}{7}$ =
Ans.	2	1	9	142	87$\frac{3}{7}$

(6.)

	m.	fur.	rd.	ft.	in.
18$\frac{3}{4}$ miles =	18	3	17	2	4$\frac{2}{7}$
23$\frac{11}{14}$ miles =	23	6	11	7	0$\frac{6}{7}$
19$\frac{1}{21}$ miles =	19	0	15	3	11$\frac{1}{7}$
Ans.	61	2	3	13	4$\frac{2}{7}$

(7.)

	gal.	qt.	pt.	gi.
a gal. =	0	3	1	1$\frac{1}{3}$
a hhd. =	5	1	0	0
Ans.	6	0	1	1$\frac{1}{3}$

(8.)

	d.	h.	m.
$\frac{5}{16}$ of a week =	2	4	30
$\frac{1}{5}$ of a day =		4	48
Ans.	2	9	18

(9.)

	ft.	in.
$\frac{3}{4}$ of a square foot =	0	108
$\frac{1}{2}$ of a foot square =		36
Ans.	1	0

(10.)

rd.	ft.	in.
11	16	5
		6
11	16	11 =
12	0	5

...ACTION OF DENOMINATE FRACTIONS.

(ART. **258,** p. **190.**)

(3.)

	fur.	rd.	ft.	in.
$\frac{2}{3}$ of a mile =	1	31	1	10
$\frac{7}{11}$ of a fur. =		25	7	6
	1	5	10$\frac{1}{2}$	4 =
Ans.	1	5	10	10

(4.)

	m.	fur.	rd.	ft.	in.
$\frac{5}{7}$ deg. =	49	3	9	8	7$\frac{1}{7}$
$\frac{3}{5}$ mile =	0	4	32	0	0
Ans.	48	6	17	8	7$\frac{1}{7}$

(5.)

	R.	p.	yd.	ft.	in.
$\frac{4}{11}$ A. =	1	18	5	4	72
$\frac{4}{9}$ rod =	0	0	13	4	0
	1	17	22$\frac{1}{4}$	0	72
			$\frac{1}{4}$=2		36
Ans.	1	17	22	2	108

(6.)

	ft.	in.
$\frac{9}{10}$ cord =	115	345$\frac{3}{5}$
$\frac{2}{11}$ cord =	23	471$\frac{3}{11}$
Ans.	91	1602$\frac{12}{55}$

(7.)

		gal.	qt.	pt.	gi.
$\frac{7}{13}$hhd.	=	33	3	1	1$\frac{7}{13}$
$\frac{4}{5}$ of $\frac{7}{13}$hhd. =	$\frac{28}{65}$ =	27	0	1	0$\frac{28}{65}$
	Ans.	6	3	0	1$\frac{7}{65}$

(8.)

	m.	fur.	rd.	ft.	in.
72m. =	72	0	0	0	0
$\frac{4}{7}$ of 72m. =	41	1	5	11	9$\frac{3}{7}$
	30	6	34	4$\frac{1}{2}$	2$\frac{4}{7}$
				$\frac{1}{2}$=6	
Ans.	30	6	34	4	8$\frac{4}{7}$

(9.)

	d.	h.	m.	sec.
$\frac{2}{7}$ year =	104	8	34	17$\frac{1}{7}$
$\frac{4}{9}$ week =	3	2	40	0
Ans.	101	5	54	17$\frac{1}{7}$

(10.)

	R.	p.	yd.	ft.	in.
$\frac{4}{11}$A. =	1	18	5	4	72
$\frac{1}{2}$ft. =					72
Ans.	1	18	5	4	0

MISCELLANEOUS EXAMPLES IN FRACTIONS.

(Page 190.)

1. $17\frac{3}{11} = \frac{190}{11}$; $4\frac{7}{9} = \frac{43}{9}$; $\frac{190}{11} \times \frac{43}{9} = \frac{8170}{99} = 82\frac{52}{99}$ miles = 82m. 4fur. 8rd. 1ft. 4in., Ans.

2. $29\frac{7}{13} = \frac{384}{13}$; $\frac{384}{13} \times \frac{384}{13} = \frac{147456}{169} = 872\frac{88}{169}$ poles = 5A. 1R. 32$\frac{88}{169}$p.; $\frac{88}{169}$p. = 141ft. 109$\frac{15}{169}$in., Ans.

3. $17\frac{3}{4} = \frac{71}{4}$; $7\frac{1}{11} = \frac{78}{11}$; $4\frac{3}{5} = \frac{23}{5}$; $\frac{71}{4} \times \frac{78}{11} \times \frac{23}{5} = \frac{127374}{220} = 578\frac{107}{110}$ feet; $578\frac{107}{110} \div 128 = 4$ cords 66$\frac{107}{110}$ cubic feet, Ans.

4. $19\frac{7}{8} = \frac{159}{8}$; $6\frac{3}{4} = \frac{27}{4}$; $\frac{159}{8} \times \frac{27}{4} = \frac{4293}{32} = \$134.15\frac{1}{8}$, Ans.

5. $376\frac{11}{16} = \frac{6779}{16}$; $75\frac{3}{8} = \frac{603}{8}$; $\frac{6779}{16} \times \frac{603}{8} = \frac{4087737}{144} =$ $\$28387.06\frac{1}{4}$, Ans.

6. $17\frac{19}{112} = \frac{1923}{112}$; $4.75 = \frac{475}{1}$; $\frac{1923}{112} \times \frac{475}{1} = \frac{913425}{112} =$ $\$81.55\frac{65}{112}$, Ans.

7. $1670\frac{7}{13} = \frac{21717}{13}$; $12\frac{3}{4} = \frac{51}{4}$; $\frac{21717}{13} \times \frac{51}{4} = \frac{1107567}{52} =$ $\$212.99\frac{19}{52}$, Ans.

8. $28\frac{4}{11} = \frac{312}{11}$; $11\frac{3}{4} = \frac{47}{4}$; $\frac{312}{11} \times \frac{47}{4} = \frac{14664}{44} = \$333.27\frac{3}{11}$, Ans.

9. $37\frac{11}{63} = \frac{2342}{63}$; $17.62\frac{1}{2} = \frac{3525}{2}$; $\frac{2342}{63} \times \frac{3525}{2} = \frac{8255550}{126}$ $= \$655.20\frac{5}{21}$, Ans.

10. $\frac{7}{8} \times \frac{575}{1} = \frac{4025}{8} = \$5.03\frac{1}{8}$, Ans.

11. $139\frac{4}{7} = \frac{977}{7}$; $38\frac{4}{5} = \frac{194}{5}$; $\frac{977}{7} \times \frac{194}{5} = \frac{189538}{35} =$ $5415\frac{13}{35}$ poles $= 33$A. 3R. $15\frac{13}{35}$p., Ans.

12. $11\frac{3}{5} = \frac{58}{5}$; $\frac{58}{5} \times \frac{15}{1} = \frac{870}{5}$; $\frac{870}{5} \times \frac{1}{9} = \frac{870}{45} = 19\frac{1}{3}$ feet, Ans.

13. $18\frac{3}{8} = \frac{147}{8}$; $48.15\frac{3}{4} = \frac{19263}{4}$; $\frac{19263}{4} \times \frac{8}{147} = \frac{154104}{588}$ $= \$2.62\frac{4}{49}$, Ans.

14. $98\frac{7}{8} = \frac{791}{8}$; $\frac{791}{8} \times \frac{1}{63} = \frac{791}{504} = \$1.56\frac{119}{126}$, Ans.

15. $8\frac{2}{9} = \frac{74}{9}$; $\frac{74}{9} \times \frac{1}{5} = \frac{74}{45} = \$1.64\frac{4}{9}$, Ans.

16. $11 \times 63 = 693$; $693 + 17\frac{1}{2} = 710\frac{1}{2} = \frac{1421}{2}$; $19\frac{3}{4} = \frac{79}{4}$; $\frac{1421}{2} \times \frac{79}{4} = \frac{112259}{8} = \$140.32\frac{3}{8}$, Ans.

17. $63 \times 4 \times 2 = 504$pts.; $1\frac{3}{4} = \frac{7}{4}$; $\frac{504}{1} \times \frac{4}{7} = \frac{2016}{7} = 288$ bottles, Ans.

18. $18\frac{7}{12} = \frac{223}{12}$; $10\frac{5}{12} = \frac{125}{12}$; $7\frac{11}{12} = \frac{95}{12}$; $\frac{223}{12} \times \frac{125}{12} \times \frac{95}{12}$ $= \frac{2648125}{1728} = 1532\frac{829}{1728}$; $1532\frac{829}{1728} \div 128 = 11$ cords, $124\frac{829}{1728}$ cubic feet, Ans.

19. $6\frac{7}{8} = \frac{55}{8}$; $65\frac{3}{4} = \frac{263}{4}$; $\frac{55}{8} \times \frac{263}{4} = \frac{14465}{32} = \$4.52\frac{1}{32}$, Ans.

20. $8\frac{3}{4} = \frac{35}{4}$; $5\frac{7}{12} = \frac{67}{12}$; $3 = \frac{3}{1}$; $\frac{35}{4} \times \frac{67}{12} \times \frac{3}{1} = \frac{7035}{48} =$ $146\frac{9}{16}$ feet, Ans.

21. $46\frac{5}{12} = \frac{557}{12}$; $17\frac{1}{2} = \frac{35}{2}$; $\frac{557}{12} \times \frac{35}{2} = \frac{19495}{24} = 812\frac{7}{24}$ feet, Ans.

8

22. $2\frac{5}{12} + 3\frac{1}{12} = 5\frac{6}{12}$; $5\frac{6}{12} \times \frac{2}{1} = 11$; $11 \times 5\frac{1}{2} = 60\frac{1}{2}$; $2\frac{5}{12}$
  $= \frac{29}{12}$; $3\frac{1}{12} = \frac{37}{12}$; $\frac{29}{12} \times \frac{37}{12} \times \frac{2}{1} = \frac{2146}{144} = 14\frac{65}{72}$; $60\frac{1}{2}$
  $+ 14\frac{65}{72} = 75\frac{29}{72}$; $75\frac{29}{72} \times \frac{7}{1} = 527\frac{59}{72}$ feet, Ans.

    $5\frac{6}{12} = \frac{66}{12}$; $2\frac{5}{12} = \frac{29}{12}$; $3\frac{1}{12} = \frac{37}{12}$; $\frac{66}{12} \times \frac{29}{12} \times \frac{37}{12} \times \frac{7}{1} =$
  $\frac{495726}{1728} = 286\frac{468}{864}$ cubic feet, second Ans.

23. $12 + 11\frac{1}{2} = 23\frac{1}{2}$; $23\frac{1}{2} \times 2 = 47$; $47 \times 7\frac{1}{2} = 352\frac{1}{2}$; 12
  $\times 11\frac{1}{2} = 138$; $352\frac{1}{2} + 138 = 490\frac{1}{2}$; $490\frac{1}{2} \times .02\frac{3}{4} =$
  \$$13.48\frac{7}{8}$, Ans.

24. $14\frac{1}{2} = \frac{29}{2}$; $10\frac{1}{4} = \frac{41}{4}$; $16\frac{1}{2} = \frac{33}{2}$; $\frac{29}{2} \times \frac{33}{2} = \frac{957}{4} =$
  $239\frac{1}{4}$; $\frac{41}{4} \times \frac{33}{2} = \frac{1353}{8} = 169\frac{1}{8}$; $239\frac{1}{4} + 169\frac{1}{8} =$
  $408\frac{3}{8}$; $408\frac{3}{8} \times 2 = 816\frac{3}{4}$; $816\frac{3}{4} + 12 = 828\frac{3}{4}$; $828\frac{3}{4}$
  $\times 3 \times 4\frac{1}{2} \times 2 =$ \$$223.76\frac{1}{4}$, Ans.

25. $14\frac{7}{12} = \frac{175}{12}$; $5\frac{1}{12} = \frac{71}{12}$; $4\frac{1}{4} = \frac{17}{4}$; $2150\frac{2}{5} = \frac{10752}{5}$; $\frac{175}{12}$
  $\times \frac{71}{12} \times \frac{17}{4} \times \frac{1728}{1} \times \frac{5}{10752} = \frac{1824984000}{6193152} = 294\frac{2429}{3584}$
  bushels, Ans.

26. $10 \times 8 \times 6 = 480$; $8 \times 8 \times 8 = 512$; $512 - 480 = 32$
  feet, Ans.

27. $7\frac{1}{2} \times 6 \times 5\frac{1}{2} = \frac{15}{2} \times \frac{6}{1} \times \frac{11}{2} = \frac{990}{4} = 247\frac{1}{2}$ cubic feet.
  $9\frac{1}{2} \times 4\frac{1}{2} \times 5\frac{1}{2} = \frac{19}{2} \times \frac{9}{2} \times \frac{11}{2} = \frac{1881}{8} = 235\frac{1}{8}$; $247\frac{1}{2}$
  $- 235\frac{1}{8} = 12\frac{3}{8}$; $1728 \times 12\frac{3}{8} = 21384$; $21384 \div 231$
  $= 92\frac{4}{7}$ gallons, Ans.

The first cistern will contain $92\frac{4}{7}$ most gallons.

28.   31rd. $13\frac{3}{10}$ft.,   41rd. $1\frac{9}{10}$ft.,   38rd. $0\frac{1}{5}$ft.,   45rd. $12\frac{7}{10}$ft. =
      $524\frac{4}{5}$ft., $678\frac{2}{5}$ft., $627\frac{1}{5}$ft., $755\frac{1}{5}$ ft. =

| $\frac{2624}{5}$ | $\frac{3392}{5}$ | $\frac{3136}{5}$ | $\frac{3776}{5}$ |

The greatest common divisor of 2624, 3392, 3136, 3776, is $= 64$
The greatest common multiple of 5, 5, 5, 5, is $= \overline{5}$
Therefore $\frac{64}{5}$ will divide each of the fractions without a
  remainder; thus $\frac{2624}{5} \div \frac{64}{5} = 41$; $\frac{3392}{5} \div \frac{64}{5} = 53$;
  $\frac{3136}{5} \div \frac{64}{5} = 49$; $\frac{3776}{5} \div \frac{64}{5} = 59$. The number of
  rails will therefore be $41 + 53 + 49 + 59 = 202$; 202
  $\times 4 = 808$ rails.

    $64 \div 5 = 12\frac{4}{5}$; $12\frac{4}{5} + \frac{7}{10} = 13\frac{1}{2}$ feet, length of the rails, Ans.

29. $\frac{5}{8}$, $\frac{3}{4}$, $\frac{6}{7}$ = $\frac{35}{56}$, $\frac{42}{56}$, $\frac{48}{56}$.

Least common multiple of the numerators = $\dfrac{1680}{56}$ = 30yds., Ans.
Greatest common divisor of the denominators =

We therefore find that 30 is the least whole number that can
be divided by $\frac{5}{8}$, $\frac{3}{4}$, or $\frac{6}{7}$, without a remainder.

30. $100 \div 30 = 3\frac{1}{3}$ times.

31. 31A. 3R. 6p. = 5086p.; 39A. 2R. 37$\frac{1}{2}$p. = 6357$\frac{1}{2}$p.

$$\frac{5086 \times 2 = 10172}{6357\frac{1}{2} \times 2 = 12715} = \frac{4}{5}, \text{ Ans.}$$

32. $68 \times \$7\frac{11}{12} = \$538.33\frac{1}{3}$, Ans.

33. $8\frac{2}{3} \times \$42\frac{3}{5} = \$369.20$, Ans.

34. $\dfrac{3-3}{3-3} = 0$, Ans.

35. $20 \times 15 = 300$ft., contents of the upper part of the room.
$20 + 15 = 35$; $35 \times 2 = 70$ft., length round the room.
$70 \times 8\frac{1}{2} = 595$ feet, contents of the upright ceiling of the
room.
$2 \times 7 \times 3 = 42$ft., contents of the doors.
$4 \times 5\frac{1}{2} \times 3\frac{1}{3} = 73\frac{1}{3}$ft., contents of the windows.
$70 - 6 = 64$; $64 \times \frac{2}{3} = 42\frac{2}{3}$ft., contents of the mop-
boards.

NOTE. — We deduct 6 feet for the two doors.

$595 + 300 = 895$; $42 + 73\frac{1}{3} + 42\frac{2}{3} = 158$.
$895 - 158 = 737$ft.; $737 \div 9 = 81\frac{8}{9}$ square yards.
$81\frac{8}{9} \times 6\frac{1}{4} = \frac{737}{9} \times \frac{25}{4} = \frac{18425}{36} = \$5.11\frac{23}{36}$, for plaster-
ing.
$595 - 158 = 437$ft.; $437 \div 9 = 48\frac{5}{9}$ square yards.
$48\frac{5}{9} \times .09 = \$4.37$, for papering.
$48\frac{5}{9} \times 3 = 145\frac{2}{3} = \frac{437}{3}$; $2\frac{3}{5} = \frac{13}{5}$; $\frac{437}{3} \div \frac{13}{5} = \frac{437}{3} \times$
$[\frac{5}{13} = \frac{2185}{39} = \$2.80\frac{5}{39}$, for paper, Ans.

QUESTIONS TO BE PERFORMED BY ANALYSIS.

(Page **194.**)

3. $30\frac{4}{15} = \frac{454}{15}$; $\frac{1728}{1} \times \frac{15}{454} = \frac{25920}{454}$; $7\frac{17}{30} = \frac{227}{30}$; $\frac{25920}{454}$
$\times \frac{227}{30} = \frac{5883840}{13620} = \$432$, Ans.

4. $7\frac{17}{30} = \frac{227}{30}$; $\frac{432}{1} \times \frac{30}{227} = \frac{12960}{227}$; $\frac{1728}{1} \times \frac{227}{12960} = \frac{392256}{12960} = 30\frac{4}{15}$ tons, Ans.

5. $7\frac{17}{30} = \frac{227}{30}$; $\frac{432}{1} \times \frac{30}{227} = \frac{12960}{227}$; $30\frac{4}{15} = \frac{454}{15}$; $\frac{454}{15} \times \frac{12960}{227} = \frac{5883840}{3405} = \$1728$, Ans.

6. $30\frac{4}{15} = \frac{454}{15}$; $\frac{1728}{1} \times \frac{15}{454} = \frac{25920}{454}$; $\frac{432}{1} \times \frac{454}{25920} = 7\frac{17}{30}$ tons, Ans.

7. $7\frac{7}{10} = \frac{77}{10}$; $6\frac{4}{5} = \frac{49}{8}$; $\frac{49}{8} \times \frac{77}{10} = \frac{4466}{90} = 49\frac{28}{45}$ bushels, Ans.

8. $\frac{7}{11}$ of $\frac{17}{1} = \frac{119}{11} = 10\frac{9}{11}$; $10\frac{9}{11} + 15 = 25\frac{9}{11} = \frac{284}{11}$; $\frac{1728}{1} \times \frac{11}{284} = \frac{19008}{284} = \$66\frac{64}{71}$, each girl's share; $\frac{7}{11}$ of $66\frac{64}{71} = \frac{7}{11} \times \frac{19008}{284} = \frac{133056}{3124} = \$42\frac{42}{71}$, each boy's share.

9. $\frac{1449}{1} \times \frac{9}{7} = \frac{13041}{7} = 18.63$; $4\frac{3}{7} = \frac{31}{7}$; $\frac{1863}{1} \times \frac{31}{7} = \frac{57753}{7} = \$82.50\frac{3}{7}$, Ans.

10. $82.50\frac{3}{7} = \frac{57753}{7}$; $4\frac{3}{7} = \frac{31}{7}$; $\frac{57753}{7} \times \frac{7}{31} = \frac{404271}{217} = 18.63$; $\frac{1449}{777} = \frac{7}{9}$, Ans.

11. $\frac{1449}{1} \times \frac{9}{7} = \frac{13041}{7} = 18.63$; $82.50\frac{3}{7} \div 18.63 = 4\frac{3}{7}$, Ans.

12. $82.50\frac{3}{7} = \frac{57753}{7}$; $4\frac{3}{7} = \frac{31}{7}$; $\frac{57753}{7} \times \frac{7}{31} = \frac{404271}{217} = 18.63$; $\frac{7}{9}$ of $\frac{1863}{1} = \frac{13041}{9} = \$14.49$, Ans.

13. $14\frac{7}{8} = \frac{119}{8}$; $\frac{500}{1} \times \frac{8}{119} = \frac{4000}{119}$; $9\frac{11}{12} = \frac{119}{12}$; $\frac{4000}{119} \times \frac{119}{12} = \frac{476000}{1428} = \$333.33\frac{1}{3}$, Ans.

14. $9\frac{11}{12} = \frac{119}{12}$; $333.33\frac{1}{3} = \frac{1000000}{3}$; $\frac{1000000}{3} \times \frac{12}{119} = \frac{12000000}{357}$; $14\frac{7}{8} = \frac{119}{8}$; $\frac{12000000}{357} \times \frac{119}{8} = \frac{1428000000}{2856} = \$500$, [Ans.

15. $333.33\frac{1}{3} = \frac{1000000}{3}$; $9\frac{11}{12} = \frac{119}{12}$; $\frac{1000000}{3} \times \frac{12}{119} = \frac{12000000}{357}$; $\frac{\cancel{50000}}{1} \times \frac{357}{\cancel{1200000}} = \frac{1785}{120} = 14\frac{7}{8}$ tons, Ans. [

16. $14\frac{7}{8} = \frac{119}{8}$; $\frac{50000}{1} \times \frac{8}{119} = \frac{400000}{119}$; $333.33\frac{1}{3} = \frac{1000000}{3}$; $\frac{1000000}{3} \times \frac{119}{400000} = \frac{11900000}{1200000} = 9\frac{11}{12}$ tons, Ans.

17. $97\frac{7}{8} = \frac{783}{8}$; $\frac{3132}{1} \times \frac{8}{783} = \frac{25056}{783} = .32$; $763\frac{5}{8} \times .32 = \$244.36$, Ans.

18. $763\frac{5}{8} = \frac{6109}{8}$; $\frac{24436}{1} \times \frac{8}{6109} = \frac{195488}{6109} = .32$; $97\frac{7}{8} \times .32 = \$31.32$, Ans.

19. $763\frac{5}{8} = \frac{6109}{8}$; $244\frac{1}{36} \times \frac{8}{6109} = \frac{195488}{6109} = .32$; $31.32 \div .32 = 97\frac{7}{8}$gal., Ans.

20. $1975 \div 40 = 49\frac{3}{8}$; $49\frac{3}{8} \times 144 = 7110$lb., Ans.

21. $15.75 \div 17 = 92\frac{11}{17}$; $92\frac{11}{17} = \frac{1575}{17}$; $9\frac{1}{4} = \frac{37}{4}$; $\frac{1575}{17} \times \frac{37}{4} = \frac{58275}{68} = \$8.56\frac{67}{68}$, Ans.

22. $50\frac{4}{7} = \frac{354}{7}$; $\frac{1}{9} \times \frac{354}{7} = \frac{354}{63}$; $87\frac{3}{5} = \frac{438}{5}$; $\frac{354}{63} \times \frac{438}{5} = \frac{155052}{315} = \$492\frac{8}{35}$, Ans.

23. $78 \times 13 = 1014$; $13 + 7 = 20$; $1014 \div 20 = 50\frac{7}{10}$ days, Ans.

24. $10 \times 9 = 90$; $90 \div 15 = 6$ days, Ans.

25. $15 \times 6 = 90$; $90 \div 10 = 9$ days, Ans.

26. $10 \times 9 = 90$; $90 \div 6 = 15$ hours, Ans.

27. $17\frac{3}{11} = \frac{190}{11}$; $5\frac{3}{7} = \frac{38}{7}$; $\frac{38}{7} \times \frac{11}{190} = \frac{418}{1330}$; $97\frac{5}{9} = \frac{879}{9}$; $\frac{418}{1330} \times \frac{879}{9} = \frac{367002}{11970} = \$30\frac{202}{315}$, Ans.

28. $9\frac{3}{5} = \frac{48}{5}$; $19\frac{7}{9} = \frac{178}{9}$; $\frac{178}{9} \times \frac{48}{5} = \frac{8544}{45} = 189\frac{13}{15}$; $189\frac{13}{15} + 7 = 196\frac{13}{15}$; $9\frac{3}{5}$ tons $= 192$cwt.; $196\frac{13}{15} \div 192 = \$1\frac{73}{2880}$, Ans.

29. $9\frac{3}{5}$ tons $= 192$ cwt.; $192 \times 1\frac{3}{4} = 336$; $336 - 7 = \$329$, Ans.

30. $47\frac{3}{11} = \frac{520}{11}$; $2\frac{2}{3} = \frac{8}{3}$; $\frac{520}{11} \times \frac{8}{3} = \frac{4160}{33} = 126\frac{2}{33}$; $0.75 = \frac{3}{4}$; $126\frac{2}{33} \div \frac{3}{4} = 168\frac{8}{99}$ bushels, Ans.

31. $57\frac{9}{11} = \frac{636}{11}$; $\frac{636}{11} \times \frac{1}{15} = \frac{636}{165}$; $19\frac{7}{8} = \frac{159}{8}$; $\frac{636}{165} \times \frac{159}{8} = \frac{101124}{1320} = \$76\frac{67}{110}$, Ans.

32. $19\frac{7}{8} = \frac{159}{8}$; $76\frac{67}{110} = \frac{101124}{1320}$; $\frac{101124}{1320} \times \frac{8}{159} = \frac{808992}{209880} = \frac{636}{165}$; $57\frac{9}{11} = \frac{636}{11}$; $\frac{636}{11} \times \frac{165}{636} = 15$ cords, Ans.

33. $7\frac{3}{10} = \frac{73}{10}$; $47\frac{1}{3} = \frac{142}{3}$; $\frac{142}{3} \times \frac{73}{10} = \frac{10366}{30} = 345\frac{8}{15}$s. $= 17£. 5s. 6\frac{2}{5}$d., Ans.

34. $172£. 15s. 0\frac{2}{5}$d. $= \frac{207302}{5}$d.; $47\frac{1}{3} = \frac{142}{3}$; $\frac{207302}{5} \times \frac{3}{142} = \frac{621906}{710} = 875\frac{328}{355}$d. $= 3£. 12s. 11\frac{328}{355}$d., Ans.

35. $43\frac{6}{9} = \frac{397}{9}$; $\frac{397}{9} \times \frac{7}{13} = \frac{2149}{61} = \$23.61\frac{7}{13}$, Ans.

36. $17\frac{3}{8} = \frac{139}{8}$; $2\frac{7}{11} = \frac{29}{11}$; $\frac{29}{11} \times \frac{8}{139} = \frac{232}{1529}$; $\frac{232}{1529} \times \frac{50}{1} = \frac{11600}{1529} = \$7.58\frac{1018}{1529}$, Ans.

37. $87\frac{3}{7} = \frac{612}{7}$; $\frac{612}{7} \times \frac{7}{612} = 7$; $14\frac{7}{10} \times 7 = \$102.90$, Ans.

8*

38. $\frac{4375}{1} \times \frac{8}{8} = \frac{35000}{1} = 50$; $50 \times 10 = \$ 500$, Ans.

39. $500 \div 10 = 50$; $\frac{4375}{5000} = \frac{7}{8}$ acre, Ans.

40. $71.87 \div 9 = 7.98\frac{5}{9} = \frac{7187}{9}$; $\frac{4}{7} \times \frac{7187}{9} = \frac{28748}{63} = \$4.56\frac{20}{63}$, Ans.

41. $4.56\frac{20}{63} \times \frac{7}{4} = 7.98\frac{5}{9}$; $7.98\frac{5}{9} \times 9 = \$71.87$, Ans.

42. $111 \times 19 = 2109$; $2109 \div 47 = 44\frac{41}{47}$ days, Ans.

43. $44\frac{41}{47} \times 47 = 2109$; $2109 \div 19 = 111$ days, Ans.

44. $\frac{920}{1} \times \frac{11}{4} = \frac{10120}{4} = 25.30$; $25.30 \times 17 = \$ 430.10$, Ans.

45. $430.10 \div 17 = 25.30$; $\frac{4}{11} \times \frac{2530}{1} = \frac{10120}{11} = \$ 9.20$, Ans.

46. $\frac{715}{1} \times \frac{16}{1} = \frac{11440}{1} = 16.34\frac{2}{7}$; $16.34\frac{2}{7} \times 7 = \$114.40$, Ans.

47. $\frac{7}{16} \times \frac{11440}{7} = \frac{11440}{16} = \$ 7.15$, Ans.

48. $19\frac{3}{7} = \frac{136}{7}$; $87\frac{3}{7} = \frac{612}{7}$; $\frac{136}{7} \times \frac{7}{612} = \frac{136}{612} = \frac{34}{153}$;

$$[\ \frac{34}{153} \times \frac{60}{1} \times \frac{7}{1} = \frac{14280}{153} = 93\frac{51}{153}\text{bu.}, \text{ Ans.}$$

49. Smith will reap $\frac{1}{80}$ of the field in an hour; his wife will reap $\frac{1}{108}$ of the field in an hour. They will both reap $\frac{1}{80} + \frac{1}{108} = \frac{47}{2160}$ of the field, in an hour. Then they will reap the whole field in $\frac{2160}{47}$ hours $= 45\frac{45}{47}$; $45\frac{45}{47} \div 8 = 5\frac{35}{47}$ days, Ans.

DECIMAL FRACTIONS.

(Art. 266, p. 199.)

1. Fifty-six thousandths.

2. One thousand three ten thousandths.

3. Two thousand seven hundred eighty-six ten thousandths.

4. Sixteen thousand three hundred two hundred thousandths.

5. Nine hundred seventy-five thousandths.

6. One, and six hundred thirty one thousandths.

7. Forty-eight, and seven hundredths.

8. One, and three hundred fifteen thousandths.
9. Five, and six thousand one ten thousandths.
10. Eighty-seven, and six ten thousandths.
11. One, and seven millionths.
12. Five, and one hundred one thousand sixteen millionths.
13. One, and three hundred twenty-seven millionths.
14. One millionth.
15. Sixteen, and seven billionths.

16.	.13	21.	.001031	26.	465.14
17.	.006	22.	7.0017	27.	93.07
18.	.0019	23.	333.003	28.	24.000009
19.	.00406	24.	1.000001	29.	221.00009
20	.000001	25.	325.7	30.	49000.049

31.   79002000.105
32.   69015.00015
33.   80000.0083
34.   9000019019.19
35.   27.927
36.   49000000000000.000000000001
37.   21.0001
38.   87000.000087
39.   99099.000009009
40.   17.0117
41.   33.33
42.   47000.0000029
43.   15.04007
44.   11000.11
45.   17.000000000000081
46.   9.000000000057
47.   69000.349

ADDITION OF DECIMALS.
(ART. 268, p. 201.)

2.	7564.0052656	4.	7234.0968
3.	2071.449495	5.	6913.5477

(6.)	(7.)	(8.)
$ 15.06	$ 137.50	23000010.
107.09	55.63	1000.00005
1.625	1.375	27.000019
93.765	.875	7.5
Ans. $ 217.54	Ans. $ 195.38	Ans. 23001044.500069

(9.)	(10.)	(11.)
59.059	25.000007	3.75
25000.0025	145.643	11.7
5.000005	175.89	16.125
205.05	17.00348	Ans. 31.575
Ans. 25269.111505	Ans. 363.536487	

(12.)	(13.)
73.29	209000.000046
87.047	98207.0015
3005.0106	15.08
28.03	.0049
29000.005	Ans. 307222.086446
Ans. 32193.3826	

SUBTRACTION OF DECIMALS.

(Art. 270, p. 202.)

6.   9.49989 | 7.   88.9429 | 8.   .001

(9.)	(10.)	(11.)
		29004005.
97.7	315.0027	29000.
27.028	115.07	349200.00024
Ans. 70.672	Ans. 199.9327	378200.00024
		Ans. 28625804.99976

(12.)	(13.)	(14.)
1000000.	$ 19.	$ 400.
.000001	1.375	316.875
Ans. 999999.999999	Ans. $ 17.625	Ans. $ 83.125

(16.) 1000.

93.45

(15.)	124.
19000000.	244.285
.000000019	216.136
Ans. 18999999.999999981	677.871

Ans. 322.129

MULTIPLICATION OF DECIMALS.

(Art. 271, p. 203.)	10.	33.5175
.438496	11.	41448651.06
.0949416	12.	.000019737
.003721061	13.	$153.525
26137.65	14.	$18.4375
152.2756	15.	$46.95
43910.073	16.	$149.5125
.00000081	17.	3616.175

CONTRACTIONS IN MULTIPLICATION OF DECIMALS.

(Art. 272, p. 204.) 131634.	3.	1.
347890.	4.	$7000.

(Art. 273, p. 206.)   (3.)

(2.) 325.701428		56.7534916
3938127		8296735
227990		28376746
6514	(4.) 843.7527	1702605
326	5714368	397274
261	6750022	34052
10	506252	5108
3	25313	114
Ans. 235.104	3375	45
	84	Ans. 305.15944
	59	
	4	
	Ans. 7285109.	

DIVISION OF DECIMALS.

(Art. 274, p. 207.)		
3.	821.2	12. 312.43
4.	.758	13. 31243000000.
5.	.561	14. .31243
6.	13.861	15. .31243
7.	749.084	16. 32000.
8.	3124.3	17. .000032
9.	.31243	18. .5403+
10.	312430000.	19. 140yd.
11.	.000031243	20. $50.
		21. 64753000000.

CONTRACTIONS IN DIVISION OF DECIMALS.

(Art. 275, p. 208.)		
1.	3.1675	6. .070461
2.	9.1605	7. .70460
3.	.000070461	8. .0000070460.
4.	.00070461	9. .0001965
5.	.0070461	10. $3.50
		11. $0.1025

2. (Art. 276, p. 209.) 4.95445
3. 426.1043
4. 8.7938+
5. 9876.54321

REDUCTION OF DECIMALS.

(Art. 277, p. 210.)

2. $\frac{875}{1000} = \frac{7}{8}$
3. $\frac{9375}{10000} = \frac{15}{16}$
4. $\frac{8125}{100000} = \frac{13}{160}$
5. $\frac{75}{100000} = \frac{3}{4000}$
6. $31\frac{75}{100} = 31\frac{3}{4}$

7. $96\frac{24}{1000} = 96\frac{3}{125}$
8. $163\frac{4}{100} = 163\frac{1}{25}$
9. $1001\frac{4375}{10000} = 1001\frac{7}{16}$
10. $1457\frac{222}{1000} = 1457\frac{111}{500}$
11. $19678\frac{36}{100} = 19678\frac{9}{25}$
12. $9163\frac{8755}{10000} = 9163\frac{1751}{2000}$

2. (Art. 278, p. 211.) .625
3. .5
4. .09375
5. .076932

6.		19.125	11.		$4.3125
7.		$315.875	12.		$60.1875
8.		1163.75	13.		.51
9.		.625	14.		2.9875
10.		.370625			

(ART. **279**, p. **213**.)

(2.)
20 | 9.00
.45, Ans.

(3.)
25 | 14.
4 | 3.56
20 | 15.89
.7945, Ans.

(4.)
16 | 12.
16 | 8.75
25 | 21.546875
4 | 2.861875
.71546875, Ans.

(5.)
4 | 3.00
4 | 1.7500
.4375, Ans.

(6.)
12 | 9.00
3 | 2.75
5½ | 2.91666666
40 | 35.53030303
8 | 5.88825757
.73603219+, Ans.

(7.)
2 | 1.
4 | 2.5
63 | 3.625
.0575396+, Ans.

(8.)
2 | 1.0
8 | 0.50
4 | 0.0625
0.015625, Ans.

(9.)
40 | 16.
4 | 2.4
.6, Ans.

(10.)
40 | 175
4.375, Ans.

(11.)
4 | 3.755
Ans. .93875

(12.)
10 | 6.0
60 | 34.6
60 | 25.576
Ans., .4262+

<div align="center">

(13.)

25 | 20.0
4 | 2.8
243.7, Ans.

(14.)

2 | 1.5
4 | 2.75
156.6875, Ans.

</div>

<div align="center">

(15.)

</div>

4	3.	4	1.0	4	2.
12	11.75	12	9.25	12	5.5
20	19.97916+	20	16.77083+	20	17.4583+
	.9989583+, Ans.		.8385416+, Ans.		.8729166+,
					[Ans.

<div align="center">

.9989583+
.8385416+
.8729166+
─────────
2.710416+

</div>

<div align="center">

(Art. **280**, p. **214.**)

</div>

2. $.625 \times 12 = 7.5$d.; $.5 \times 4 = 2.0$; $7\frac{1}{2}$d., Ans.

3. $.6725 \times 4 = 2.69$; $.69 \times 25 = 17.25$; $25 \times 16 = 4$; 2qr. 17lb. 4oz., Ans.

4. $.9375 \times 4 = 3.75$; $.75 \times 4 = 3$; 3qr. 3na., Ans.

5. $.7895 \times 8 = 6.316$; $.316 \times 40 = 12.64$; $.64 \times 16\frac{1}{2} = 10.56$; $.56 \times 12 = 6.72$; $72 = \frac{18}{25}$; 6fur. 12rd. 10ft. $6\frac{18}{25}$in., Ans.

6. $.9378 \times 4 = 3.7512$; $.7512 \times 40 = 30.048$; $.048 \times 272\frac{1}{4} = 13.068$; $.068 \times 144 = 9.792$; $.792 = \frac{99}{125}$; 3R. 30p. 13ft. $9\frac{99}{125}$in., Ans.

7. $.5615 \times 63 = 35.3745$; $.3745 \times 4 = 1.498$; $.498 \times 2 = .996$; $.996 \times 4 = 3.984$; $.984 = \frac{123}{125}$; 35gal. 1qt. 0pt. $3\frac{123}{125}$gi., Ans.

8. $.367 \times 365\frac{1}{4} = 134.046\frac{3}{4}$; $.046\frac{3}{4} \times 24 = 1.122$; $.122 \times 60 = 7.32$; $.32 \times 60 = 19.2$; $.2 = \frac{1}{5}$; 134da. 1h. 7m. $19\frac{1}{5}$sec., Ans.

). .6923828125 × 4 = 2.76953125; .76953125 × 25 =19.-
23828125; .23828125 × 16 = 3.8125; .8125 × 16 =
13; 2qr. 19lb. 3oz. 13dr., Ans.

). .015625 × 4 = .0625; .0625 × 8 = .5; .5 × 2 = 1;
1p., Ans.

l. .55 × 5 = 2.75; .75 × 4 = 3; 2qr. 3na., Ans.

2. .6 × 4 = 2.4; .4 × 40 = 16; 2R. 16p., Ans.

MISCELLANEOUS EXERCISES.

(1.)

25 | 18.
4 | 2.72
   7.68
  11.75
  3840
  5376
  768
  768
$ 90.24, Ans.

(2.)

25 | 14.
4 | 3.56
  19.89
   9.25
  9945
  3978
 17901
$ 183.9825 Ans.

(3.)

40 | 15.000
4 | 2.37500
  39.59375
  87.375
  19796875
  27715625
  11878125
  27715625
  31675000
 3459.50390625 =
$ 3459.503$\frac{13}{32}$ Ans.
9

(4.)

40 | 15.000
8 | 3.375000
  87.421875
  578.75
  437109375
  611953125
  699375000
  611953125
  437109375
 50595.41015625 =
$ 50595.41$\frac{1}{64}$ Ans.

(5.)

| 12 | 9.00 | 12 | 3.50 |
| | 18.75 | | 2.29⅛ |

$$2.29\frac{1}{8}$$

16875
3750
3750

$$\underline{3125}$$

42.96875

.053

12890625
21484375

$$\overline{2.27734375} = \$2.277\frac{11}{32}, \text{ Ans.}$$

(6.)

| 12 | 7.168 |
| | 1.597⅛ |

6.5

7985
9582

$$21\frac{3}{8}$$

10.3826⅜

12

4.5920

10ft. 4.592in., Ans.

(7.)

$$29\frac{1}{2} = 29.5$$

4.316)29.500(6h. 50m. 6+sec.,
    25896   [Ans.

3604
60

4.316)216240(50m.
  21580

440
60

4.316)26400(6+sec.
  25896

(8.)

| 4 | 2.0 |
| 4 | 1.500 |

5.375
5.625

26875

10750
32250
26875

$$\overline{30.234375} =$$

$$\$30.234\frac{3}{8}, \text{ Ans.}$$

(9.)

```
25 | 7.00
 4 | 3.28
   -------
     4.82
      17
   -------
    81.94
     5.875
   -------
    40970
    57358
    65552
    40970
   -------
   481.39750 =
 $ 481.39¾, Ans.
```

(10.)

```
40 | 25.000
 4 |  3.625
   ---------
   176.90625
    75.375
   ---------
    88453125
   123834375
    53071875
    88453125
   123834375
   -----------
   13334.30859375 =
 $13334.308¹²⁄₃₂,  Ans.
```

(11.)

```
    17.625
    12.75
   --------
    88125
   123375
    35250
    17625
   --------
   224.71875 =
 $224.718¾,  Ans.
```

(12.)

```
19ft. 3in. = 19.25
15ft. 9in. = 15.75
   -----------
     9625
    13475
     9625
     1925
   -----------
   303.1875
        144
   -----------
     7500
     7500
     1875
   -----------
    27.0000
   303ft. 27in., Ans.
```

3. 14ft. 6in. = 14.5 ;   12ft. 6in. = 12.5 ;   8ft. 9in. = 8.75 ;
    14.5 + 12.5 = 27 ; 27 × 2 = 54 ; 8.75 × 54 = 472.5 ;
    472.5 ÷ 9 = 52½ yards, Ans.

14. 10ft. 7in. = 127in.; 5ft. 10in. = 70in.; $127 \times 70 \times 4 =$
35560; 35560 ÷ 144 = 246$\frac{1}{18}$ft., Ans.

(15.)		(16.)
4 | 3.00	4 | 2.0	2 | 1.0
4 | 2.75	$\overline{112.5}$	4 | 2.500
$\overline{4.6875}$		$\overline{1.625}$

$112.5 \div 4.6875 = 24$, Ans. $1.82 \div 1.625 = 1.12$
$1.12 \times 63 = \$70.56$, Ans.

17. $\$15.06 \div 125.5 = \$.12$, Ans.

18. $\dfrac{4 \mid 3}{17.75 \times 35.75} = \$634.562\frac{1}{2}$, Ans.

19. $\$87.25 \times 7\frac{47}{63} = \$675.84\frac{8}{63}$, Ans.

20. 34ft. 9in. = 34.75; 1ft. 3in. = 1.25; 1ft. 6in. = 1.5;
$34.75 \times 1.25 \times 1.5 = 65.15625$ft., Ans.

(21.)	(22.)
4 | 1.00	$\$477.72 \div 9 = \$53.08$, Ans.
| 18.25	

$36.50 \div 18.25 = \$2.00$, Ans.

(23.)	(24.)
5.375	$2\frac{3}{8} = 2.375$; $3\frac{7}{8} = 3.875$; $1\frac{1}{16} = 1.0625$;
1.78	$2.375 + 3.875 + 1.0625 = 7.3125$
1.1875	17.625
1.125	$\overline{365625}$
1.275	146250
2.625	438750
$\overline{13.3675} =$	511875
$\$13.367\frac{1}{2}$, Ans.	73125
	$\overline{128.8828125} =$
	$\$128.882\frac{13}{16}$, Ans.

(25.)

$15.25 \times 8.4 \times 10 = 1281$;

$1281 \times 1728 = 2213568$;

$2213568 \div 231 = 9682\frac{6}{11}$gal.

$9682\frac{6}{11} \div 63 = 152$hhd. $6\frac{6}{11}$gal., Ans.

(26.)

$$\begin{array}{r|l} 25 & 7.00 \\ 4 & 2.28 \\ \hline & 3.57 \\ & 13.625 \\ \hline & 1785 \\ & 714 \\ & 2142 \\ & 1071 \\ & 357 \\ \hline & 48.64125 = \end{array}$$

$ 48.641$\frac{1}{4}$, Ans.

(27.)

$$\begin{array}{r|l} 40 & 35.000 \\ 4 & 3.87500 \\ \hline & 37.96875 \\ & 125.75 \\ \hline & 18984375 \\ & 26578125 \\ & 18984375 \\ & 7593750 \\ & 3796875 \\ \hline & 4774.5703125 = \end{array}$$

$ 4774.570$\frac{5}{16}$, Ans.

(28.)

$$\begin{array}{r|l} 25 & 21.00 \\ 4 & 2.84 \\ \hline & 17.71 \\ & 11.25 \\ \hline & 8855 \\ & 3542 \\ & 1771 \\ & 1771 \\ \hline \end{array}$$

$ 199.23$\frac{3}{4}$, Ans.

(30.) 97.625

$$7\frac{49}{63}$$

683375

$759305\frac{35}{63}$

$759.305\frac{35}{63} =$

$ 759.305$\frac{35}{63}$, Ans.

(29.)

9.375

3.37

65625

28125

28125

31.59375

7.75

15796875

22115625

22115625

244.8315625 =

$ 244.851$\frac{9}{16}$, Ans.

9*

	(31.)	
4	3.00	
4	3.7500	

(31.)
4|3.00
4|3.7500
———
7.9375
4.75
———
396875
555625
317500
———
37.703125 =
$37.703⅛, Ans.

(32.)
25| 3.50
4| 1.14
20|15.285
———
27.76425
183.62
———
5552850
16658550
8329275
22211400
2776425
———
5098.0715850 =
$5098.071₂⁰¹⁷₀₀, Ans.

(33.)
40|15.000
8| 3.375000
———
17.421875
1725.875
———
87109375
121953125
139375000
87109375
34843750
121953125
17421875
———
30067.978515625 =
$30067.978³³⁄₆₄, Ans.

(34.)
40|15.
4| 3.375
———
A. 17.84375
$624.53125 ÷ 17.84375 =
$35, Ans.

(35.)
25|12.5
4| 2.5
20|15.625
———
19.78125
$494.53125 ÷ 19.78125 =
$24.999₃²₂¹⁷₉²₇, Ans.

(36.)   40)1004.75
———
A. 25.11875
4
———
R. .47500
40
———
p. 19.00000
Ans. 25A. 0R. 19p.

37. 20.5 × 12.75 × 7.6 = 1986.45 cubic feet;
1986.45 ÷ 128 = 15 cords 66₂⁹₀ feet.

38. 31 × .08¼ = $2.55¾; $2.75 × 7½ = $20.62½; $20.62½
+ $2.55¾ = $23.18¼;   23.18¼ ÷ .62½ = 37₃²⁵³₀yd.,
[Ans.

39. $3.50 \div 40 = 8\frac{3}{4}$ bushels.

$\frac{9}{20}, \frac{3}{10} = \frac{9}{20}, \frac{6}{20}; \frac{9}{20} + \frac{6}{20} = \frac{15}{20}; \frac{20}{20} - \frac{15}{20} = \frac{5}{20}$bu.; $8\frac{3}{4}$ $\div 5 = 1\frac{3}{4}$ bushels.

$1\frac{3}{4}$bu. $\times 6 = 10\frac{1}{2}$bu.; $1\frac{3}{4}$bu. $\times 9 = 15\frac{3}{4}$bu.

Ans. $8\frac{3}{4}$ bushels of oats; $10\frac{1}{2}$ bushels corn; $15\frac{3}{4}$ bushels wheat.

Proof: $\$0.75 \times 10\frac{1}{2} = \$7.87,5$; $\$2 \times 15\frac{3}{4} = \$31.50$; $\$3.50 + \$7.87,5 + \$31.50 = \$42.87,5$.

40. $250.35 \div 2 = 125.175$; $125.175 \div 8 = 15.646875$; $15.646875 + 1 = 16.646875$ times, Ans.

41. $\frac{1}{4} + \frac{1}{6} = \frac{7}{12}$; $\frac{12}{12} - \frac{7}{12} = \frac{5}{12}$; $\frac{5}{12} \times \frac{1}{5} = \frac{1}{12}$, part for Mary.

$\frac{7}{12} + \frac{1}{12} = \frac{8}{12}$; $\frac{12}{12} - \frac{8}{12} = \frac{4}{12} = \frac{1}{3}$, part for wife.

$\frac{1}{4} - \frac{1}{12} = \frac{1}{6} = \$2243.26$, part Mary received less than James.

Therefore $\$2243.26 \times 6 = \$13459.56$, amount.

$\$13459.56 \times \frac{1}{4} = \$3364.89$, James' part.

$\$13459.56 \times \frac{1}{3} = \$4486.52$, William's part.

$\$13459.56 \times \frac{1}{12} = \$1121.63$, Mary's part.

$\$13459.56 \times \frac{1}{3} = \$4486.52$, wife's part.

INFINITE OR CIRCULATING DECIMALS.

(Art. **296**, p. **220**.)

3. $.\dot{6} = \frac{6}{9} = \frac{2}{3}$, Ans.

4. $1.\dot{6}\dot{2} = 1.\dot{6}2\dot{1} = 1\frac{621}{999} = 1\frac{23}{37}$, Ans.

5. $.5\dot{3} = \dfrac{5\frac{3}{9}}{10} = \frac{48}{90} = \frac{8}{15}$, Ans.

6. $.\dot{7}6923\dot{0} = \frac{769230}{999999} = \frac{10}{13}$, Ans.

7. $.5\dot{9}2\dot{5} = \dfrac{5\frac{925}{999}}{10} = \frac{5920}{999} = \frac{16}{27}$, Ans.

8. $3\dot{1}.6\dot{2} = 31.\dot{6}2\dot{1} = 31\frac{621}{999} = 31\frac{23}{37}$, Ans.

9. $.008\dot{4}9713\dot{3} = \dfrac{8\frac{497133}{999999}}{1000} = \frac{8497125}{999999000} = \frac{83}{9768}$, Ans.

(ART. **297**, p. **222.**)

3. $\frac{1}{11} = .\dot{0}\dot{9}$, Ans.

4. $\frac{13}{1320} = \frac{13}{440} = 13 \div 440 = .029\dot{5}\dot{4}$, Ans.

5. $\frac{107}{253} = 107 \div 253 = .\dot{4}22924901185770750988\dot{1}$, Ans.

6. $13\frac{11}{45}$; $17 \div 45 = .3\dot{7}$; $13.3\dot{7}$, Ans.

7. $\frac{811}{19536} = \frac{83}{9768}$; $83 \div 9768 = .008497133\dot{3}$, Ans.

8. $2 \div 29 = .\dot{0}6896551724137931034\dot{8}$, Ans.

TRANSFORMATION OF REPETENDS.

(ART. **302**, p. **223.**)

(2.)	(3.)
$3.\dot{6}7\dot{1} = 3.\dot{6}71167167167\dot{1}$	$1.\dot{5}\dot{2} = 1.525252\dot{5}\dot{2}$
$1.\dot{0}07\dot{1} = 1.\dot{0}0710071007\dot{1}$	$8.\dot{7}15\dot{6} = 8.71\dot{5}67\dot{1}$
$8.5\dot{2} = 8.525252525252\dot{2}$	$3.56\dot{7} = 3.567\dot{7}77\dot{7}$
$7.\dot{6}16325 = 7.\dot{6}16325616325$	$1.37\dot{8} = 1.37\dot{8}787\dot{7}$

(4.)	(5.)
$.000\dot{7} = .000\dot{7}07070\dot{7}$	$.\dot{3}12\dot{3} = .\dot{3}123123\dot{3}$
$.14\dot{1}41\dot{4} = .141\dot{4}1441\dot{4}$	$3.\dot{2}\dot{7} = 3.2\dot{7}2727\dot{2}$
$887.\dot{1} = 887.11111111\dot{1}$	$5.0\dot{2} = 5.0222222\dot{2}$

(6.)

$17.08\dot{8}\dot{4} = 17.08\dot{8}4848484848484848484848484848\dot{4}$

$1563.0\dot{9}2\dot{9} = 1563.09\dot{2}9929929929929929929929929929\dot{9}$

$15.\dot{1}234\dot{5} = 15.12\dot{3}451234512345123451234512345\dot{1}\dot{2}$

ADDITION OF CIRCULATING DECIMALS.

(ART. **303**, p. **224.**)

(2.)	(3.)	
$3.5\dot{5}5555\dot{5}$	$\frac{1}{3} = .\dot{3}$	$= .33333\dot{3}$
$7.6\dot{5}1651\dot{6}$	$\frac{1}{7} = .\dot{1}42857$	$= .\dot{1}42857$
$1.7\dot{6}5765\dot{7}$	$\frac{1}{9} = .\dot{1}$	$= .11111\dot{1}$
$6.1\dot{7}3737\dot{3}$		Ans. $.\dot{5}8730\dot{1}$
$51.7\dot{7}77777$		
$3.7\dot{0}00000$		
$27.6\dot{3}16316$		
$1.0\dot{0}30030$		

Ans. $103.2\dot{5}91227$

(4.)

$$27.5\dot{6} = 27.5\dot{6}7567567567\dot{5}$$
$$5.6\dot{3}\dot{2} = 5.6\dot{3}2632632632\dot{6}$$
$$6.\dot{7} = 6.7\dot{7}777777777\dot{7}$$
$$16.3\dot{5}\dot{6} = 16.3\dot{5}6565656565\dot{6}$$
$$.7\dot{1} = .7\dot{1}11111111111\dot{1}$$
$$6.\dot{1}23\dot{4} = 6.1\dot{2}341234123\dot{4}\dot{1}$$

Ans. 63.1\dot{6}9067086888\dot{8}

(5.)

$$.165002 = .165002$$
$$31.64 = 31.64$$
$$1.\dot{6} = 1.666666\dot{6}$$
$$.346\dot{3}\dot{4} = .3463444\dot{4}$$
$$13. = 13.$$

Ans. 46.818013\dot{1}

(6.)

$$.\dot{8}\dot{7} = .878787\dot{7}$$
$$.\dot{8} = .888888\dot{8}$$
$$.87\dot{6} = .876876\dot{6}$$

Ans. 2.\dot{6}44553\dot{3}

(7.)

$$.\dot{3} = .3333333333\dot{3}$$
$$.45 = .45$$
$$.\dot{4}\dot{5} = .4545454545\dot{5}$$
$$.3\dot{5}\dot{1} = .3513513513\dot{3}$$
$$.6468 = .6468$$
$$.646\dot{8} = .6468888888\dot{8}$$
$$.64\dot{6}\dot{8} = .6468686868\dot{8}$$
$$.6\dot{4}6\dot{8} = .6468468468\dot{8}$$

Ans. 4.1766\dot{3}45618

(8.)

$$1.25 = 1.250\dot{0}00000\dot{0}$$
$$3.\dot{4} = 3.444444444\dot{4}$$
$$.6\dot{3}\dot{7} = .637\dot{3}73737\dot{7}$$
$$7.88\dot{5} = 7.885555555\dot{5}$$
$$7.875 = 7.875\dot{0}00000\dot{0}$$
$$7.\dot{8}7\dot{5} = 7.875875875$$
$$11.\dot{1} = 11.111\dot{1}11111\dot{1}$$

Ans. 40.079\dot{3}60722\dot{2}

(9.)

$$131.613 = 131.613$$
$$15.00\dot{1} = 15.001\dot{1}$$
$$67.13\dot{4} = 67.134\dot{4}$$
$$1000.6\dot{3} = 1000.633\dot{3}$$

Ans. 1214.381\dot{8}

(10.)

$$5.\dot{1}634\dot{5} = 5.\dot{1}634516345163451634\dot{5}$$
$$8.\dot{6}38\dot{1} = 8.\dot{6}381638163816381\dot{6}38\dot{1}$$
$$3.\dot{7}\dot{5} = 3.\dot{7}5757575757575757\dot{5}$$

Ans. $17.\dot{5}591912084737409030\dot{2}$

SUBTRACTION OF CIRCULATING DECIMALS.

(ART. 304, p. 225.)

(2.)

$7.\dot{1} = 7.1\dot{1}$
$5.0\dot{2} = 5.0\dot{2}$

Ans. $2.0\dot{8}$

(3.)

$315.8\dot{7} = 315.\dot{8}75875875\dot{8}75$
$78.\dot{0}37\dot{8} = 78.\dot{0}37803780378$

Ans. $237.\dot{8}38072095497$

(4.)

$\frac{2}{9} = .\dot{2} = .\dot{2}22222\dot{2}$
$\frac{1}{7} = .\dot{1}42857 = .\dot{1}42857\dot{7}$

Ans. $.\dot{0}79365\dot{5}$

(5.)

$16.13\dot{4}\dot{7} = 16.13\dot{4}\dot{7}$
$11.08\dot{8}\dot{4} = 11.08\dot{8}\dot{4}$

Ans. $5.046\dot{2}$

(6.)

$18.16\dot{7}\dot{8} = 18.16\dot{7}\dot{8}$
$3.2\dot{7} = 3.2\dot{7}2\dot{7}$

Ans. $14.895\dot{1}$

(7.)

$3.\dot{1}2\dot{3} = 3.\dot{1}2312\dot{3}$
$.\dot{7}\dot{1} = .\dot{7}1717\dot{1}$

Ans. $2.\dot{4}05951$

(8.)

$\frac{3}{7} = .\dot{4}2857\dot{1} = .\dot{4}2857\dot{1}$
$\frac{2}{11} = .\dot{1}\dot{8} = .\dot{1}81818$

Ans. $.\dot{2}46753$

(9.)

$\frac{4}{9} = .\dot{4} = .\dot{4}44444\dot{4}$
$\frac{2}{7} = .\dot{2}85714 = .\dot{2}85714$

Ans. $.\dot{1}58730$

(10.)

$\frac{9}{17} = .\dot{5}29411764705882\dot{3}$
$\frac{6}{17} = .\dot{3}529411764705882$

Ans. $.\dot{1}76470588235294\dot{1}$

(11.)

$5.\dot{1}234\dot{5} = 5.12345123451234512345123451234\dot{5}1$
$2.3\dot{5}2345\dot{6} = 2.35234565234565234565234565234\dot{5}6$
Ans. $2.77\dot{1}105582166692777798888859999\dot{4}$

MULTIPLICATION OF CIRCULATING DECIMALS.

(Art. 305, p. 226.)

(2.)

$$87.3\dot{2}58\dot{6}$$
$$437$$
$$\overline{61128106}$$
$$26197759_7$$
$$34930346_{34}$$
Ans. $381.6140\dot{3}3\dot{8}$

3. $582.\dot{3}4\dot{7} = 582\frac{347}{999} = \frac{581765}{999}$; $.0\dot{3} = \frac{3}{90} = \frac{1}{30}$; $\frac{581765}{999}$
    $\times \frac{1}{30} = \frac{581765}{59970} = \frac{116353}{5994}$; $\frac{116353}{5994} = 19.41\dot{1}578244\dot{9}$,
    Ans.

4. $3.1\dot{4}\dot{5} = 3.1\frac{45}{99} = 3.1\frac{5}{11} = \frac{346}{110}$; $4.\dot{2}9\dot{7} = 4\frac{297}{999} = 4\frac{11}{37} =$
    $\frac{159}{37}$; $\frac{346}{110} \times \frac{159}{37} = \frac{55014}{4070} = 13.5\dot{1}6953\dot{3}$, Ans.

(5.)	(6.)
$.\dot{2}8571\dot{4}$	$.461607\dot{1}42857\dot{}$
21	20
$\overline{285714}$	$\overline{9.232142\dot{8}57142\dot{}}$
571428_5	4
Ans. $8.\dot{0}0000\dot{0}$	$\overline{0.92857\dot{1}42857\dot{1}}$
	25
(7.) $.\dot{2}8493150\dot{6}$	$\overline{4642857\dot{1}42855}$
365	18571428571428
$\overline{1424657534}$	$\overline{23.214285\dot{7}14283}$
1709589041_0	Ans. 9cwt. 0qr. 23+lb.
854794520_{54}	
Ans. $\dot{1}04.00000000\dot{0}$	

DIVISION OF CIRCULATING DECIMALS.

(Art. 306, p. 226.)

2. $345.\dot{8} = 345\frac{8}{9}$; $.\dot{6} = \frac{6}{9} = \frac{2}{3}$; $345\frac{8}{9} \div \frac{2}{3} = 518\frac{5}{6} = 518\cdot$
   $.8\dot{3}$, Ans.

3. $234.\dot{6} = 234\frac{2}{3}$; $.\dot{7} = \frac{7}{9}$; $234\frac{2}{3} \div \frac{7}{9} = 301\frac{5}{7} = 301.7142\cdot$
   85, Ans.

4. $13.5\dot{1}6953\dot{3} = 13\frac{5}{10} + \frac{169533}{9999990} = \frac{1351693380}{9999990}$; $3.1\dot{4}\dot{5}$
   $= 3\frac{1}{10} + \frac{45}{990} = \frac{31140}{9900}$; $\frac{1351693380}{9999990} \div \frac{31140}{9900} =$
   $4.\dot{2}9\dot{7}$, Ans.

5. $381.6140\dot{3}3\dot{8} = 381\frac{6140}{10000} + \frac{338}{9990000} = \frac{3812324198000}{9990000000}$;
   $4.37 = 4\frac{37}{100}$; $\frac{3812324198000}{9990000000} \div 4\frac{37}{100} = 87.3258\dot{6}$,
   Ans.

6. $.\dot{4}2857\dot{1} = \frac{428571}{999999}$; $.625 = \frac{5}{8}$; $\frac{428571}{999999} \div \frac{5}{8} = .6\dot{8}5714\dot{2}$,
   Ans.

7. $2.\dot{3}7\dot{0} = 2\frac{370}{999} = \frac{2368}{999}$; $4.\dot{9}23076 = 4\frac{923076}{999999} = \frac{4923072}{999999}$;
   $\frac{2368}{999} \div \frac{4923072}{999999} = .\dot{4}8\dot{1}$, Ans.

8. $\frac{8}{99} \div \frac{227788}{333333} = .\dot{3}\dot{9}$, Ans.

9. $316.31015 \div \frac{5}{9} = 948.93045$, Ans.

10. $100006 \div \frac{8}{9} = 150009$, Ans.

11. $.\dot{3}\dot{6} = \frac{36}{99} = \frac{4}{11}$; $.2\dot{5} = \frac{2}{10} + \frac{5}{90} = \frac{23}{90}$; $\frac{4}{11} \div \frac{23}{90} =$
    $1.\dot{4}22924901185770750988\dot{1}$, Ans.

CONTINUED FRACTIONS.

(Art. 309, p. 229.)

(3.) $\frac{261}{82} = 82)261(3$ First approx. val. $= \frac{3}{1} = 3$.

          $\underline{246}$ $\dfrac{3 \times 5 + 1}{1 \times 5 + 0} = \dfrac{16}{5} = 3\frac{1}{5}$.

          $15)82(5$

          $\underline{75}$ $\dfrac{16 \times 2 + 3}{5 \times 2 + 1} = \dfrac{35}{11} = 3\frac{2}{11}$.

            $7)15(2$

            $\underline{14}$ $\dfrac{35 \times 7 + 16}{11 \times 7 + 5} = \dfrac{261}{82} = 3\frac{11}{82}$.

              $1)7(7$

              $\underline{7}$ Ans. 3, $3\frac{1}{5}$, $3\frac{2}{11}$, $3\frac{11}{82}$, real val.

(4.) $\frac{7}{7}\frac{9}{7} = 29)77(2$ First approx. val. $= \frac{1}{2}$.

$$\frac{58}{19)29(1}$$

$$\frac{1 \times 1 + 0 = 1}{2 \times 1 + 1 = \overline{3}},$$

$$\frac{19}{10)19(1}$$

$$\frac{1 \times 1 + 1 = 2}{3 \times 1 + 2 = \overline{5}},$$

$$\frac{10}{9)10(1}$$

$$\frac{2 \times 1 + 1 = 3}{5 \times 1 + 3 = \overline{8}},$$

$$\frac{9}{1)9(9}$$

$$\frac{3 \times 9 + 2 = 29}{8 \times 9 + 5 = \overline{77}}, \text{ original val.}$$

$$\frac{9}{}$$

Ans. $\frac{1}{2}, \frac{1}{3}, \frac{2}{5}, \frac{3}{8}, \frac{79}{77}$.

(5.) $\frac{1631}{1327} = 1327)1631(1$

$$\frac{1327}{304)1327(4}$$

First approx. val. $= \frac{1}{1}$.
$$\frac{1216}{111)304(2}$$

$$\frac{1 \times 4 + 0 = 4}{\overline{1} \times 4 + 1 = \overline{5}},$$
$$\frac{222}{82)111(1}$$

$$\frac{4 \times 2 + 1 = 9}{\overline{5} \times 2 + 1 = \overline{11}},$$
$$\frac{82}{29)82(2}$$

$$\frac{9 \times 1 + 4 = 13}{\overline{11} \times 1 + 5 = \overline{16}},$$
$$\frac{58}{24)29(1}$$

$$\frac{13 \times 2 + 9 = 35}{\overline{16} \times 2 + 11 = \overline{43}},$$
$$\frac{24}{5)24(4}$$

$$\frac{35 \times 1 + 13 = 48}{\overline{43} \times 1 + 16 = \overline{59}},$$
$$\frac{20}{4)5(1}$$

$$\frac{48 \times 4 + 35 = 131}{\overline{59} \times 4 + 43 = \overline{161}},$$
$$\frac{4}{1)4(4}$$

$$\frac{131 \times 1 + 48 = 179}{\overline{161} \times 1 + 59 = \overline{220}},$$
$$\frac{4}{}$$

$$\frac{179 \times 4 + 131 = 847}{\overline{220} \times 4 + 161 = \overline{1041}},$$

Ans. $\frac{1}{1}, \frac{4}{5}, \frac{9}{11}, \frac{13}{16}, \frac{35}{43}, \frac{48}{59},$

$[\frac{131}{161}, \frac{179}{220}, \frac{847}{1041}.$

10

(6.)

$\frac{829}{347}=$ 347)829(2
694

  135)347(2
    270

    77)135(1
     77

     58)77(1
      58

      19)58(3
       57

       1)19(19
       19

$\frac{2}{1}=2$, first approx. val.

$\dfrac{2\times2+1=5}{1\times2+0=2}=2\tfrac{1}{2}.$

$\dfrac{5\times1+2=7}{2\times1+1=3}=2\tfrac{1}{3}.$

$\dfrac{7\times1+5=12}{3\times1+2=5}=2\tfrac{2}{5}.$

$\dfrac{12\times3+7=43}{5\times3+3=18}=2\tfrac{7}{18}.$

$\dfrac{43\times19+12=819}{18\times19+5=347}=$
$[2\tfrac{125}{347}.$

Ans. $2,\ 2\tfrac{1}{2},\ 2\tfrac{1}{3},\ 2\tfrac{2}{5},\ 2\tfrac{7}{18},\ 2\tfrac{125}{347}.$

(7.) $\dfrac{1}{13\frac{568}{1000}}=\frac{1000}{13568}.$

1000)13568(13
  13000

  568)1000(1
   568

  432)568(1
   432

   136)432(3
    408

    24)136(5
    120

     16)24(1
     16

     8)16(2
     16

$\frac{1}{13}=$ first approx. val.

$\dfrac{1\times1+0=1}{13\times1+1=14}.$

$\dfrac{1\times1+1=2}{14\times1+13=27}.$

$\dfrac{2\times3+1=7}{27\times3+14=95}.$

$\dfrac{7\times5+2=37}{95\times5+27=502}.$

$\dfrac{37\times1+7=44}{502\times1+95=597}.$

$\dfrac{44\times2+37=125}{579\times2+44=1396}$

Ans. $\tfrac{1}{13},\ \tfrac{1}{14},\ \tfrac{2}{27},\ \tfrac{7}{95},\ \tfrac{37}{502},\ \tfrac{44}{597},\ \tfrac{125}{1396}.$

(8.) $1.27 = 1\frac{27}{100}$.   First approx. val. $= \frac{1}{1}$.

100)127(1
   100
   ——
   27)100(3
     81
     ——
     19)27(1
      19
      ——
      8)19(2
       16
       ——
       3)8(2
        6
        —
        2)3(1
        2
        —
        1)2(2
        2

$$\frac{1 \times 3 + 1 = 4}{1 \times 3 + 0 = 3} = 1\frac{1}{3}.$$

$$\frac{4 \times 1 + 1 = 5}{3 \times 1 + 1 = 4} = 1\frac{1}{4}.$$

$$\frac{5 \times 2 + 4 = 14}{4 \times 2 + 3 = 11} = 1\frac{3}{11}.$$

$$\frac{14 \times 2 + 5 = 33}{11 \times 2 + 4 = 26} = 1\frac{7}{26}.$$

$$\frac{33 \times 1 + 14 = 47}{26 \times 1 + 11 = 37} = 1\frac{10}{37}.$$

$$\frac{47 \times 2 + 33 = 127}{37 \times 2 + 26 = 100} = 1\frac{27}{100}.$$

Ans. $\frac{1}{1}, \frac{1}{3}, \frac{5}{4}, \frac{14}{11}, \frac{33}{26}, \frac{47}{37}, \frac{127}{100} = 1, 1\frac{1}{3}, 1\frac{1}{4}, 1\frac{3}{11}, 1\frac{7}{26}, 1\frac{10}{37}, 1\frac{27}{100}.$

———

RATIO.

REDUCTION AND COMPARISON OF RATIOS.
(ART. **328**, p. **232**.)

2. $63 : 72 = \frac{63}{72} = \frac{7}{8}$, Ans.

3. $66 : 24 = \frac{66}{24} = \frac{11}{4}$, Ans.

4. $4 \times 6 \times 3 : 8 \times 9 \times 2 = 72 : 144 = \frac{72}{144} = \frac{1}{2}$, Ans.

5. $19 \times 5 \times 2 \times 3 : 15 \times 12 \times 38 = 570 : 684 = \frac{570}{684}$
   $= \frac{95}{114}$, Ans.

(ART. **329**, p. **233**.)

3. $\frac{5}{8} : \frac{4}{7} = \frac{5}{8} \times \frac{7}{4} = \frac{35}{24} = 35 : 24$, Ans.

4. $13\frac{1}{2} : 27 = \frac{13\frac{1}{2}}{27} = \frac{27}{54} = \frac{1}{2} = 1 : 2$, Ans.

5. $6.25 : 3.125 = \frac{6.25}{3.125} = \frac{2}{1} = 2 : 1$, Ans.

6. $\left. \begin{array}{l} 4 : 16 \\ 25 : 10 \end{array} \right\} = 4 \times 25 : 16 \times 10 = 100 : 160 = \frac{100}{160} =$

                                   [$\frac{5}{8} = 5 : 8$, Ans.

7. $\left. \begin{array}{l} 3 : 6 \\ 9 : 27 \\ 108 : 12 \end{array} \right\} = 3 \times 9 \times 108 = 2916 : 6 \times 27 \times 12 =$

                        [$1924 = \frac{2916}{1924} = \frac{3}{2} = 3 : 2$, Ans.

8. $\left. \begin{array}{l} 12\frac{1}{2} : 6\frac{1}{4} \\ 76.5 : 25.5 \end{array} \right\} = 12.5 \times 76.5 = 956.25 : 6.25 \times 25.5 =$

                    [$159.375 = \frac{956.25}{159.375} = \frac{6}{1} = 6 : 1$, Ans.

(ART. 330, p. 233.)

3. $39 : 13 = \frac{39}{13} = 3$, Ans.

4. $2\frac{1}{2} : 9 = \dfrac{2\frac{1}{2}}{9} = \frac{5}{18}$, Ans.

5. $21 : 21 = \frac{21}{21} = 1$, Ans.

6. $\frac{1}{4} \times \frac{1}{4} \times \frac{200}{1} = \frac{200}{16} = \frac{100}{8} : \frac{1}{2} \times \frac{50}{1} = \frac{50}{2} = \frac{25}{1}$; $\frac{100}{8} \times \frac{1}{25} = \frac{1}{2}$, Ans.

7. $24 : 6 = \frac{6}{24} = \frac{1}{4}$, Ans.

8. $4 : 36 = \frac{4}{36} = \frac{1}{9}$, Ans.

9. 94A. 2R. 16p. = 15136p.; 11A. 3R. = 1880p.; 1880 : 15136 = $\frac{1880}{15136} = \frac{235}{1892}$, Ans.

10. $17 : 9 = \frac{17}{9} = 1\frac{8}{9}$; $39 : 19 = \frac{39}{19} = 2\frac{1}{19}$; therefore the ratio of 39 to 19 is the larger.

11. $36 \times 4 \times 3 = 432 : 12 \times 16 \times 2 = 384 = \frac{432}{384} = \frac{9}{8}$; $60 \div (3 \times 5) = 4$; $(20 \times 2) \div 8 = 5$; $\frac{9}{8} - \frac{4}{5} = = \frac{13}{40}$, Ans.

12. $.0\dot{2} = \frac{2}{90}$; $2.\dot{5}0\dot{3} = 2\frac{503}{999} = \frac{2501}{999} = \frac{90}{2} \times \frac{2501}{999} = \frac{225090}{1998} = 112\frac{73}{111}$, Ans.

13. $\frac{1}{2} \times \frac{1}{5} = \frac{1}{10}$; $\frac{1}{3} \times \frac{1}{4} = \frac{1}{12}$; $\frac{1}{10} \times \frac{1}{12} = \frac{10}{12} = \frac{5}{6}$.
     $4 : 5 = \frac{4}{5}$; $\frac{5}{6} - \frac{4}{5} = \frac{1}{30}$, Ans. That is, the first ratio is the greater by $\frac{1}{30}$.

14. $220 : 500 = \frac{220}{500} = \frac{11}{25}$, Ans.

15. $36 : 180 = \frac{1}{5}$, Ans.

16.) 4900)11283(2

 9800

 ‾‾‾‾‾‾
 1483)4900(3

First approx. ratio = ½. 4449

1 × 3 + 0 = 3   451)1483(3
‾2‾ × 3 + 1 = ‾7‾   1353

8 × 3 + 1 = 10   ‾‾‾‾‾‾‾
‾7‾ × 3 + 2 = ‾23‾   130)451(3
                     390

10 × 3 + 3 = 33   ‾‾‾‾‾
‾23‾ × 3 + 7 = ‾76‾   61)130(2
                      122

33 × 2 + 10 = 76   ‾‾‾‾‾
‾76‾ × 2 + 23 = ‾175‾   ●   8)61(7
                       56

 76 × 7 + 33 = 565   ‾‾‾
‾175‾ × 7 + 76 = ‾1301‾   5)8(1
                         5

 565 × 1 + 76 = 641   ‾‾
‾1301‾ × 1 + 135 = ‾1436‾   3)5(1
                          3

 641 × 1 + 555 = 1196   ‾
‾1436‾ × 1 + 1301 = ‾2737‾   2)3(1
                           2

1196 × 1 + 641 = 1837   ‾
‾2737‾ × 1 + 1436 = ‾4173‾   1)2(2
                           2

1837 × 2 + 1196 = 4870   ‾
‾4173‾ × 2 + 2637 = ‾11083‾

Ans. ½, ⅜, ¹⁰⁄₂₃, ³³⁄₇₆, ⁷⁶⁄₁₇₅, ⁵⁶⁵⁄₁₃₀₁, ⁶⁴¹⁄₁₄₃₆, ¹¹⁹⁶⁄₂₇₃₇, ¹⁸³⁷⁄₄₁₇₃, ⁴⁸⁷⁰⁄₁₁₀₈₃.

10*

(17.) 1000000)3141592(3

          3000000
          ‾‾‾‾‾‾‾
          141592)1000000(7

               991144
               ‾‾‾‾‾‾
               8856)141592(15

First approx. ratio = $\frac{3}{1}$.   8856
                                          ‾‾‾‾
$3 \times 7 + 1 = 22$ 53032

$\overline{1} \times 7 + 0 = \overline{7}$ 44280
                                          ‾‾‾‾‾
$22 \times 15 + 3 = 333$ 8752)8856(1

$\overline{7} \times 15 + 1 = \overline{106}$ 8752
                                            ‾‾‾‾
$333 \times 1 + 22 = 355$ 104)8752(84

$\overline{106} \times 1 + 7 = \overline{113}$ ●   832
                                                ‾‾‾
$355 \times 84 + 333 = 30153$ 432

$\overline{113} \times 84 + 106 = \overline{9492}$ 416
                                                   ‾‾‾
$30153 \times 6 + 355 = 181273$ 16)104(6

$\overline{9492} \times 6 + 113 = \overline{57065}$ 96
                                                    ‾‾
$181273 \times 2 + 30153 = 392699$ 8)16(2

$\overline{57065} \times 2 + 9492 = \overline{123622}$ 16
                                                       ‾‾

Ans. $\frac{3}{1}$, $\frac{22}{7}$, $\frac{333}{106}$, $\frac{355}{113}$, $\frac{30153}{9492}$, $\frac{181273}{57065}$, $\frac{392699}{123622}$ =

3, $3\frac{1}{7}$, $3\frac{15}{106}$, $3\frac{16}{113}$, $3\frac{1677}{9492}$, $3\frac{10078}{57065}$, $3\frac{21833}{123622}$.

ANALYSIS BY RATIO.

(ART. 331, p. 285.)

(2.) $ 80
                          17
                        ‾‾‾‾‾
                        $ 1360   = 17A.

(2R. : 1A. = $\frac{1}{2}$); $\frac{1}{2}$ of 80 =   40   = 2R.
(1R. : 2R. = $\frac{1}{2}$); $\frac{1}{2}$ of 40 =   20   = 1R.
(20r. : 1R. = $\frac{1}{2}$); $\frac{1}{2}$ of 20 =   10   = 20r.
(10r. : 20r.= $\frac{1}{2}$); $\frac{1}{2}$ of 10 =   5   = 10r.
(5r. : 10r.= $\frac{1}{2}$); $\frac{1}{2}$ of 5 = 2.50 = 5r.
                                          ‾‾‾‾‾‾
                                        $ 1437.50, Ans.

(3.) $ 2.50
          16
 ───────
 $ 40.00 = 16cwt.
(2qr. : 1cwt. = ½); ½ of $ 2.50 = 1.25 = 2qr.
(1qr. : 2qr. = ½); ½ of $ 1.25 = .625 = 1qr.
(10lb. : 1cwt. = ₁¹₀); ₁¹₀ of $ 2.50 = .25 = 10lb.
          $ 42.125, Ans.

(4.) $ 14.00
          27
 ───────
 $ 378.00 = 27cwt.
(1qr. : 1cwt. = ¼); ¼ of $ 14 = 3.50 = 1qr.
(20lb. : 1cwt. = ⅕); ⅕ of $ 14 = 2.80 = 20lb.
          $ 384.30, Ans.

(5.) $ 5.60
          7
 ───────
 $ 39.20 = 7yd.
(2qr. : 1yd. = ½); ½ of $ 5.60 = 2.80 = 2qr.
(1qr. : 2qr. = ½); ½ of $ 2.80 = 1.40 = 1qr.
(2na. : 1qr. = ½); ½ of $ 1.40 = .70 = 2na.
          $ 44.10, Ans.

(6.) $ 20
          7
 ───────
 $ 140.00 = 7ton.
(10cwt. : 1 ton = ½); ½ of $ 20 = 10.00 = 10cwt.
(2cwt. : 10cwt. = ⅕); ⅕ of $ 10 = 2.00 = 2cwt.
(1cwt. : 2cwt. = ½); ½ of $ 2 = 1.00 = 1cwt.
(2qr. : 1cwt. = ½); ½ of $ 1 = .50 = 2qr.
          $ 153.50, Ans.

(8.) $4.40
                19
            ‾‾‾‾‾‾‾
            $83.60 = 19yd.
(2qr. : 1yd. = ½); ½ of $4.40 = 2.20 = 2qr.
(1qr. : 1yd. = ¼); ¼ of $4.40 = 1.10 = 1qr.
(2na. : 1qr. = ½); ½ of $1.10 = .55 = 1na.
            ‾‾‾‾‾‾‾
            $87.45, Ans.

(9.) $32
                24
            ‾‾‾‾‾
            $768
(3R. : 1A. = ¾); ¾ of $32 =   24
(20p. : 1A. = ⅛); ⅛ of $32 =   4
            ‾‾‾‾‾
            $796, Ans.

(10.)   200
            $0.30
            ‾‾‾‾‾‾
            $60.00   = 200lb.
(4oz. : 1lb. = ¼) = ¼ of $0.30 =   .075 =   4oz.
            ‾‾‾‾‾‾‾‾
            $59.925, Ans.

(11.)   714
               15s.
            ‾‾‾‾‾
            3570
            714
            ‾‾‾‾‾‾
            10710s.
(6d. : 1s. = ½); ½ of 714 =   357
            ‾‾‾‾‾‾‾
          20)11067
            ‾‾‾‾‾‾‾
            553£. 7s., Ans.

(12.) $450
2
───
$900 = 2y.

(6mo. : 1y. = $\frac{1}{2}$); $\frac{1}{2}$ of $450 = 225 = 6mo.
(3mo. : 6mo. = $\frac{1}{2}$); $\frac{1}{2}$ of $225 = 112.50 = 3mo.
(15da. : 3mo. = $\frac{1}{6}$); $\frac{1}{6}$ of $112.50 = 18.75 = 15da.
─────
$1256.25, Ans.

(13.)
$80.50 × 25 = $2012.50 = 25A.
(2R. : 1A. = $\frac{1}{2}$); $\frac{1}{2}$ of $80.50 = 40.25 = 2R.
(20r. : 2R. = $\frac{1}{4}$); $\frac{1}{4}$ of $40.25 = 10.06+ = 20r.
(10r. : 20r. = $\frac{1}{2}$); $\frac{1}{2}$ of $10.06+ = 5.03+ = 10r.
(5r. : 10r. = $\frac{1}{2}$); $\frac{1}{2}$ of $5.03+ = 2.51+ = 5r.
─────
$2070.35+, Ans.

(14.) 498
(2s. : 1£. = $\frac{1}{10}$); $\frac{1}{10}$ of 498 = 49£. 16s.
(6d. : 2s. = $\frac{1}{4}$); $\frac{1}{4}$ of 49£. 16s. = 12£. 9s.
─────
62£. 5s., Ans.

(16.)
35gal. 2qt. 1pt. : 11gal. 3qt. 1pt. = 3 ;
5.83\frac{3}{4}$ × 3 = 17.51\frac{1}{4}$, Ans.

(17.)
12yd. 1qr. 2na. : 24yd. 3qr. = $\frac{1}{2}$;
$49.50 × $\frac{1}{2}$ = $24.75, Ans.

(18.)
73bu. 3pk. : 14bu. 3pk. = 5 ;
17bu. 2pk. 4qt. × 5 = 88bu. 0pk. 4qt., Ans.

(19.)
$9.75 : $3.25 = $\frac{1}{3}$;
1T. 2cwt. 2qr. 15lb. × $\frac{1}{3}$ = 7cwt. 2qr. 5lb., Ans.

(20.)
4h. : 1h. 20m. = 3 ;
27m. 3fur. 20rd. × 3 = 82m. 2fur. 20rd., Ans.

SIMPLE PROPORTION.

(Art. 338, p. 240.)

3. 16A. : 197A. : : \$720 : \$8865, Ans.

$$\frac{197 \times \overset{45}{\cancel{720}}}{\cancel{16}} = \$8865, \text{ Ans.}$$

4. \$8865 : \$720 : : 137A. : 16A., Ans.

$$\frac{720 \times 137}{8865} = 16A., \text{ Ans.}$$

5. 15hhd. : 84hhd. : : \$17595 : \$985.32, Ans.

$$\frac{84 \times 17595}{15} = \$985.32, \text{ Ans.}$$

6. \$12 : \$40 : : \$6 : \$12.

$$\frac{\overset{20}{\cancel{40}} \times \cancel{6}}{\underset{2}{\cancel{12}}} = \$20, \text{ Ans.}$$

7. 15 men : 10 men : : 45 days : 30 days, Ans.

$$\frac{10 \times \overset{3}{\cancel{45}}}{\underset{1}{\cancel{15}}} = 30 \text{ days, Ans.}$$

8. 7 + 9 = 16 : 8 + 4 = 12 : : 12 : 9.

$$\frac{12 \times 12}{16} = 9, \text{ Ans.}$$

9. 3 men : 9 men : : 17 days : 51 days, Ans.

10. 17 days : 51 days : : 3 men : 9 men; 9 — 3 = 6 men, Ans.

11. 5½ rods : 160 rods : : 1 rod : 29$\frac{1}{11}$ rods, Ans.

12. \$100 : \$850 : : \$6 : \$51, Ans.

13. \$6 : \$32 : : \$100 : \$533.33⅓, Ans.

14. 20gal. : 180gal. : : 167lb. : 1503lb., Ans.

15. 2ft. : 3ft. : : 75ft. : 112½ft., Ans.

16. \$4.75 : \$160 : : 36 miles : 1212$\frac{12}{19}$ miles, Ans.

17. 8 days : 12 days : : 100 men : 150 men, Ans.

18. $\frac{7}{12}$yd. : $\frac{1}{2}$yd. : : $\$\frac{7}{20}$: $\$0.48$, Ans.

19. 36A. 3R. : 21A. 3R. 20p. : : $\$1260$: $\$750$, Ans.

20. 10pwt. 18gr. : 2000lb. : : $\$10$: $\$44651\frac{17}{43}$, Ans.

21. $4\frac{1}{2}$yd. : $13\frac{1}{2}$yd. : : $\$9.75$: $\$29.25$, Ans.

22. $2\frac{1}{2}$in. : 144in. : : 1in. : $57\frac{3}{5}$in., Ans.

23. $\frac{7}{16}$: $\frac{3}{32}$: : 51£. : 10£. 18s. 6$\frac{6}{7}$d., Ans.

24. 13° 10′ 35″ : 360° : : 1 day : 27da. 7h. 43m.+, Ans.

25. 7lb. : 12lb. : : $\$\frac{3}{4}$: $\$1.28\frac{4}{7}$, Ans.

26. $\$1.75$: $\$213.50$: : 7lb. : 8cwt. 2qr. 4lb., Ans.

27. 7oz. : 7lb. 11oz. : : 30£. : 407£. 2s. 10$\frac{2}{7}$d., Ans.

28. $\$600$: $\$500$: : 6 months : 5 months, Ans.

29. $\$7.50$: $\$8.00$: : 7oz. : $7\frac{7}{15}$oz., Ans.

30. 1 man : 1000 men : : $3\frac{3}{4} \times 1\frac{7}{8} = \frac{225}{32}$yd. : $7031\frac{1}{4}$yd.

$1\frac{1}{4}$yd. : 1yd. : : $7031\frac{1}{4}$yd. : 5625yd., Ans.

31. 10h. : 14h. : : 9 days : $12\frac{3}{5}$ days, Ans.

32. $75 - 40 = 35$gal. : 500gal. : : 1h. : 14h. 17m. 8$\frac{4}{7}$sec., Ans.

33. $\$0.56$: $\$120.96$: : 1 glove : 216 gloves.

$216 \div 12 = 18$doz., Ans.

34. 20m. : 1m. : : 1cist. : $\frac{1}{20}$cist.

40m. : 1m. : : 1cist. : $\frac{1}{40}$cist.

75m. : 1m. : : 1cist. : $\frac{1}{75}$.

$\frac{1}{20} + \frac{1}{40} + \frac{1}{75} = \frac{53}{600}$.

$\frac{53}{600}$cist. : 1cist. : : 1m. : 11m. $19\frac{13}{53}$sec., Ans.

35. 5da. : 1da. : : 1 field : $\frac{1}{5}$ field; 6da. : 1da. : : 1 field : $\frac{1}{6}$ field.

$\frac{1}{5} + \frac{1}{6} = \frac{11}{30}$ field; $\frac{11}{30}$ field : 1 field : : 1da. : $2\frac{8}{11}$da., Ans.

36. 8ft. : 24ft. : : 6 men : 18 men.

Then 6 days : 12 days : : 18 men : 36 men, Ans.

37. A can do $\frac{1}{20}$ of the labor in 1 day, A and C can do $\frac{1}{12}$ of it; therefore, C alone can do $\frac{1}{12} - \frac{1}{20} = \frac{1}{30}$ of it.

Then $\frac{1}{30}$ work : 1 work : : 1da. : 30da., Ans.

38. 700 men : 1 man : : 184000lb. : $262\frac{6}{7}$lb.

Then 5lb. : $262\frac{6}{7}$lb. : : 1 week : 52 weeks 4 days, Ans.

39. $\frac{3}{4} \times 3 \times 25 = 56\frac{1}{4}$lb.; $56\frac{1}{4}$lb. : 3150lb. : : 1 week : 56 weeks, Ans.

40. $8 \times 8 = 64$in.: $20 \times 16 \times 144 = 46080$in.
    64in. : 46080in. : : 1 tile : 720 tiles, Ans.

41. $10 \times 9 \times 4 = 360$ cubic inches in each stone.
    $80 \times 20 \times 2\frac{1}{2} \times 1728 = 6220800$ cubic inches in the wall.
    360in. : 6220800in. : : 1 stone : 17280 stones, Ans.

42. 1T. 7cwt. 3qr. 20lb. $= 2795$lb.; 13T. 5cwt. 2qr. $= 26550$lb.
    2795lb. : 26550lb. : : $\$9.50$: $\$90.24+$, Ans.

43. 61.3lb. : 1lb. : : $\$44.99$ 42 : $\$0.734$, Ans.

44. 1hhd. : .15hhd. : : $\$2.39$: $\$0.3585$, Ans.

45. .75 ton : 1 ton : : $\$15$: $\$20$, Ans.

46. .5yd. : 6yd. : : 10yd. : 120yd., Ans.

47. 10h. : 12h. : : 15da. : 18da., Ans.

48. 9 months : 5 months : : 450 men : 250 men.
    $450 - 250 = 200$ men, Ans.

49. As the hour and minute hand pass each other 11 times in
    12 hours, and as they are together at 12 o'clock, it is
    evident they will next pass each other in $\frac{1}{11}$ of 12 hours
    $= $ 1h. 5m. $27\frac{3}{11}$sec., Ans.

    11h. : 12h. : : 1h. : 1h. 5m. $27\frac{3}{11}$sec., Ans.

BY ANALYSIS.

50. If A and B can perform a piece of labor in $5\frac{5}{11}$ days, it is
    evident that in 1 day they would do $\dfrac{1}{5\frac{5}{11}} = \frac{11}{60}$ of the
    work. If B and C can do the work in $6\frac{2}{3}$ days, in 1 day they
    would perform $\dfrac{1}{6\frac{2}{3}} = \frac{3}{20}$ of the work. If A and C can do
    the work in 6 days, in 1 day they would perform $\frac{1}{6}$ of it.
    It then appears that A, B, and C, by laboring each 2
    days, will perform $\frac{11}{60} + \frac{3}{20} + \frac{1}{6} = \frac{30}{60} = \frac{1}{2}$ of the work;
    and therefore, by laboring 1 day each, they would do $\frac{1}{2}$ of
    $\frac{1}{2} = \frac{1}{4}$ of it. And if $\frac{1}{4}$ of the labor be performed in 1
    day, it is evident that the whole work will be performed
    in 4 days, Ans.

    If A, B, and C, can do $\frac{1}{4}$ of the work in one day, and A
    and B can do $\frac{11}{60}$, it is evident that C can do $\frac{1}{4} - \frac{11}{60} =$

$\frac{4}{60} = \frac{1}{15}$ of it in 1 day, and therefore will be 15 days in performing the whole. B and C can do $\frac{3}{20}$ of it in a day; therefore A can do $\frac{1}{4} - \frac{3}{20} = \frac{1}{10}$ of it in a day, or he will be 10 days in doing the whole. A and C can do $\frac{1}{6}$ of the work in a day; therefore B can do $\frac{1}{4} - \frac{1}{6} = \frac{1}{12}$ in a day, or, in performing the whole labor, he will be 12 days, Ans.

<div align="center">FORM OF STATEMENT.</div>

$5\frac{5}{11}$ days : 1 day : : 1 work : $\frac{11}{60}$ work $=$ A and B.

$6\frac{2}{3}$ days : 1 day : : 1 work : $\frac{3}{20}$ work $=$ B and C.

6 days : 1 day : : 1 work : $\frac{1}{6}$ work $=$ A and C.

$\frac{1}{2}$ work $= \overline{2\,A,\,2\,B,\,2\,C} =$

$\frac{1}{4}$ work $=$ A, B, and C.

$\frac{1}{4} - \frac{11}{60} = \frac{1}{15}$ work : 1 work : : 1 day : 15 days $=$ C.

$\frac{1}{4} - \frac{3}{20} = \frac{1}{10}$ work : 1 work : : 1 day : 10 days $=$ A.

$\frac{1}{4} - \frac{1}{6} = \frac{1}{12}$ work : 1 work : : 1 day : 12 days $=$ B.

$\frac{1}{4}$ work : 1 work : : 1 day : 4 days $=$ A, B, and C.

<div align="center">(ART. 339, p. 243.)</div>

<div align="center">(2.)</div>

246A. 1R. 32p. $= 39432$p.; $3 + 4 + 5 = 12$.

$12 : 3 : : 39432$p. : 61A. 2R. 18p.

$12 : 4 : : 39432$p. : 82A. 0R. 24p. } Ans.

$12 : 5 : : 39432$p. : 102A. 2R. 30p.

<div align="center">(3.)</div>

$4\frac{1}{4} = 4\frac{5}{20} = \frac{85}{20};$

$6\frac{1}{2} = 6\frac{10}{20} = \frac{130}{20};$

$6\frac{3}{5} = 6\frac{12}{20} = \frac{132}{20};$

$7 = 7 = \frac{140}{20};$

$24\frac{7}{20} = \frac{487}{20}.$

$\frac{487}{20} : \frac{85}{20} : : 319 : 55\frac{330}{487}$

$\frac{487}{20} : \frac{130}{20} : : 319 : 85\frac{75}{487}$ } Ans.

$\frac{487}{20} : \frac{132}{20} : : 319 : 86\frac{228}{487}$

$\frac{487}{20} : \frac{140}{20} : : 319 : 91\frac{343}{487}$

4. Gold 9 + silver ½ + copper ½ = 10.

  10 : 9 : : 1oz. 1pwt. 12gr. : 19pwt. 8⅘gr. = gold. $\Big\}$

  10 : ½ : : 1oz. 1pwt. 12gr. : 1pwt. 1⅘gr. = silver. $\Big\}$ Ans.

  10 : ½ : : 1oz. 1pwt. 12gr. : 1pwt. 1⅘gr. = copper. $\Big\}$

5. Silver 9 + copper 1 = 10 ; 192gr. × 20 = 3840gr.

          10 : 9 : : 3840gr. : 7oz. 4pwt. silver.

          10 : 1 : : 3840gr. : 16pwt. copper.

6. First, 1 ; second, 1¼ × 1 = 1¼ ; third, 1¾ × 1⅓ = 2⅓ ;

  1 = $\frac{8}{8}$; 1¼ = $\frac{12}{9}$; 2⅓ = $\frac{20}{9}$; $\frac{8}{8}$ + $\frac{12}{9}$ + $\frac{20}{9}$ = $\frac{41}{9}$.

    41 :   9 : : \$600 : \$131$\frac{29}{41}$ = first man receives.

    41 : 12 : : \$600 : \$175$\frac{25}{41}$ = second man receives.

    41 : 20 : : \$600 : \$292$\frac{28}{41}$ = third man receives.

    Proof, \$131$\frac{29}{41}$ + \$175$\frac{25}{41}$ + \$292$\frac{28}{41}$ = \$600.

7. 98 + 86 + 64 = 248.

  248 tons : 98 tons : : 93 tons : 36¾ A's tons. $\Big\}$

  248 tons : 86 tons : : 93 tons : 32¼ B's tons. $\Big\}$ Ans.

  248 tons : 64 tons : : 93 tons : 24   C's tons. $\Big\}$

8. 15 + 32 = 47 miles ; 25 + 32 = 57 miles.

    47mi. : 15mi. : : 160mi. : 51$\frac{3}{47}$mi. A. $\Big\}$ Ans.

    57mi. : 25mi. : : 160mi. : 70$\frac{10}{57}$mi. B. $\Big\}$

COMPOUND PROPORTION.

(ART. **340**, p. **245**.)

(2.)

30 days : 20 days $\Big\}$
9 hours : 12 hours $\Big\}$: : 117 miles : 104 miles, Ans.

$$\frac{\overset{2}{\cancel{20}} \times \overset{4}{\cancel{12}} \times 117}{\underset{3}{\cancel{9}} \times \underset{3}{\cancel{30}}} = 104 \text{ miles, Ans.}$$

(3.)

$$
\left.\begin{array}{lll}
24 \text{ men} & : & 6 \text{ men} \\
8 \text{ hours} & : & 9 \text{ hours} \\
20 \text{ feet} & : & 200 \text{ feet} \\
6 \text{ feet} & : & 8 \text{ feet} \\
4 \text{ feet} & : & 6 \text{ feet}
\end{array}\right\} :: 16 \text{ days} : 90 \text{ days, Ans.}
$$

OPERATION.

$$
\frac{6 \times 9 \times 200 \times 8 \times 6 \times 16}{24 \times 8 \times 20 \times 6 \times 4} = \frac{829440}{92160} = 90 \text{ days, Ans.}
$$

(4.)

$$
\left.\begin{array}{ll}
\$100 & : \$500 \\
12 \text{ months} & : 4 \text{ months}
\end{array}\right\} :: \$6 : \$10, \text{ Ans.}
$$

(5.)

$$
\left.\begin{array}{ll}
\$6 & : \$10 \\
4 \text{ months} & : 12 \text{ months}
\end{array}\right\} :: \$100 : \$500, \text{ Ans.}
$$

(6.)

$$
\left.\begin{array}{l}
\$500 : \$100 \\
\$6 \quad : \$10
\end{array}\right\} :: 12 \text{ months} : 4 \text{ months, Ans.}
$$

(7.)

$$
\left.\begin{array}{ll}
\$500 & : \$100 \\
4 \text{ months} & : 12 \text{ months}
\end{array}\right\} :: \$10 : \$6, \text{ Ans.}
$$

(8.)

$$
\left.\begin{array}{lll}
9 \text{ comp.} & : & 5 \text{ comp.} \\
10 \text{ hours} & : & 11 \text{ hours} \\
25 \text{ sheets} & : & 36 \text{ sheets} \\
24 \text{ pages} & : & 16 \text{ pages} \\
44 \text{ lines} & : & 50 \text{ lines} \\
40 \text{ letters} & : & 45 \text{ letters}
\end{array}\right\} :: 16 \text{ days} : 12 \text{ days, Ans.}
$$

(9.)

$$
\left.\begin{array}{lll}
60 \text{ men} & : & 12 \text{ men} \\
30 \text{ feet} & : & 300 \text{ feet} \\
6 \text{ feet} & : & 8 \text{ feet} \\
3 \text{ feet} & : & 6 \text{ feet} \\
8 \text{ hours} & : & 12 \text{ hours}
\end{array}\right\} :: 15 \text{ days} : 120 \text{ days, Ans.}
$$

CANCELLING.

$$\frac{12 \times \overset{10}{\cancel{300}} \times \cancel{8} \times \cancel{6} \times \overset{1}{\cancel{12}} \times \cancel{15}}{\underset{4}{\cancel{60}} \times \underset{1}{\cancel{30}} \times \cancel{6} \times \underset{1}{\cancel{3}} \times \cancel{8}} = 120 \text{ days, Ans.}$$

(10.)

16 horses : 32 horses $\Big\}$: : 84 bushels : 336 bushels, Ans.
24 days : 48 days

CANCELLING.

$$\frac{\overset{2}{\cancel{32}} \times \overset{2}{\cancel{48}} \times 84}{\underset{1}{\cancel{16}} \times \underset{1}{\cancel{24}}} = 336 \text{ bushels, Ans.}$$

(11.)

575 pounds : 775 pounds $\Big\}$: : $24.58 : $14.135 + Ans.
150 miles : 64 miles

(12.)

$7\frac{1}{4}$oz. = 7.25 ; 4s. 2d. = 50d. ; 5s. 6d. = 66d. ; 1s. 2d. = 14d.
66d. : 50d. $\Big\}$: : 7.25oz. : $16\frac{11}{62}\frac{8}{7}$oz., Ans.
$4\frac{3}{4}$d. : 14d.

CANCELLING.

$$\frac{\overset{2}{\cancel{50}} \times \overset{7}{\cancel{14}} \times 7.25}{\underset{33}{\cancel{66}} \times \underset{19}{\cancel{4.75}}} = 16\frac{11}{62}\frac{8}{7}\text{oz., Ans.}$$

(13.)

24 men : 496 men $\Big\}$
9 hours : 11 hours
7 hard. : 4 hard.
465 feet : $337\frac{1}{2}$ feet $\Big\}$: : $5\frac{1}{2}$ days : 132 days, Ans.
$3\frac{2}{3}$ feet : $5\frac{2}{5}$ feet
$2\frac{1}{3}$ feet : $3\frac{1}{2}$ feet

CONJOINED PROPORTION.

(ART. 341, p. 247.)

(2.)

FORM OF STATEMENT.

100A. Bradford = 120A. Haverhill;
 50A. Haverhill =   65A. Methuen;
150A. Methuen.

OPERATION.

$$\frac{100 \times 50 \times 150}{120 \times 65} = \frac{750000}{7800} = 96\tfrac{2}{13}A., \text{ Ans.}$$

(3.)

FORM OF STATEMENT.

10lb. cheese = 7lb. butter;
11lb. butter = 2bu. corn;
11bu. corn = 8bu. rye;
 4bu. rye   = 1 cord wood;
10 cords wood.

OPERATION.

$$\frac{10 \times 11 \times 11 \times 4 \times 10}{7 \times 2 \times 8 \times 1} = \frac{48400}{112} = 432\tfrac{1}{4}\text{lb., Ans.}$$

(4.)

STATEMENT.

12 men   = 25 women.
 5 women =   6 boys.
75 boys.

OPERATION.

$$\frac{12 \times 5 \times 75}{25 \times 6} = 30 \text{ men, Ans.}$$

11*

(5.)

STATEMENT.

6 gallons   =   5 imperial gal.
10 imp. gal. =   6 Velts.
26 Velts   = 16 Vedros.
           63 gallons.

OPERATION.

$$\frac{5 \times 6 \times 16 \times 63}{6 \times 10 \times 26} = \frac{30240}{1560} = 19\tfrac{5}{13} \text{ Vedros, Ans.}$$

(6.)

STATEMENT.

7 Boston   =   8 Buffalo.
10 Buffalo = 14 Chicago.
21 Chicago = 25 Davenport.
120 Davenport.

OPERATION.

$$\frac{7 \times 10 \times 21 \times 120}{8 \times 14 \times 25} = \frac{1764}{2800} = 630 \text{ bushels, Ans.}$$

(7.)

STATEMENT.

24s. Massachusetts =   32s. New York.
48s. New York   =   45s. Pennsylvania.
15s. Pennsylvania =   10s. Canada.
                  100s. Massachusetts.

OPERATION.

$$\frac{32 \times 45 \times 10 \times 100}{24 \times 48 \times 15} = \frac{1440000}{1728} = 83\tfrac{1}{3}\text{s., Ans.}$$

MISCELLANEOUS EXAMPLES IN PROPORTION.

(PAGE 248.)

(1.)

BY ANALYSIS.

$27 \times 7 = 189 =$ miles A is ahead of B.

$36 - 27 = 9$ miles that B gains each day on A. If, therefore, 9 miles are gained in one day, it will require, to gain 189 miles, $189 \div 9 = 21$ days, Ans.

FORM OF STATEMENT.

$36 - 27 = 9$m. : 189m. : : 1 day : 21 days, Ans.

(2.)

BY ANALYSIS.

2s. 3d. $= 27$d., price obtained for the coffee. It is evident that 27d. is $\frac{135}{100}$ of the cost; therefore, $\frac{100}{135}$ of 27d. $= 20$d. was the cost, Ans.

FORM OF STATEMENT.

135d. : 100d. : : 27d. : 20d., Ans.

(3.)

FORM OF STATEMENT.

$2000 \times 12 \times 7 \times 14 = 2352000 \div 16 = 147000$lb. whole quantity.

$105 \times 200 = 21000$lb. wholly spoiled.

$147000 - 21000 = 126000$lb. left to subsist on.

$2000 \times 12 \times 7 = 168000$ rations.

$2016000 \div 168000 = 12$oz. for each man per day, Ans

(4.)

FORM OF STATEMENT.

$2000 \times 12 \times 7 \times 12 = 2016000 \div 16 = 126000$lb. quantity subsisted on.

$126000 \div 6 = 21000$lb. spoiled.

$21000 \times 7 = 147000$lb., the whole quantity, Ans.

(5.)

FORM OF STATEMENT.

$2000 \times 12 \times 7 \times 14 = 2352000 \div 16 = 147000$lb., whole weight.

$2000 \times 12 \times 7 \times 12 = 2016000 \div 16 = 126000$lb. left to subsist on, Ans.

(6.)

FORM OF STATEMENT.

$\$3.00 \times 60 = \$180$, price given for the Holland.

$\$4.00 \times 60 = \$240$, price obtained for it.

$\$180 : \$240 : : \$240 : \$320$, Ans.

7. $1\frac{1}{2}$lb. : 20lb. : : $\$1 : \$13.33\frac{1}{3}$.

   15lb. : 62lb. : : $\$12 : \$49.60$.

   $\$13.33\frac{1}{3} + \$49.60 = \$62.93\frac{1}{3}$, price of the tea.

   20lb. + 62lb. = 82lb., whole quantity of the tea.

   3lb. : 82lb. : : $\$4 : \$109.33\frac{1}{3}$; $\$109.33\frac{1}{3} - \$62.93\frac{1}{3} =$

8. 2 fur. 3rd. 3yd. = 1824 feet.   [$\$46.40$, Ans.

   66ft. : 64ft. : : 1824ft. : $1768\frac{8}{11}$ft.

   $1768\frac{8}{11}$ft. $\times 4 = 7074\frac{10}{11}$ feet, Ans.

9. 7 cows : 3 cows : : 5 oxen : $2\frac{1}{7}$ oxen.

   $2 + 2\frac{1}{7} = 4\frac{1}{7}$ oxen; $4\frac{1}{7}$ oxen : 5 oxen : : 87 days : 105 days, Ans.

10. 8mo. : 6 — 4 = 2mo. : : 360 men : 90 men.

    360 — 90 = 270 men, Ans.

11. $10\frac{1}{4} = 10.25$; $1\frac{7}{8} = 1.875$; 100 — 5 = 95; 100 : 95 : : 1.875yd. : 1.78125yd. ; 100 : 95 : : 1.78125yd. : 1.6921875yd.; 1.6921875 : 1 : : 10.25yd. : $6\frac{16824}{16833}$yd., Ans.

12. 130A. 2R. 20p. = 20900p.; $20900 \times 4 = 83600$;

    100A. 0R. 30p. = 16030p.; $16030 \times 5 = 80150$;

    83600p. : 80150p. : : $\$6537.50 : \$6267.71+$, Ans.

13. 192 tons 17cwt. 16lb. = 385716lb.; 800 + 101 + 56 + 43 = 1000.

    1000 parts : 800 parts : : 385716lb. : $308572\frac{4}{5}$lb., copper.

1000 parts : 101 parts : : 385716lb. : 38957$\frac{79}{250}$lb. tin.

1000 parts : 56 parts : : 385716lb. : 21600$\frac{12}{25}$lb. zinc.

1000 parts : 43 parts : : 385716lb. : 16585$\frac{187}{250}$lb. lead.

14. 81 w. pine : 42 w. pine : : 1 oak : $\frac{42}{81}$ oak.

 7 : 8 : : $\frac{42}{81}$: $\frac{48}{81}$; that is, oak is to pitch pine as 48 to 81;

 $\frac{42}{81} + \frac{48}{81} = \frac{90}{81}$; that is, $\frac{90}{81}$ cords of oak are equal to 2

 cords of pine; therefore, $\frac{90}{81}$ oaks : 20 oak : : 2 pine : 36

 pine.

 36 ÷ 2 = 18 cords of each, Ans.

15. 63 × $\frac{4}{5}$ = 50$\frac{2}{5}$ gallons.

 85gal. : 50$\frac{2}{5}$: : $116.95 : 69.34\frac{38}{63}$, Ans.

16. 4 cows : 15 cows : : 3 horses : 11$\frac{1}{4}$ horses.

 1 sheep : 7 sheep : : $\frac{1}{3}$ cow : $\frac{7}{3}$ cows.

 1 cow : $\frac{7}{3}$ cows : : $\frac{3}{4}$ horse : 1$\frac{3}{4}$ horses.

 10 + 11$\frac{1}{4}$ + 1$\frac{3}{4}$ = 23 horses.

 Then as 23 horses : 8 horses }
    3$\frac{1}{2}$ tons : 4$\frac{9}{10}$ tons } : : 30 days : 14$\frac{99}{161}$ days, Ans.

17. 25 : 14 : : 1 : $\frac{14}{25}$.

 7 : 5 : : 1 : $\frac{5}{7}$.

 5 : 2 : : 1 : $\frac{2}{5}$.

 $\frac{14}{25} \times \frac{5}{7} \times \frac{2}{5} = \frac{140}{875} = \frac{4}{25}$; 2000 ÷ $\frac{4}{25}$ = 12500 pounds of tur-

 nips, are equal to 2000 pounds of potatoes; 14 : 25 : : 35

 cts. for beets : 62$\frac{1}{2}$ cts., the proportionate price of potatoes;

 that is, 80 cts. for potatoes is as much dearer than 35 cts.

 for beets, as 80 is more than 62$\frac{1}{2}$ = 17$\frac{1}{2}$ cts.; again, 5 :

 2 : : 25 cts. for carrots : 10 cts., the proportionate price

 for turnips; but 20 cts. for turnips is 10 cts. dearer than

 the proportionate price; hence, 20 cts. for turnips is 10

 cts. dearer than 25 cts. for carrots, Ans.

18. A travels 22$\frac{1}{2}$ days at the rate of 18 miles per hour = 405

 miles. He not only travels as far as B, but the distance

 that B would travel in twice 9 days = 18 days; therefore,

 B, to travel the whole distance which A has travelled,

 would require 22$\frac{1}{2}$ + 18 = 40$\frac{1}{2}$ days; therefore, 405 ÷

 40$\frac{1}{2}$ = 10 miles per day, Ans.

19. By the conditions of the question, 2 men bear the expenses of the ride for 20 miles, 3 men for 52 miles, 4 men for 42 miles, and 5 men for 30 miles; therefore, each of the "two men" will pay $\frac{1}{2}$ the hire for 20 miles, $+\frac{1}{3}$ for 52 miles, $+\frac{1}{4}$ for 42 miles, $+\frac{1}{5}$ for 30 miles, $=$ the hire for $43\frac{5}{6}$ miles.

The "two men" will pay for $\quad 43\frac{5}{6} \times 2 =$ hire for $87\frac{2}{3}$ miles.
A will pay $\frac{1}{3}$ for 52, $+\frac{1}{4}$ for 42, $+\frac{1}{5}$ for 30 $= \quad$ " $\quad 33\frac{5}{6}$ miles.
B will pay $\qquad \frac{1}{4}$ for 42, $+\frac{1}{5}$ for 30 $= \quad$ " $\quad 16\frac{1}{2}$ miles.
C will pay $\qquad\qquad \frac{1}{5}$ for 30 $= \quad$ " $\quad \underline{\quad 6 \quad}$ miles.
$\qquad\qquad\qquad\qquad\qquad\qquad\qquad\qquad\qquad\qquad$ 144

$144 : 87\frac{2}{3} : : \$ 25 : \$ 7.609\frac{123}{168}$, share of each of the "two men."
$144 : 33\frac{5}{6} : : \$ 25 : \$ 5.873\frac{91}{108}$, A's share.
$144 : 16\frac{1}{2} : : \$ 25 : \$ 2.864\frac{7}{12}$, B's share.
$144 : \quad 6 \quad : : \$ 25 : \$ 1.041\frac{2}{3}$, C's share.

PERCENTAGE.

(ART. **346**, p. **252**.)

1.	.19	6.		.77$\frac{1}{6}$
2.	.27	7.		1.06
3.	.135	8.		1.07
4.	.0175	9.		3.05
5.	.074	10.		9.998

ART. **347**, p. **252**.)

2.	75bu.	8.	\$ 990
3.	15cwt.	9.	48bbl.
4.	45 tons.	10.	60hhd.
5.	\$ 375	11.	\$ 0.25
6.	665chal.	12.	15.12lb.
7.	.8 miles.		

(13.)	(14.)
900	$ 1728
.08	.15
72.00	8640
	1728
900	$ 259.20
72	
828	$ 1728
.50	259.20
414.00, Ans.	$ 1468.80, Ans.

(15.)

$ 25000	$ 25000
.40	10000
$ 10000.00 = wife's share.	$ 15000
$ 15000	$ 10000
.30	4500
$ 4500.00 = son's share.	$ 14500

$ 25000
14500
10500
60
3)10440
$ 3480 = each daughter's share.

Ans. Wife, $ 10000; son, $ 4500; each daughter, $ 3480.

(ART. **348**, p. **253.**)

2.	12½ per cent.	7.	75 per cent.
3.	10 per cent.	8.	37½ per cent.
4.	5⅜ per cent.	9.	50 per cent.
5.	25 per cent.	10.	20 per cent.
6. $ 36.00 × .25 = $ 9.00;		11.	20 per cent.
$ 9.00 ÷ 150 = .06, Ans.			

12. $100 \div 140 = .71\frac{3}{7}$, the per cent. that the grammar class is of the geography class. $100 - 71\frac{3}{7} = 28\frac{4}{7}$ per cent., Ans.

13. $4 \div 32 = .12\frac{1}{2}$, Ans.

14. $22 + 3 = 25$; $25 : 22 :: 100 : 88$ per cent. of copper. $25 : 3 :: 100 : 12$ per cent. of nickel.

15. 25 pear-trees are $\frac{25 \times 100}{250} = 10$ per cent. of the whole. 40 per cent. $+ 12$ per cent. $+ 8$ per cent. $+ 10$ per cent. $= 70$ per cent.; $100 - 70 = 30$ per cent. peach-trees, Ans.

(ART. **349**, p. **255**.)

2.	250.	5.	$2\frac{3}{16}$.
3.	$203\frac{1}{3}$.	6.	$13.
4.	600.	7.	$140.

8. $17 + 6 = 15\frac{1}{3}$ per cent. of the whole number; $\dfrac{23 \times 100}{15\frac{1}{3}}$
$[= 150$, Ans.

9. $.33\frac{1}{3}$ of $.45 = .15$; $\dfrac{450 \times 100}{15} = 3000$, Ans.

10. 3m. 1fur. 1rd. $= 1001$rd.; $\dfrac{1001 \times 100}{12\frac{1}{2}} = 8008$rd. $= 25$m.
$[0$fur. 8rd., Ans.

11. $\dfrac{19 \times 100}{17\frac{1}{2}} = 110\frac{5}{8}$; $110\frac{5}{8} - 19 = 91\frac{5}{8}$, Ans.

12. $\dfrac{\$36.89 \times 100}{13\frac{2}{3}} = \$270$; $\dfrac{\$36.89 \times 100}{16\frac{2}{3}} = \$221.34$;
$[\$279.00 - \$221.34 = \$57.66$, Ans.

(ART. **350**, p. **256**.)

3.	120	5.	$20.96\frac{3}{3}\frac{3}{4}$
4.	365	6.	$34.27\frac{1}{3}\frac{1}{6}\frac{9}{3}$

7. $\$24 \div 1.33\frac{1}{3} = \$18$, Ans.

8. 2m. 6fur. 24rd. $= 904$rd.; $904 \div .87\frac{1}{2} = 1033\frac{1}{7}$rd. $= 3$m. 1fur. 33$\frac{1}{7}$rd., Ans.

9. $\$123.16 \div .84 = \$146.61$, Ans.

10. 6yd. $1\frac{1}{10}$qr. $\div$ .25 $=$ 25yd. $0\frac{4}{10}$qr. $=$ quantity cut off;
    25yd. $0\frac{4}{10}$qr. $+$ 6yd. $1\frac{1}{10}$qr. $=$ 31yd. 1qr. 2na., Ans.

11. 279 $\div$ .90 $=$ 310, taken; 310 $-$ 279 $=$ 31, lost, Ans.

12. 100 $-$ $86\frac{1}{2}$ $=$ $13\frac{1}{2}$ per cent., which A had left.
    100 $-$ 55 $=$ 45 per cent., which B had left.
    Hence, $.13\frac{1}{2} + .45 = .58\frac{1}{2}$, which they both have left of 2.00 $=$

    $ $36.85\frac{1}{2}$; $\dfrac{\$\,36.85\frac{1}{2} \times 1.00}{58\frac{1}{2}} = \$\,63$;

    $100 : 13\frac{1}{2} :: \$\,63 : \$\,8.50\frac{1}{2}$, what A had left.
    $100 : 45 \ :: \$\,63 : \$\,28.35$, what B had left.

MISCELLANEOUS EXAMPLES.

(Page **257**.)

1.	$117\frac{7}{215}$	7.	.07
2.	$174\frac{14}{15}$	8.	$81\frac{1}{4}$.
3.	351	9.	$ 66.
4.	$2\frac{7}{10}$	10.	$5\frac{34}{35}$.
5.	$316\frac{2}{3}$	11.	$ 22.
6.	40	12.	$117\frac{6}{8}\frac{4}{7}$lb.

13. 6 $\times$ 30 $\times$ 12 $=$ 2160; 2160 $\times$ .15 $=$ 324, Ans.

14. 12 : 100 :: $ 0.69 : $ 5.75, Ans.

15. 5400 $+$ 6000 $=$ what was excavated in the first two weeks
    $=$ 11400; 40500 $-$ 11400 $=$ 29100; 29100 $\times$ .25 $=$
    7275 $=$ what was excavated in the third week; 11400
    $+$ 7275 $=$ 18675; 40500 $\div$ 2 $=$ 20250; 20250 $-$
    18675 $=$ 1575 cubic feet, Ans.

16. $.25 \times .50 = .12\frac{1}{2}$; $\dfrac{.12\frac{1}{2} \times 100}{75} = .16\frac{2}{3}$, Ans.

17. $ 0.50 $\times$ .80 $=$ $ 0.40, the cost of a gallon; $ 0.40 $\times$ .25
    $=$ $ 0.10; $ 0.40 $+$ $ 0.10 $=$ $ 0.50, Ans.

18. 20 $\times$ .04 $=$ .8; 1 $\times$ .05 $=$ .05; 20 $-$ .8 $=$ 19.2 $=$ the
    length after shrinking; 1 $-$ .05 $=$ .95 $=$ width after
    shrinking; $19.2 \times .95 = 18\frac{6}{25}$; $20 - 18\frac{6}{25} = 1\frac{19}{25}$yd.,
    Ans.

12

19. 15 per cent. of 1.00 $= .15$ = daughter's ;

    10 per cent. of .85 $= .085$ $+ \frac{1}{10}$ of an acre = son's ;

    25 per cent. of .765 $- \frac{1}{10} = .19125 - \frac{1}{10}$ of an acre = wife's ;

$$\overline{\quad .42625 + \tfrac{3}{40} \quad} = \text{ the shares of}$$

the wife, the son, and the daughter ; and 100 — .42625
= the remainder $+ \frac{3}{40}$ of an acre which is not included in
the .42625. Hence $1.00 - .42625 = .57375 = 39 \times 5$
$= 195 + \frac{3}{40}$ of an acre $= 195\frac{3}{40}$ acres.

.57375 : 1.00 :: $195\frac{3}{40}$ acres : 340 acres, Ans.

20. $30{,}500{,}000 \times 1.34\frac{1}{2} = 41{,}022{,}500$, Ans.

21. Let the English = 100 per cent. ;

    $100 + 33\frac{1}{3} = 133\frac{1}{3}$ per cent. = French ;

    $133\frac{1}{3} + 8\frac{1}{3}$ of $133\frac{1}{3} = 144\frac{4}{9}$ per cent. = Turks ;

    $144\frac{4}{9} - 100 = 44\frac{4}{9}$ per cent. = 1600. Hence

    $44\frac{4}{9}$: 100 :: 1600 : 3600 = English ;

    100 : $133\frac{1}{3}$ :: 3600 : 4800 = French ;

    100 : $144\frac{4}{9}$ :: 3600 : 5200 = Turks ;

$$\overline{\qquad 13600 \text{ the whole number.}}$$

13600 : 3600 :: 100 : $26\frac{8}{17}$, percentage of English ;

13600 : 4800 :: 100 : $35\frac{5}{17}$, percentage of French ;

13600 : 5200 :: 100 : $38\frac{4}{17}$, percentage of Turks.

22. $7.25 $\times$ .10 = $0.725 ; $7.25 — $0.725 = $6.525;

    $7.25 + $0.725 = $7.975 ; $7.975 — $6.525 =

    $1.45 ; $6.525 : $1.45 :: 100 : $22\frac{58}{261} = $ the per cent.
    of the proceeds of the flour above the cost ; $560 \times \$1.45$
    = $812.00 = profits, Ans.

23. $87500 \div 1.25 = 70000$, Ans.

24. Let the cost of the horse = 100; but the horse cost $62\frac{1}{2}$ per
    cent. as much as the buggy; hence $62\frac{1}{2}$: 100 :: 100 :
    160 = the proportionate percentage of the buggy; 100 —
    70 = 30, the proportionate percentage of the harness;
    $100 + 160 + 30 = 290$;

    290 : 100 :: $500 : $$172\frac{12}{29}$ = horse ;

    290 : 160 :: $500 : $$275\frac{25}{29}$ = buggy ;

    290 : 30 :: $500 : $ $51\frac{21}{29}$ = harness.

INTEREST.

(ART. 354, p. 262.)

		y.	mo.	da.
2.	$40.50	27.	1859	9	19

2. $40.50
3. $476.144
4. $161.33
5. $888.546
6. $108.587
7. $44.442
8. $540.000
9. $1.30
10. $1.275
11. $0.6867
12. $31.85
13. $116.99
14. $40.10
15. $0.0758
16. $0.9739
17. $14.607
18. $0.227
19. $31.146
20. $18.674
21. $193.09
22. $3.37½
23. $26.343
24. $0.584
25. $17.438

26.

y.	mo.	da.
1863	6	27
1852	0	11
11	6	16

$76.895 × .692⅔ = $53-
[.262, Ans.

27.

y.	mo.	da.
1859	9	19
1856	6	4
3	3	15

$98.25 × .197½ = $19-
[.404, Ans.

28.

y.	mo.	da.
1860	6	18
1836	1	19
24	4	29

$22.763 × 1.464⅚ = $33-
[.344, Ans.

29.

y.	mo.	da.
1859	9	12
1855	0	7
4	9	5

$175.07 × .285⅚ = $50-
[.04, Ans.

30.

y.	mo.	da.
1854	0	11
1852	11	6
1	1	5

$197.285 × .065⅚ = $12-
[.987, Ans.

31. $4377.15 × .18 = $787-
.887; $787.887 + $43-
77.15 = $5165.037 =
the amount, Ans.

32. $444.60 × .33 = $146-
.718, Ans.

(Art. **355**, p. **265**.)

(2.)

$16.75
.07
───────
Interest for 1 year   = 1.1725
Int. for 4 mo., ⅓ of a year = .3908
Int. for 2 mo., ½ of 4 mo. = .1954
Int. for 1 mo., ½ of 2 mo. = .0977
Int. for 15 da., ½ of 1 mo. = .0488
Int. for 2 da., ₁₅ of 1 mo. = .0065
                                ───────
Int. for 7 mo. and 17 da. = $ 0.7392, **Ans.**

(3.)

y.	mo.	d.
1852	11	7
1852	3	17
	7	20

$11.105
.07
───────
Int. for 1 year   = .77735
Int for 6 mo., or ½ of 1 yr. = .38867
Int. for 1 mo., or ⅙ of 6 mo. = .06477
Int. for 15 da., or ½ of 1 mo. = .03238
Int. for 5 da., or ⅓ of 15 da. = .01079
                                ───────
Int. for 7 mo. and 20 da. = $ 0.49661, **Ans.**

	y.	mo.	d.
4.	1854	7	30
	1853	0	2
	1	7	28

$12.69 × .099⅔ = $1.2647;
$1.2647 ÷ 6 = $0.2107,
× 7 = $1.475, **Ans.**

5. $871.111

6. $504.64

7. $ 0.70

	y.	mo.	d.
8.	1860	0	11
	1852	1	7
	7	11	4

$17869.75 × .475⅔ = $ 8500-
.0444; $ 8500.0444 ÷ 6
= $1416.67406, × 5 =
$7083.3703, **Ans.**

9. $ 21.78

10. $0.149

	y.	mo.	d.
11.	1863	11	15
	1861	10	11
	2	1	4

$35.61×.125⅔=$4.474, Ans.

12. $10.139

	y.	mo.	d.
13.	1860	6	17
	1854	4	7
	6	2	10

$1728.19
.371⅔

6 × 4 = 24)642.31061⅔
$ 26.762,
[Ans.

14. $ 397.16
.05½

198580
19858

Int. for 1 yr. = 21.8438
Int. for ½ of 1 yr. = 10.9219
Int. for 1 da., or
  ₁₈₀ of 6 mo. = .0608
Ans. $32.8265

15. $100.25
.014⅝

At 6 per cent. = 1.48704⅛
At 1 per cent. = .24784
4
At 4 per cent. = .99136
$100.25
Amount, $101.241
12*

16. $51.17
.04

2)$2.0468

Int. for 6 mo. = 1.0234
Int. for 3 mo. = .5117
Int. for 15 da., or ⅙ of
  3 mo. = .08528
Int. for 1 da. = .00568
Int. for 13 da. = .07384
Ans. 1.6999

17. $42.20 × .062⅔ = $2.6-
  445; 4½ × $ 2.6445 ÷ 6
  = 1.983, Ans.

18. $0.975

	y.	mo.	d.
19.	1852	6	3
	1849	10	27
	2	7	6

$96.84
.07½

67788
4842

Int. for 1 yr. = 7.2630
2

Int. for 2 yr. = 14.5260
Int. for 6 mo. = 3.6315
Int. for 1 mo. = .6052
Int. for 6 da., or
  ⅕ of 1 mo. = .1210
Ans. $18.8837

20. $ 225.925

	y.	mo.	d.
21.	1857	5	19
	1853	6	29
	3	10	20

$ 71.09,1
.233⅓

218273
213273
142182
23697

Interest at 6 } $16.587900
per cent. }
. 2

Ans. $ 33.17,5800

* The interest will be twice this amount at 12 per cent.

22.	$ 444.163
23.	$ 7.864
24.	$ 0.886

	y.	mo.	d.
25.	1857	1	18
	1829	4	16
	27	9	2

$ 36.72 × 1.665⅓ = $ 61.151-
04; $ 61.15104 × 7 ÷ 6
= $ 71.342, Ans.

26.	$ 8.628
27.	$ 515.60
28.	$ 3.167
29.	$ 9750 × .08 = $ 780.00,
	[Ans.
30.	$ 9162 × 3 × 1½ = $ 412.29,
	[Ans.
31.	$ 95.833
32.	$ 58.00
33.	$ 246.295

34. $ 10000
                                        .15⅓
                                   $ 150000
                                    3333⅓
Int. at 6 per cent. = $ 1533.33⅓
                                        7
                                6)10733.33⅓
Int. at 7 per cent. = $ 1788.88

$ 1788.88 — $ 1533.33 = $ 2-
55.55, Ans.

(ART. 356, p. 268.)

2. $ 96.00
Int. for 60 da.   =   .96
Int. for 30 da.   =   .48
Int. for 3 da.   =   .048
                                   6).528
                                     .088
                                        7
Int. at 7 per cent.   = $ 0.616
                                      [Ans.

3. $ 320.40
Int. for 60 da. = ₁₀₀ᵗʰ
    of the principal   = 3.204
Int. for 3 da. = ₂₀ᵗʰ of
    60 da.   =   .1602
                              6)3.3642
                                  .5607
                                        5
Int. at 5 per cent.   = $ 2.8035
                                      [Ans.

4.		15.	
	$131.20		$144.50
Int. of 60 da.	= 1.3120		.024
Int. of 60 da.	= 1.3120		6)3.46800
Int. of 3 da.	= .0656		578
	Ans. $2.6896		5
			73)2.890
5.	$0.345		39
6.	$245.65		$2.851 = $2.89
7.	$1.681		[diminished* by $\frac{1}{13}$ of itself,
8.	$0.263		[Ans.
9.	177.029\frac{13}{14}$		
10.	166.681\frac{3}{8}$	16.	$20.662
11.	$569.70	17.	$19.65
12.	$35.295	18.	$80.38
13.	$72.888	19.	$1005.50
14.	$2.223	20.	$7321.90

* See note 2, p. 267.

(ART. **357**, p. **269**.)

2. 179£. 12s. 11d. = 179.645£. ✗ .095 = 17.0662£. = interest at 6 per cent. ; 17.0662£. ÷ 6 = 2.8443 ; 2.8443 ✗ 5 = 14.2215£. = 14£. 4s. 5¼d., Ans.

(3.)

Principal	= 25£.
$\frac{1}{10}$ of the principal	= 2.5 int. for 20 mo.
$\frac{1}{20}$ of int. for 1yr. 8mo.	= .125 int. for 1 mo.
	2.625 ÷ 6 = .4375 ; .4375 ✗ 5 =
2.1875£. = 2£. 3s. 9d. = int. for 1yr. 9mo., Ans.	

(4.)

Principal	= 5440.5£.
$\frac{1}{5}$ of the principal	= 1088.1 int. for 3yr. 4mo.
$\frac{1}{8}$ of int. for 3yr. 4mo.	= 136.0125 int. for 5mo.
$\frac{2}{5}$ of int. for 5 mo.	= { 27.2025 } int. for 2mo.
	{ 27.2025 }
	1278.5175£. (Carried forward.)

(Brought forward :) 1278.5175£. = the interest for 3yr. 11mo. = 1278£. 10s. 4d., Ans.

5. 943£. 1s. 8d. = 943.0833£.; 30da. in May + 30 in June + 31 in July + 31 in Aug. + 30 in Sept. + 21 in Oct. = 173da.; 943.0833£. $\times$ .028$\frac{1}{5}$ = 27.19223£.; 27.19223£. $\times$ 5$\frac{1}{4}$ $\div$ 6 = 23.793£.; 23.793 — .3259 ($\frac{1}{73}$ of 23.793£.) = 23.467 = 23£. 9s. 4d., Ans.

(ART. 358, p. 270.)

2. 10.08 $\div$ .07 = $144, Ans.

3. 1.00 $\times$ .08$\frac{1}{4}$ = .0825 $\times$ 1$\frac{1}{3}$ = .11; 13.20 $\div$ .11 = $120.00, Ans.

4. 40.50 $\div$ .06 = $675, Ans.

5. 1.00 $\times$ .02 $\times$ 3 = .06; 24.00 $\div$ .06 = $400, Ans.

6. 1.00 $\times$ .0305 = 0.0305 $\div$ 6 = .0050$\frac{5}{6}$; .0050$\frac{5}{6}$ $\times$ 7$\frac{1}{4}$ = .0368$\frac{13}{24}$; 206.38$\frac{1}{3}$ $\div$ .0368$\frac{13}{24}$ = $5600, Ans.

(ART. 359, p. 270.)

2. $144.00 $\times$ .01 = $1.44; 10.08 $\div$ 1.44 = 7 per cent., Ans.

3. $120 $\times$ .01 = 1.20; 1.20 $\times$ 1$\frac{1}{3}$ = 1.60; 133.20 — 120 = 13.20 $\div$ 1.60 = 8$\frac{1}{4}$ per cent., Ans.

4. $1.00 $\times$ .01 = $0.01; $0.01 $\times$ 14$\frac{2}{7}$ = 0.14\frac{2}{7}$; 1.00 $\div$ 14$\frac{2}{7}$ = 7 per cent., Ans.

5. $1.00 $\times$ .01 = $.01 $\times$ 33$\frac{1}{3}$ = $.33$\frac{1}{3}$; 3.00 $\div$ .33$\frac{1}{3}$ = 9 per cent., Ans.

6. $4650 $\times$ .01 = $46.50; 232.50 $\div$ 46.50 = 5 per cent., Ans.

7. 48da. = 1$\frac{3}{5}$mo. = $\frac{1\frac{3}{5}}{12}$ of 1yr.; $7500 $\times$ .01 = $75; $75 $\times$ $\frac{1\frac{3}{5}}{12}$ = $10; 60 $\div$ 10 = 6 per cent., Ans.

8. $280 × .01 = $2.80 × 6½ = $18.20; $411.95 — $280 = $131.95; 131.95 ÷ 18.20 = 7¼ per cent., Ans.

9. $480 × .01 = $4.80 × 1$\frac{7}{24}$ = $6.20; $529.60 — $480 = $49.60; 49.60 ÷ 6.20 = 8 per cent., Ans.

(Art. **360**, p. **271**.)

2. $120 × .08¼ = $9.90; 18.20 ÷ 9.90 = 1⅓yr., Ans.

3. $144 × .07 = $10.08; 10.08 ÷ 10.08 = 1yr., Ans.

4. $240 × .06 = $14.40; $280—$240 = $40; 40÷14.40 = 2$\frac{7}{9}$yr. = 2yr. 9mo. 10da., Ans.

5. $1.00 × .05 = $.05; 1.00 ÷ .05 = 20yr., Ans.

6. $1.00 × .10 = $.10; 1.00 ÷ .10 = 10yr., Ans.

7. $1500 × .05 = $75.00; $2250 — $1500 = $750; 750 ÷ 75 = 10yr., Ans.

8. $480 × .04½ = $21.60; $561.60 — $480 = $81.60; 81.60 ÷ 21.60 = 3$\frac{7}{9}$yr. = 3yr. 9mo. 10da., Ans.

9. $1728 ×.12 = $207.36; $3853.44 — $1728 = $2125-.44; 2125.44 ÷ 207.36 = 10¼yr. = 10yr. 3mo., Ans.

10. $240 × .06 = $14.40; $720 — $240 = $480; 480 ÷ 14.40 = 33⅓yr. = 33yr. 4mo., Ans.

11. $400 × .06 = $24.00; 100 ÷ 24 = 4$\frac{1}{6}$yr. = 4yr. 2mo.;

1857	4	16
4	2	0
1861	6	16	= July 16, 1861, Ans.

PROMISSORY NOTES.

(Page **275**.)

(2.)

Principal on interest from June 17, 1849, . .	$769.870
Interest from June 17, 1849, to March 1, 1850, 8mo. 14da., ...	32.591
Amount (carried forward), . . .	$802.461

(Brought forward :)	$ 802.461
First payment, March 1, 1850, ...	75.500
New principal, bearing interest from March 1, 1850,	726.961
Interest from March 1, 1850, to June 11, 1851, 15mo. 10da., ...	55.733
Amount, ...	782.694
Second payment, June 11, 1851, ...	165.000
New principal, bearing interest from June 11, 1851,	617.694
Interest from June 11, 1851, to Sept. 15, 1851, 3mo. 4da., ...	9.677
Amount, ...	627.371
Third payment, Sept. 15, 1851, ...	161.000
New principal, bearing interest from Sept. 15, 1851,	466.371
Interest from Sept. 15, 1851, to Jan. 21, 1852, 4mo. 6da., ...	9.793
Amount, ...	476.164
Fourth payment, January 21, 1852, . . .	47.250
New principal, bearing interest from Jan. 21, 1852,	428.914
Interest from Jan. 21, 1852, to December 6, 1853, 22mo. 15da., ...	48.252
Amount, ...	477.166

Fifth payment, less than interest, March 5, 1853, ...	12.17	
Sixth payment, more than interest, Dec. 6, 1853, ...	98.00	
		110.170
New principal, bearing interest from Dec. 6, 1853,		366.996
Interest from Dec. 6, 1853, to July 7, 1854, 7mo. 1d.,		12.906
Amount (carried forward), . . .		$ 379.902

(Brought forward :)	$ 379.902
Seventh payment, July 7, 1854, ...	169.000
New principal, bearing interest from July 7, 1854,	210.902
Interest from July 7, 1854, to Sept. 25, 1855, 14mo.	
18da., ...	15.395
Balance due Sept. 25, 1855, ...	$ 226.297

(3.)

Principal on interest from April 30, 1851, . .	$ 300.000
Interest from April 30, 1851, to June 27, 1852,	
13mo. 27da., ...	20.850
Amount, ...	320.850
First payment, June 27, 1852, ...	150.000
New principal, bearing interest from June 27, 1852,	170.850
Interest from June 27, 1852, to December 9, 1852,	
5mo. 12da., ...	4.612
Amount, ...	175.462
Second payment, Dec. 9, 1852, ...	150.000
New principal, bearing interest from Dec. 9, 1852,	25.462
Interest from Dec. 9, 1852, to Oct. 9, 1853, 10mo.,	1.273
Balance due Oct. 9, 1853, ...	$ 26.735

(4.)

Principal on interest from Feb. 11, 1852, . .	$ 54.180
Interest from Feb. 11, 1852, to July 11, 1853, 17mo.,	4.605
Amount, ...	58.785
First payment, July 11, 1853, ...	12.250
Principal bearing interest from July 11, 1853, .	46.535
Interest from July 11, 1853, to Aug. 21, 1855, 25mo.	
10da., ...	5.894
Amount (carried forward), . . .	$ 52.429

(Brought forward :)		$ 52.429
Second payment, less than interest, Aug. 15, 1854,	2.100	
Third payment, less than interest, July 9, 1855,	3.120	
Fourth payment, more than interest, Aug. 21, 1855,	37.180	
		42.400
Principal bearing interest from Aug. 21, 1855,		10.029
Interest from Aug. 21, 1855, to Dec. 17, 1855, 3mo. 26da.,		.193
Balance due Dec. 17, 1855,		$ 10.222

(6.)

Principal carrying interest from Jan. 1, 1850,		$ 1000.00
Interest from Jan. 1, 1850, to Sept. 28, 1850, 8mo. 27da.,		51.91
Amount,		1051.91
First payment,		144.00
Balance for new principal,		907.91
Interest from Sept. 28, 1850, to July 17, 1851, 9mo. 19da.,		51.01
Amount,		958.92
Second payment, March 1, 1851, a sum less than interest,	20.00	
Third payment, July 17, 1851, a sum greater than interest,	360.00	
		380.00
Balance for new principal,		578.92
Interest from July 17, 1851, to Aug. 9, 1851, 22da.,		2.47
Amount (carried forward),		$ 581.39

	(Brought forward:)	$581.39
Fourth payment, Aug. 9, 1851, ...		190.00
Balance for new principal, ...		391.39
Interest from Aug. 9, 1851, to Sept. 25, 1852, 1yr. 1mo. 16da., ...		30.89
Amount, ...		422.28
Fifth payment, Sept. 25, 1852, ...		170.00
Balance for new principal, ...		252.28
Interest from Sept. 25, 1852, to Dec. 11, 1853, 1yr. 2mo. 16da., ...		21.38
Amount, ...		273.66
Sixth payment, Dec. 11, 1853, ...		200.00
Balance for new principal, ...		73.66
Interest from Dec. 11, 1853, to July 4, 1855, 1yr. 6mo. 23da., ...		8.06
Amount, ...		81.72
Seventh payment, July 4, 1855, ...		75.00
Balance for new principal, ...		6.72
Interest from July 4, 1855, to June 1, 1857, 1yr. 10mo. 27da., ...		.89
Balance due at the time of payment, . . .		$7.61

NOTE. — Interest on the above note is computed at 7 per cent.

(ART. 372, p. 278.)

(2.)

Principal, ...	$700.00
Interest for 9mo. 24da., ...	34.30
	734.30
First payment, ...	160.00
Interest for 8mo. 10da., ...	· 6.66⅔
(Carried forward:) $166.66⅔	$734.30

(Brought forward :)	$166.66⅔	$734.30
Second payment, ...	200.	
Interest for 5mo. 4da., ...	5.13⅛	
Third payment, ...	120.	
Interest for 2mo. 17da., . . .	1.54	
Fourth payment, ...	60.	
Interest for 1mo. 23da., . . .	.53	
		553.87
Balance due Nov. 28, 1854, . .		$180.43

(3.)

Principal, ...		$500.00
Interest for 12mo., ...		35.00
		535.00
Payment, ...	200.00	
Interest for 9mo., ...	10.50	
		$210.50
Balance due April 1, 1858, . .		$324.50

COMPOUND INTEREST.

(Art. 376, p. 280.)

(2.)

$500	(Brought up :) 31.80
.06	530
30.00	561.80
500	.06
530	33.7080
.06	561.80
31.80 (Carried up.)	$595.5080, Ans.

(3.)   (4.)

$970 $300
  .06   .07
------   ------
58.20   21.00
  970   300
------   ------
1028.20   321
    .06   .07
------   ------
61.6920   22.47
1028.20   321
------   ------
1089.8920   343.47
    .049 Int. of $1 for 9mo. 24da.   .07
------   ------
98090280   24.0429
43595680   343.47
------   ------
53.404708   367.5129
1089.8920   .07
------   ------
1143.2967   25.725903
  970   First principal subtracted.   367.5129
------   ------
$173.296, Ans.   393.2388
                                             .035

                                         19661940
                                         11797164

                                         13.763358
                                         393.238

                                         407.001
                                         300

                                         $107.001, Ans.

(5.)

$316	(Brought up.) 376.361
.06	.023
18.96	1129083
316	752722
334.96	8.656303
.06	376.361
20.0976	385.017
334.96	316
355.0576	$ 69.017, Ans.
.06	
21.303456	
355.0576	
376.361 (Carried up.)	

(ART. **377,** p. **282.**)

2. $1200 × 2.104852 = 2525.8224 ; 2525.8224 — 1200 = $1325.822, Ans.

3. $300 × 1.790848 = 537.2544 ; 537.2544 × 1.0375 = 557.401 ; 557.401 — 300 = $257.401, Ans.

4. $5 × 29.457 = $147.285 ; $147.285 — $5 = $142.285, Ans.

5. $480 × 10.285718 = $4937.144, Ans.

6. $40 × .310796 = $12.431, Ans.

7. The amount of $1 for 50 years is $18.420154 ; if now this amount be taken for a principal and multiplied by the amount of $1 for 50 years, the result will be the amount of $1 for 100 years ; therefore 18.420154 × 18.420154 = 339.302072, the amount of $1 for 100 years ; and 339.302072 × $100 = $33930.2072 ; and $33930.2072 — $100 = $33830.2072, Ans.

8. $1000 × 6.84059 = $6840.59 ; $6840.59 × 1.02 = $69-77.4018 ; $6977.4018—$1000 = $5977.4018 = interest at compound interest ; $1000 × 2.00 = $2000 =

interest at simple interest; $ 5977.4018 — $2000 = $ 3977.4018, Ans.

9. For 21y., payable semi-annually, is the same as for 42y., payable annually; $ 50 × 3.460696 = $ 173.034, Ans.

<center>(10.)</center>

Principal bearing interest from March 26, 1854,	$ 100.000
Interest for 1y. 5mo., ...	8.650
Amount of the principal to Aug. 25, 1855, . .	108.650

First payment, June 11, 1854, . .	50.000	
Compound interest from June 11, 1854, to Aug. 25, 1855, 14mo. 14da., . .	3.653	
Second payment, Sept. 25, 1854, . .	50.000	
Compound interest from Sept. 25, 1854, to Aug. 25, 1855, 11mo., . . .	2.750	
Amount of the endorsements, ...		106.403
Balance due Aug. 25, 1855, ...		$ 2.247

<center>(11.)</center>

Principal bearing interest from Jan. 1, 1850, .	.	$ 1000.00
Compound interest on $ 1000 from Jan. 1, 1850, to April 1, 1855, 5y. 3mo.		427.09
Amount of principal to April 1, 1855, . . .		1427.09

First payment, June 10, 1850, . . .	70.00	
Compound interest from June 10, 1850, to April 1, 1855, 4y. 9mo. 21d., . .	26.94	
Second payment, Sept. 25, 1851, . .	80.00	
Compound interest from Sept. 25, 1851, to April 1, 1855, 3y. 6mo. 6da., . .	21.54	
Third payment, July 4, 1852, . . .	100.00	
Compound interest from July 4, 1852, to April 1, 1855, 2y. 8mo. 27da., . .	20.43	
Fourth payment, Nov. 11, 1853, . .	30.00	

<center>(Carried forward :) $ 348.91 $ 1427.09</center>

<center>13*</center>

(Brought forward :) $ 348.91 $ 1427.09

Compound interest from Nov. 11, 1853, to
  April 1, 1855, 1y. 4mo. 20da.,   .   .   2.97

Fifth payment, June 5, 1854, .   .   .   50.00

Compound interest from June 5, 1854, to
  April 1, 1855, 9mo. 26da.,   .   .   2.87

Amount of endorsements, ...   404.75

Balance due April 1, 1855, ... $ 1022.34

NOTE. — The above note and endorsements are reckoned at 7 per cent.

(ART. 378, p. 284.)

2. $1.60578 \times 1.035 = 1.553255 =$ the amount of $ 1 for 6y.
  6mo. ; $ 205.90 ÷ .5532 = $ 372.16, Ans.

3. $1.191 \times 1.012 = 1.2052 =$ amount of $ 1 for 3y. 2mo.
  12da. ; $ 1026.54 ÷ .2052 = $ 5000, Ans.

4. $1.905 =$ interest of $ 1 for 31y. at $3\frac{1}{2}$ per cent. ; $ 857.25
  ÷ 1.905 = $ 450, Ans.

(ART. 379, p. 285.)

2. $640.405 ÷ 400 = 1.60101$, which for 12 years indicates by
  the table an interest of 4 per cent., Ans.

3. $2096.147 ÷ 2500 = .8384588$; and in the table this is
  found to be the *interest* of $ 1 for 9 years at 7 per cent.

4. $200 ÷ 100 = 2.000000$; by the table it is seen that at 6
  per cent. this will be the amount of $ 1 for a time some-
  where between 11 and 12 years. The amount for 11y.
  is 1.898299; if this, increased by $\frac{8.9}{100}$ of a year, be 2.,
  then the rate is 6 per cent. ; $1.898299 \times 1.0534 =$
  2.00000 very nearly.

5. $ 31479.70 ÷ 10000 = 3.14797; 3.0256, the amount of $ 1
  for 19y. at 6 per cent., is the approximation ; $3.0256 \times$
  $1.04\frac{3}{8} = 3.14797$ nearly ; hence the rate is 6 per cent.

(ART. 380, p. 285.)

2. $640.405 ÷ 400 = 1.601012$; which is the amount of $ 1 at
  4 per cent. for 12 years, Ans.

3. 9021.78 ÷ 6000 = 1.50363, which is the amount of $1 at 7 per cent. for 6 years, Ans.

4. 200 ÷ 100 = 2.000000 ; by the table the amount at 5 per cent., which approximates to 2., is the amount for 14y., which is 1.979932 ; 2.0000 — 1.979932 = that interest which the amount for 14y. (1.979932) must gain before the $1 will be doubled; therefore, to get the time required for gaining this principal, divide (Art. 360) the given interest by the interest of 1.979932 for 1y.; that is, divide 2.000 — 1.979932 by 2.078928 — 1.979932 ; .020068 ÷ .098996 = .2026y. = 2mo. 13da. nearly; 14y. 2mo. 13da., Ans.

5. 200 ÷ 100 = 2.; by the table the nearest approximation to 2., at 6 per cent., is the amount for 11y., 1.898299 ; 2.012196 — 1.898299 = .113897 ; 2. — 1.898299 = .101701 ; .101701 ÷ .113897 = .89y. = 10mo. 20+da.; 11y. 10mo. 20+da., Ans.

6. 1781.665 ÷ 450 = 3.959, which by the table is found to be the amount of $1 at 3½ per cent. for 40y.; but, as the principal in the problem pays 3½ per cent. in periods of half a year, its 40 periods will be only 20y. The deposit was made when the son was 1 year old; and 20 + 1 = 21y., Ans.

DISCOUNT AND PRESENT WORTH.

(ART. 386, p. 287.)

2. $1.07 = amount of $1 for the given time; $802.50 ÷ 1.07 = $750; $802.50 — 750 = $52.50, Ans.

3. $1.12 = amount of $1 for the given time ; $117.60 ÷ 1.12 = $105.00, Ans.

4. $1.205 = amount of $1 for 3y. 5mo.; $769.60 ÷ 1.205 = $638.672, Ans.

5. $1.26875 = amount of $1 for 3y. 7mo.; $678.75 ÷ 1.26875
   = $534.975, Ans.

6. $1.25 = amount of $1 for the time;
   $600 ÷ 1.25 = $480 present worth;
   $600 — $480 = $120 discount, Ans.

7. $1.056⅞ = amount of $1 for 11mo. 11da; $79.87 ÷ 1.056⅞
   = $75.57,4+.
   $1.111⅛ = amount of $1 for 22mo. 7da.; $87.75 ÷ 1.111⅛
   = $78.971; $78.971 + $75.574 = $154.545+, Ans.

8. $1.118 = amount of $1 for 23mo. 18da.; $365.87 ÷ 1.118
   = $327.254+.
   $1.1525 = amount of $1 for 30mo. 15da.; $161.15 ÷ 1.1525
   = $139.826+.
   $1.028⅞ = amount of $1 for 5mo. 22da.; $112.50 ÷ 1.028⅞
   = $109.364+.
   $1.258 = amount of $1 for 51mo. 18da.; $96.81 ÷ 1.258 =
   $76.955+.
   $327.254 + $139.826 + $109.364 + $76.955 + = $653-
   .40+, •Ans.

9. $67.25 ÷ 1.18 = $56.99, Ans.

10. $80.095 ÷ 1.191 = $67.25, Ans.

11. $110.364 ÷ 1.402552 = 78.687; $110.364 — $78.687 =
    $31.677 discount, Ans.

(ART. 387, p. 288.)

1. $960 × .05 = $48; $960 — $48 = $912, Ans.

2. $5000 ÷ 1.07 = $4672.89; $5000 — $4672.89 =
   $327.11 true discount; $5000 × .07 = $350 nominal
   discount; $350 — $327.11 = $22.89, Ans.

3. $4440 × .03 = 133.20; $4440 — $133.20 = $4306.80;
   $4306.80 is the nominal present worth, and is the sum
   which must be hired at 6 per cent. to pay the debt;
   $4306.80 × .03 = $129.204; $133.20 — $129.204 =
   $3.996, Ans.

BANKING.

(Art. 392, p. 290.)

2. $7800 $\times$ (.015 + .0005 for 8 days of grace) .0155 = $120.90, Ans.

3. $1200 $\times$ .01225 = $14.70, Ans.

4. $8000 $\times$ .0105 = $84 discount; $8000 — $84 = $7916 proceeds, Ans.

5. $760 $\times$ .0255 = $19.38; $760 — $19.38 = $740.62, Ans.

6. $7860 $\times$ .030$\frac{1}{2}$ = $239.73; $7860 — $239.73 = $76-20.27, Ans.

7. The time from Dec. 3 to April 3 is 4mo.; 4mo. from 6mo. leave 2mo. or 60da.; 60da. + 3da. = 63da., the time the note is to run; $160.40 $\times$ .0105 = $1.68; $160.40 — $1.68 = $158.72, Ans.

8. 123da. from Apr. 16, 1856 = Aug. 17, 1856, the time when the note is legally due; from May 16 to Aug. 17 = 93da., the time for which the note was discounted; $890.50 $\times$ .0155 = $13.80275; $13.80275 ÷ 6, $\times$ 7 = $16.1032, Ans.

9. 90 + 3da. from May 1 = Aug. 2, the legal time of maturity; May 1 to June 11 = 41da.; 93 — 41 = 52da., for which the note was discounted; $1340 $\times$ .008$\frac{2}{3}$ = $11.61; $1340 — $11.61 = $1328.39 proceeds, Ans.

10. From June 19 to July 5 are 16da.; from June 19 to Aug. 19 are 61da.; 61 + 3 = 64da.; 64 — 16 = 48, the time the note had to run, and for which it was discounted; $9000 $\times$ .032 = $288; $9000 — $288 = $8712, Ans.

(Art. 393, p. 292.)

2. $1 $\times$ .0180$\frac{5}{6}$ = 0.0180\frac{5}{6}$; $1.00 — 0.0180\frac{5}{6}$ = $0.9819, the proceeds of $1; $680 ÷ .9819 = $692.523, Ans.

3. Proceeds of \$1 for 120 $+$ 3da. $=$ .9795; \$540.50 $\div$
.9795 $=$ \$551.81, Ans.

4. \$1938 $\div$ .9695 $=$ \$1998.968, Ans.

5. \$1631.60 $\div$ .9795 $=$ \$1665.74, Ans.

6. Present worth of \$1 for 33da. at 2 per cent. per month $=$
.989; \$1500 $\div$ .989 $=$ \$1516.68, Ans.

(ART. 394, p. 292.)

2. The proceeds of \$1 for 30 $+$ 3 da. $=$ .9945; .06 $\div$ .9945
$= 6\frac{8.6}{1989}$ per cent., Ans.

3. .06 $\div$ .9845 $= 6\frac{18.6}{1969}$ per cent., Ans.

4. .02 $\div$ .918 $= 2\frac{8.2}{459}$ per cent. a month, Ans.

5. The proceeds of \$1 are .96442; .07 $\div$ .96442 $= 7\frac{24.14}{48.221}$
per cent., Ans.

6. .06 $\div$ .94 $= 6\frac{18}{47}$ per cent., Ans.

(ART. 395, p. 293.)

2. The amount of \$1 for 33da.$=$1.0055; .06 $\div$ 1.0055 $=$
$5\frac{184.5}{2.0311}$, per cent., Ans.

3. 2 per cent. a month $=$ 24 per cent. per annum; .24 $\div$ 1.042
$= 23\frac{17}{521}$ per cent., Ans.

4. .06 $\div$ 1.0155 $= 5\frac{184.5}{2.0311}$ per cent., Ans.

5. .08 $\div$ 1.027333 $= 7\frac{808.668}{1.027333}$ per cent., Ans.

6. .07 $\div$ 1.03558 $= 6\frac{38.325}{51.779}$ per cent., Ans.

7. .06 $\div$ 1.06 $= 5\frac{35}{53}$ per cent., Ans.

8. The amount of \$1 for 8yr. 4mo. at 5 per cent. $=$ \$1.41$\frac{2}{3}$;
.05 $\div$ 1.41$\frac{2}{3}$ $=$ .03$\frac{9}{17}$, Ans.

MISCELLANEOUS EXAMPLES.
(PAGE 294.)

1. 18 of gold;   20 : 18 : : 100 : 90 per cent. of gold;
   1 of copper; 20 :   1 : : 100 :   5 per cent. of copper;
   <u>1</u> of silver;   20 :   1 : : 100 :   5 per cent. of silver;
   20;

2. $\frac{18}{16}$ = amount, $\frac{15}{16}$ = principal, $\frac{1}{16}$ = discount. Therefore, $32 \times 16 = 512 \div 15 = 34\frac{2}{15}$qt., Ans.

3. $25000 \times .04 = \$1000$, Ans.

4. $206\frac{1}{4} - 192 = 14\frac{1}{4}$; $192 : 14\frac{1}{4} :: 1.00 : .07\frac{37}{64}$, Ans.

5. $1.50 : 1.00 :: 1.00 : .66\frac{2}{3}$; $1.00 - .66\frac{2}{3} = .33\frac{1}{3}$, Ans.

6. How long will it take $10 to double itself, or gain $10 interest? (Art. 360.) $10 \div .50 = 20$yr.; $10 \div 60 = 16\frac{2}{3}$yr.; $20 - 16\frac{2}{3} = 3\frac{1}{3}$yr., Ans.

7. $500 \div 1.2155 = \$411.351$, Ans.

8. $1.00 : 1.10 :: \$5 : \$5.50$, the price at which the cloth was actually sold, it being 10 per cent. less than the asking price; therefore, $.90 : 1.00 :: \$5.50 : \$6.11\frac{1}{4}$, Ans.

9. $7860 \times .030\frac{1}{2} = \$239.73$; $\$7860 - \$239.73 = \$76-20.27$, Ans.

10. $1500 \div 1.06 = \$1415.09\frac{23}{53}$; $\$1500 - \$1415.09\frac{23}{53} = \$84.90\frac{30}{53}$, the true discount; $\$1500 \times .06 = \$90$; $\$90 - \$84.90\frac{30}{53} = \$5.09\frac{23}{53}$, Ans.

11. $.24 \div .958 = 25\frac{25}{479}$ per cent., Ans.

12. Interest of $1 at $1\frac{1}{2}$ per cent. a month = $\$.0225$; $\$36.40 \div .0225 = \$1617.77\frac{7}{9}$, Ans.

13. $.12 \div 1.011 = 11\frac{789}{1011}$ per cent., Ans.

14. In the course of 693 days the bank can discount notes of 60 days 11 times, and notes of 30 days 21 times; then (Art. 393) $50000 \div .9945 = \$50276.52 =$ the face of the note or notes discounted for 33 days; $\$50276.52 - \$50000 = \$276.52 =$ the sum gained in each period of 33da.; $\$276.52 \times 21 = \$5806.92 =$ the whole amount gained on 30 days' notes in 693 days; and $\$50000 \div .9895 = \$50530.57$; $\$50530.57 - \$50000 = \$530.57$; $\$530.57 \times 11 = \$58-36.27 =$ the whole sum gained on 60 days' notes in 693 days; $\$5836.27 - \$5806.92 = \$29.35 =$ the amount which is gained on notes of 60 days *more* than on notes of 30 days, Ans.

15. $450 \times \$3.50 = \$1575$; $450 \times \$4.00 = \$1800$; $\$1800 \div$
    $.0305 = \$54.90$; $\$1800 - \$54.90 = \$1745.10$;
    $\$1745.10 - \$1575 = \$170.10$, Ans.

16. $6\frac{1}{2} - 6 = \frac{1}{2}$ per cent. $6\frac{1}{2} : \frac{1}{2} :: \$1.00 : \$0.076\frac{12}{13}$, the interest of $\$1$ for the required time at 6 per cent.; $\$0.06 :$
    $\$0.076\frac{12}{13} :: 12$ months : 15m. $11\frac{7}{13}$d., Ans.   [See solution, p. 252.]

STOCKS.

(ART. 400, p. 296.)

2. $\$24360 \times 1.35 = \$32886$, Ans.

3. $\$100 \times 15 \times 1.13 = \$1695$, Ans.

4. $\$100 \times 10 \times .85 = \$850$, Ans.

5. $\$100 \times 30 = \$3000$; $\$3000 \times 1.08\frac{3}{4} = \$3262.50$,
   amount; $\$3262.50 - \$3000 = \$262.50$, premium, Ans.

6. $\$50 \times 25 \times .97 = \$1212.50$, Ans.

7. $\$250 \times 22 = \$5500$; $\$5500 \times .95 = \$5225$, amount
   paid; $\$5500 - \$5225 = \$275$, Ans.

8. $\$50000 \times 1.17 = \$58500$, Ans.

9. $\$19500 \times .93 = \$18135$; $\$19500 \times 1.03 = \$20085$;
   $\$20085 - \$18135 = \$1950$, Ans.

(ART. 401, p. 297.)

2. $\$6210 \div 1.035 = \$6000$, Ans.

3. $\$1155 \div 11 = \$105$; $\$105 \div 1.05 = \$100$, Ans.

4. $\$1230 \div 41 = \$30$; $\$30 \div .60 = \$50$, Ans.

5. $\$2052 \div 1.08 = \$1900$; $\$2052 - \$1900 = \$152$, Ans.

6. $\$16245 \div .95 = \$17100$; $\$17100 - \$16245 = \$855$,
   Ans.

7. $862.50 \div 57.50 = 15$ shares; $\$862.50 \div 1.15 = \$750$;
   $\$862.50 - \$750 = \$112.50$, Ans.

8. $\$1000 \times .88 = \$880$; $7920 \div 880 = 9$ bonds; $\$1000$
   $- \$880 = \$120$; $\$120 \times 9 = \$1080$, Ans.

(Art. 402, p. 298.)

2. $1.00 - .25 = .75$; $.06 \div .75 = .08$, Ans.

3. $.11 \div 1.10 = 10$ per cent., Ans.

4. (402, note.) $.12 \div .8 = 1.50$; $1.50 - 1.00 = .50$, Ans.

5. $.09 \div 1.25 = .07\frac{1}{5}$; $.06 \div .75 = .08$; $.08 - .07\frac{1}{5} = \frac{4}{5}$ per cent.; therefore, it is the better investment by $\frac{4}{5}$ per cent. to buy the 6 per cent. stock.

6. $.05 \div .07 = .71\frac{3}{7}$; $1.00 - .71\frac{3}{7} = .28\frac{4}{7}$, Ans.

7. $.05 \div .80 = .06\frac{1}{4}$; $\$20000 \times .06\frac{1}{4} = \$1250$; $\$20000 \times .06 = \$1200$; $\$1250 - \$1200 = \$50$, Ans.

BROKERAGE AND COMMISSION.
(Art. 407, p. 299.)

2. $\$18768 \times .01\frac{3}{4} = \$328.44$, Ans.

3. $\$112.25 \times 12 = \$1347$; $1347 \times .00\frac{1}{4} = \$3.36\frac{3}{4}$, Ans.

4. $\$12.25 \times 700 = \$8575$; $\$8575 \times .01\frac{3}{4} = \$150.06\frac{1}{4}$, Ans.

5. $50 \div 10000 = .005 = \frac{1}{2}$ per cent., Ans.

6. $\$8.95 \times 173 \times .01\frac{7}{8} = \$29.03\frac{5}{32}$, Ans.

7. $\$107.75 \times 37 \times .00\frac{3}{8} = \$14.95\frac{1}{32}$, Ans.

8. $395£.$ 15s. 5d. $= 94985$d.; $94985 \times .02\frac{1}{4} = 2137.1625$d. $= 8£.$ 18s. $1\frac{65}{400}$d., Ans.

9. $5.46 \div 364 = .01\frac{1}{2}$, Ans.

(Art. 408, p. 301.)

2. $\$1976 \div 1.04 = \$1900$; $\$1976 - \$1900 = \$76$, Ans.

3. $\$8341.50 \div 1.005 = \$8300$; $\$8300 \div 83 = 100$ shares; $\$8341.50 - \$8300 = \$41.50$ brokerage, Ans.

4. $\$8960 \div 1.02 = \$8784.31\frac{18}{51}$; $\$8960 - \$8784.31\frac{18}{51} = \$175.68\frac{33}{51}$, Ans.

14

5. $\$5150 \div 1.03 = \$5000$; $\$5150 - \$5000 = \$150$, Ans.

6. $\$285 \div .015 = \$19000$, Ans.

7. $\$740.83\frac{3}{4} - \$7.50 = \$733.33\frac{3}{4} =$ the bill minus the cartage; $\$733.33\frac{3}{4} \div 1.015 = \$722.50$; $\$733.33\frac{3}{4} - \$722.50 = \$10.83\frac{3}{4} =$ commission; $250 \times 34 = 8500$ lb. of sugar; $\$722.50 \div 8500 = \$0.08\frac{1}{2}$ per pound, Ans.

8. $987£.$ 18s. 6d. $\times .0225 = 22£.$ 4s. $6\frac{158}{200}$d. ; $987£.$ 18s. 6d. $- 22£.$ 4s. $6\frac{158}{200}$d. $= 965£.$ 13s. $11\frac{41}{200}$d.; $965£.$ 13s. $11\frac{41}{200}$d. $\times 100 = 96569£.$ 13s. $4\frac{1}{2}$d. ; $96569£.13$s. $4\frac{1}{2}$d. $\div 101\frac{7}{8} = 947£.$ 18s. $5\frac{442}{815}$d. ; $947£.$ 18s. $5\frac{442}{815}$d. $= 227501\frac{442}{815}$d.; $1£.$ 3s. 8d. $= 284$d.; $227501\frac{442}{815} \div 284 = 801\frac{3576}{57865}$yds., Ans.

ACCOUNT OF SALES.

(Art. **410**, p. **303**.)

(2.)

Amount of sales, ...		$\$2671.40$
Freight, ...	$\$185.50$	
Commission at 3 per cent. on $\$2671.40$,	74.57	
Cartage, cooperage, &c., . . .	26.00	
Storage and insurance, ...	63.24	
Amount of charges, ...		$\$349.31$
Net proceeds to J. B. & Co., ...		$\$2322.09$

PROFIT AND LOSS.

(Art. **412**, p. **304**.)

2. $\$5 \times .80 = \$4$, Ans.

3. $\$8.50 \times 1.10 = \$9.35$, Ans.

4. $0.42 × .95 = $0.399, Ans.
5. $2500 × 1.20 = $3000, Ans.

(ART. **413**, p. **304.**)

2. $4 ÷ .80 = $5, Ans.
3. $96 ÷ 1.20 = $80; $80 ÷ 10 = $8, Ans.
4. $12.50 ÷ 1.17 = 10.683\frac{89}{117}$, Ans
5. $6.125 ÷ .875 = $7.00, Ans.

(ART. **414**, p. **305.**)

2. $7 — $6.125 = $0.875; .875 ÷ 7 = 12½ per cent., A
3. $225 — $200 = $25; 25 ÷ 200 = 12½ per cent., Ans.
4. 500 ÷ 2500 = 20 per cent., Ans.
5. $64.86 4$\frac{32}{37}$ was given for the cloth, and $2.50 × 24 = $60.00 was received for it; therefore the loss was $64.86 4$\frac{32}{37}$ — $60.00 = $4.86,4$\frac{32}{37}$, or $\dfrac{4864\frac{32}{37}}{6486\frac{32}{37}}$ of its value, = .075 = 7½ per cent., Ans.

(ART. **415**, p. **306.**)

2. $7 ÷ 1.75 = $4 prime cost; $4 — $3 = $1, loss on 1yd.; 1 ÷ 4 = .25 loss, Ans.

3. $1.25 ÷ .85 = 1.470\frac{10}{17}$ par value of corn; 1.647\frac{1}{17}$ — 1.470$\frac{10}{17}$ = .176$\frac{8}{17}$ gain per bushel if sold for 1.647\frac{1}{17}$; .176$\frac{8}{17}$ ÷ 1.470$\frac{10}{17}$ = .12, Ans.

4. 1.647\frac{1}{17}$ ÷ 1.12 = 1.470\frac{10}{17}$; 1.470\frac{10}{17}$ — $1.25 = 0.220\frac{10}{17}$ loss per bushel if sold at $1.25; .220$\frac{10}{17}$ ÷ 1.470$\frac{10}{17}$ = 15 per cent., Ans.

5. $75 ÷ .75 = $100 cost of the horse; $100 × 1.30 = $130 real value of horse; $130 — $75 = 55, Ans.

6. $1.25 ÷ .75 = $1.66⅔ cost per pound; $1.66⅔ — $1.40 = .26⅔ loss per lb. if sold at $1.40; $.26⅔ ÷ 1.66⅔ = 16 per cent. loss, Ans.

MISCELLANEOUS EXAMPLES.

(PAGE 306.)

1. $100 × 1.15 = $115 ; $115 — $100 = $15 gain on 1
   share ; $120 ÷ 15 = 8 shares, Ans.

2. $250 × 1.09 = $272.50 cost per share ; $272.50 — $25
   = $247.50 = what one share was sold for ; $250 —
   $247.50 = $2.50 loss by each share on the par value ;
   2.50 ÷ 250 = .01 discount, Ans.

3. $19200 ÷ .96 = $20000 ; $20000 × .07 = $1400 =
   income from 7 per cent. stocks ; $19200 ÷ .80 = $24-
   000 ; $24000 × .05 = $1200 = income from 5 per
   cent. stocks ; $1400 — $1200 = $200 greater income
   from 7 per cent. stocks, Ans.

4. If each share of $250 should pay 10 per cent., the dividend
   would be $25 ;   then, by proportion, $25 : $15 ::
   $250 : $150, Ans.

5. $1.00 — $0.20 = $0.80 ; $0.80 × .015 = .012 commission
   on each bill of $1 ; $0.80 + $0.012 = $0.812 = the
   cost per cent. of the bills ;   .812 × $200 = $162.40 the
   amount lost on the worthless bills ; $162.40 + $364 =
   $526.40 = sum which must accrue from the bills sold at
   par to make a net gain of $364 ; $526.40 ÷ .188 (the
   gain on each bill of $1 sold at par) = $2800 = amount
   of bills sold at par ; $2800 + $200 (amount of the
   worthless bills) = $3000, Ans.

6. $5640 — $76.50 = $5563.50 = proceeds of cotton *minus*
   the storage ; $5563.50 — $5422.50 (sum remitted) =
   $141 commission ; $141 ÷ 5640 = .02½ the per cent.
   of commission, Ans.

7. The horse was bought for 70 per cent of his real worth ; and
   .70 × .75 = .525 ; that is, the horse was sold for 52½
   per cent. of his original worth, which is a loss of 1.00 —
   .525 = 47½ per cent. ; but by the question 47½ per cent.

of the original value = \$55; therefore $47\frac{1}{2}$: \$55 : : $52\frac{1}{2}$: \$60.78$\frac{18}{63}$, the sum received for the horse, Ans.

8. \$35 ÷ 1.04 = \$33.65,3$\frac{11}{13}$ present worth of \$35; \$33-65,3$\frac{11}{13}$ — \$30 = \$3.65,3$\frac{11}{13}$ gain, Ans.

9. 63gal. — 15gal. = 48gal.; \$2.21,6$\frac{2}{3}$ × 48 = \$106.40, price sold at; \$112 — \$106.40 = \$5.60 loss; \$112 : \$5.60 : : 100 : 5 per cent. loss, Ans.

10. 63gal. — 15gal. = 48gal. left: \$2.21,6$\frac{2}{3}$ × 48 = \$106-.40; \$106.40 ÷ .95 = \$112, Ans.

11. \$9.00 × .90 = \$8.10, what 1bbl. of the damaged flour is sold for; \$8.10 × 25 = \$202.50, proceeds from 25bbl. of damaged flour; \$9.50 × 25 = \$237.50; \$202.50 + \$237.50 = \$440, the avails of the flour; \$9 × 50 = \$450, cost of the flour; \$450 — \$440 = \$10 loss, Ans.

12. \$6135 ÷ 1.02$\frac{1}{4}$ = \$6000 = sum paid for the flour; \$6000 × 1.20 = \$7200; \$7200 — \$6135 = \$1065; \$1065 — \$31.63 (storage, &c.) = \$1033.37, Ans.

13. \$102.50 × 90 = \$9225 ÷ 2$\frac{1}{2}$ = \$3690, the sum remitted; \$3690 — \$90 = \$3600 ÷ 95 = 37T. 17cwt. 3qr. 14$\frac{9}{19}$lb., Ans.

PARTNERSHIP.

(ART. **417**, p. **309**.)

2. \$4000 ÷ 10000 = 40 per cent. gain; \$3000 × 40 = \$1200, Jones' part.
   \$2000 × .40 = \$800, Weston's part.
   \$5000 × .40 = \$2000, Sprague's part.

3. \$18780 : \$ 6780 : : \$2000 : \$ 722.044, C's part.
   \$18780 : \$12000 : : \$2000 : \$1277.956, D's part.

4. Harvey   \$2500 × .05 = \$125, Harvey's loss.
   Blake   \$3000 × .05 = \$150, Blake's loss.
   Horsford \$5500 × .05 = \$275, Horsford's loss.

14*

5. $ 332.50 — $ 120 = $ 212.50 to be divided between Elliott and Mahew; $ 850 : $ 212.50 : : $ 500 : $ 125, Elliott's share; $ 850 : $ 212.50 : : $ 350 : $ 87.50, Mahew's share, Griswold's gain will bear the same relation to his stock that Mahew's or Elliott's does; therefore $ 125 : $ 500 : : $ 120 : $ 480, the value of Griswold's stock.

6. $ 5000 + $ 6500 + $ 7500 = $ 19000, amount of stock; $ 19000 × .40 = $ 7600; $ 7600 × .90 = $ 6840, net gain.

$ 19000 : $ 5000 : : $ 6840 : $ 1800, A's gain, ⎫
$ 19000 : $ 6500 : : $ 6840 : $ 2340, B's gain, ⎬ Ans.
$ 19000 : $ 7500 : : $ 6840 : $ 2700, C's gain, ⎭

7. $ 40000 capital; $ 2000 + $ 4500 + $ 2500 + $ 1500 = $ 10500 = whole gain.

$ 10500 : $ 2000 : : $ 40000 : $ 7619.04$\frac{16}{21}$ A's, ⎫
$ 10500 : $ 4500 : : $ 40000 : $ 17142.85$\frac{15}{21}$ B's, ⎬ Ans.
$ 10500 : $ 2500 : : $ 40000 : $ 9523.80$\frac{20}{21}$ C's, ⎪
$ 10500 : $ 1500 : : $ 40000 : $ 5714.28$\frac{12}{21}$ D's, ⎭

8. $ 7500 gains $ 1000 + $ 500 = $ 1500, which is 20 per cent. on the principal; hence,

$ 2000 × .20 = $ 400, A's gain, ⎫
$ 3000 × .20 = $ 600, B's gain, ⎬ Ans.
$ 400 + $ 600 + $ 500 = $ 1500, C's gain, ⎭

9. Let A = 1.00; then B = 1.50; C = 1.25; $ 30000 × .25 = $ 7500 whole profits; A + B + C = 3.75.

3.75 : 1.00 : : $ 7500 : $ 2000, A's gain, ⎫
3.75 : 1.50 : : $ 7500 : $ 3000, B's gain, ⎬ Ans.
3.75 : 1.25 : : $ 7500 : $ 2500, C's gain, ⎭

10. The fractions $\frac{1}{3}$, $\frac{1}{4}$, $\frac{1}{5}$, are as the fractions $\frac{20}{60}$, $\frac{15}{60}$, $\frac{12}{60}$, or as 20, 15, 12; 20 + 15 + 12 = 47; $\frac{20}{47}$ = Walker's, $\frac{15}{47}$ = Edwards', $\frac{12}{47}$ = Armstrong's share of the gain; but Armstrong's is divided between Walker and Edwards, and Walker's share is to Edwards' as 20 to 15; hence

Walker's share is $\frac{2\,9}{4\,7} + \frac{3\,9}{4\,8}$ of $\frac{1\,2}{4\,7} = \frac{4}{7}$; and Edwards' share is $\frac{1\,2}{4\,7} + \frac{1\,5}{4\,8}$ of $\frac{1\,2}{4\,7} = \frac{3}{7}$; then

$\frac{4}{7}$ of $\$50000 = \$28571.42\frac{4}{7}$ Walker's, $\Big\}$ Ans.
$\frac{3}{7}$ of $\$50000 = \$21428.57\frac{4}{7}$ Edwards', $\Big\}$

(ART. **418**, p. **311**.)

2.   BY ANALYSIS.

$\$3200$ for 12 months is the same as $\$38400$ for 1 month; and $\$4200$ for 8 months is the same as $\$33600$ for 1 month. Therefore the whole stock may be considered $\$38400 + \$33600 = \$72000$. Goodwin's share of the profit will therefore be $\frac{38400}{72000} = \frac{8}{15}$ of $\$240 = \$128$; Blunt's share will be $\frac{33600}{72000} = \frac{7}{15}$ of $\$240 = \$112$, Ans.

FORM OF STATEMENT.

$\$3200 \times 12 = \$38400$, G's product.
$\$4200 \times 8 = \$33600$, B's product.
$\overline{\$72000}$

$\$72000 : \$38400 : : \$240 : \$128$, G's gain, $\Big\}$ Ans.
$\$72000 : \$33600 : : \$240 : \$112$, B's gain, $\Big\}$

3.   BY ANALYSIS.

24 oxen for 8 weeks is 1 ox for 192 weeks; 18 oxen for 12 weeks is 216 oxen for 1 week; and 12 oxen for 10 weeks is 1 ox for 120 weeks. The amount of pasturing is $192 + 216 + 120 = 528$ weeks. A's share is $\frac{192}{528} = \frac{4}{11}$ of $\$26.40 = \$9.60$; B's share is $\frac{216}{528} = \frac{9}{22}$ of $\$26.40 = \$10.80$; C's share is $\frac{120}{528} = \frac{5}{22}$ of $\$26.40 = \$6.00$, Ans.

FORM OF STATEMENT.

24 oxen $\times 8 = 192$ oxen.
18 oxen $\times 12 = 216$ oxen.
12 oxen $\times 10 = \underline{120}$ oxen.
528 oxen.

$528 : 192 : : \$26.40 : \$9.60$ what A pays, $\Big\}$
$528 : 216 : : \$26.40 : \$10.80$ what B pays, $\Big\}$ Ans.
$528 : 120 : : \$26.40 : \$6.00$ what C pays, $\Big\}$

(4.)

$$\$\,300 \times 5 = \$\,1500$$
$$\$\,400 \times 8 = \$\,3200$$
$$\$\,500 \times 3 = \underline{\$\,1500}$$
$$\$\,6200$$

$\$\,6200 : \$\,1500 : : \$\,100 : \$\,24.19\frac{11}{31}$ Barclay's, $\Big)$

$\$\,6200 : \$\,3200 : : \$\,100 : \$\,51.61\frac{9}{31}$ Hickman's, $\Big\}$ Ans.

$\$\,6200 : \$\,1500 : : \$\,100 : \$\,24.19\frac{11}{31}$ Oliver's, $\Big)$

5. $\$\,21 + \$\,40 + \$\,24 = \$\,85$, whole gain; and

$\frac{21}{85} = $ A's for 7mo., and $\frac{21}{85} \div 7 = \frac{3}{85}$, A's for 1mo.

$\frac{40}{85} = $ B's for 8mo., and $\frac{40}{85} \div 8 = \frac{5}{85}$, B's for 1mo.

$\frac{24}{85} = $ C's for 12mo., and $\frac{24}{85} \div 12 = \frac{2}{85}$, C's for 1mo.

$\frac{3}{85} + \frac{5}{85} + \frac{2}{85} = \frac{10}{85}$; hence

$\frac{10}{85} : \frac{3}{85} : : \$\,1000 : \$\,300 = $ A's capital, $\Big)$

$\frac{10}{85} : \frac{5}{85} : : \$\,1000 : \$\,500 = $ B's capital, $\Big\}$ Ans.

$\frac{10}{85} : \frac{2}{85} : : \$\,1000 : \$\,200 = $ C's capital, $\Big)$

6. Let $100 = $ gain of each; $100 + 100 = 200$, gain of both.

$\frac{100}{200} = $ White's gain in 12mo., and $\frac{100}{200} \div 12 = \frac{2}{48}$, White's gain in 1mo.

$\frac{100}{200} = $ D's gain in 8mo., and $\frac{100}{200} \div 8 = \frac{3}{48}$, D's gain in 1mo.

$\frac{2}{48} + \frac{3}{48} = \frac{5}{48}$, gain of both in 1mo., or in any equal time.

$\frac{5}{48} : \frac{2}{48} : : \$\,6300 : \$\,2520$, White's capital, $\Big)$

$\frac{5}{48} : \frac{3}{48} : : \$\,6300 : \$\,3780$, Daniel's capital, $\Big\}$ Ans.

(7.)

$\$\,4000 \times 4 = 16000$ $\$\,3000 \times 10 = 30000$

500 1500

$\overline{4500} \times 12 = 54000$ $\overline{1500} \times 4 = 6000$

1000 3000

$\overline{3500} \times 4 = 14000$ $\overline{4500} \times 6 = 27000$

A's product $= \overline{84000}$ B's product $= \overline{63000}$

$2000 × 6 = 12000
2000
———
4000 × 8 = 32000   A's product, 84000
2000   B's product, 63000
———   C's product, 74000
6000 × 2 = 12000   ———
1500   221000
———
4500 × 4 = 18000
C's product = 74000

$221000 : $84000 :: $4420 : $1680, A's gain, ⎫
$221000 : $63000 :: $4420 : $1260, B's gain, ⎬ A⸱ .
$221000 : $74000 :: $4420 : $1480, C's gain, ⎭

(8.)

$12000 × 6 = 72000 $18000 × 6 = 108000
2500   2500
———   ———
9500 × 3 = 28500   15500 × 3 =   46500
1000   6000
———   ———
8500 × 3 = 25500   9500 × 3 =   28500
G's product = 126000   T's product = 183000

126000 + 183000 = 309000, sum of products.

$8500 + 9500 = 18000; 18000 — 15000 = $3000, whole loss.

$3000 × $\frac{126000}{309000}$ = 1223.30\frac{10}{103}$, G's loss ; $3000 × $\frac{183000}{309000}$
    = 1776.69\frac{93}{103}$, T's loss.

$8500 — 1223.30\frac{10}{103}$ = 7276.69$\frac{93}{103}$, G's share ; $2500 —
    1776.69\frac{278}{309}$ = 7723.30\frac{10}{103}$, T's share.

(9.)

$4000 ×   6 = 24000 $3500 ×   8 = 28000
2000   1500
———   ———
2000 × 18 = 36000   2000 × 16 = 32000
J's product = 60000   E's product = 60000

$2500 × 10 = 25000   J's product 60000
2000   E's   "   60000
———   B's   "   88000
4500 × 14 = 63000   ———
B's product = 88000   208000

$$208000 : 60000 :: \$1041.80 : \$300.51\tfrac{12}{13}, \text{ J's,}$$
$$208000 : 60000 :: \$1041.80 : \$300.51\tfrac{12}{13}, \text{ E's,} \Big\} \text{ Ans.}$$
$$208000 : 88000 :: \$1041.80 : \$440.76\tfrac{2}{13}, \text{ B's,}$$

10. This problem may be solved by analysis, thus: $10000 gain $22.50 in 12mo., and gain $\tfrac{2250}{12} = \$187.50$ in 1mo., and $\tfrac{187.50}{10000} = .01875$, the gain of $1 in 1mo.; and $2800 $\times$ .01875 $= \$52.50 =$ Parkman's gain in 1mo.; and $420 \div 52.50 = $8mo., the time Parkman's money was in trade; and $3600 $\times$ .01875 $= \$67.50$, Delano's gain in 1mo.; hence, $405 \div 67.50 = 6$, the number of months Delano's money was in trade. To get the rate per cent., divide the gain for 1y. by the capital, $2250 \div 10000 = .22\tfrac{1}{2}$ per cent., Ans.

The problem may be solved by Art. 360. Obtaining the rate per cent. as before, divide the gain by the interest of the principal for one year.

$2800 $\times$ .22$\tfrac{1}{2} = \$630$; $420 \div 630 = \tfrac{2}{3}$y. $=$ 8mo., P's time.
$3600 $\times$ .22$\tfrac{1}{2} = \$810$; $405 \div 810 = \tfrac{1}{2}$y. $=$ 6mo., D's time.

BANKRUPTCY.

(Art. **420**, p. **313**.)

2. $52384 — $1584 $= \$50800$; $50800 \div 63500 = .80$; $8361.55 $\times$ .80 $= \$6689.24$, amount received by Dayton, Ans.

3. $600 + $760 + $840 + $800 $= \$3000$; $2275 \div 3000 $= \$0.75\tfrac{5}{6}$, the amount paid on $1;

$$\left. \begin{array}{l} \$600 \times .75\tfrac{5}{6} = \$455.00, \text{ A's dividend,} \\ \$760 \times .75\tfrac{5}{6} = \$576.33\tfrac{1}{3}, \text{ B's } \quad `` \\ \$840 \times .75\tfrac{5}{6} = \$637.00, \text{ C's } \quad `` \\ \$800 \times .75\tfrac{5}{6} = \$606.66\tfrac{2}{3}, \text{ D's } \quad `` \end{array} \right\} \text{ Ans.}$$

4. $400 + $300 + $1000 $= \$1700$; $600 \div 1700 = .35\tfrac{5}{17}$;

$$\left. \begin{array}{l} \$ \ 400 \times .35\tfrac{5}{17} = \$141.17\tfrac{11}{17}, \text{ A's share,} \\ \$ \ 300 \times .35\tfrac{5}{17} = \$105.88\tfrac{4}{17}, \text{ B's } \quad `` \\ \$1000 \times .35\tfrac{5}{17} = \$352.94\tfrac{2}{17}, \text{ C's } \quad `` \end{array} \right\} \text{ Ans.}$$

5. $180000+$40000+$12875 = $232875, and this amount contains both the sum distributed to the creditors and the 3½ per cent. charges; therefore, $282875 ÷ 1.03½ = $225000 = the amount distributed to the creditors; and 225000 ÷ 300000 = .75, the per cent. paid; $1360.60 × .75 = $1020.45, amount received by Henderson, Ans.

TAXES.

(Art. **425**, p. **316**.)

2. $1310 × .005 = $ 6.55, amount on F's property.
   $1.50 × 7 = $10.50, Forster's poll tax.
   $17.05, Forster's tax, Ans.

3. $415.35 × .005 = $2.07675, Ans.

4. $3506300 = ———, taxable property;
   $14018.90 — $3500 = $10518.90, to be assessed on property;
   $10518.90 ÷ 3506300 = .003 = tax on $1;
   $29010 × .003 = $87.03 = A's property tax;
   $87.03 + $2 = $89.03 = amount of A's tax, Ans.

(Art. **426**, p. **316**.)

2. $10450 ÷ .95 = $11000, Ans.

3. $9700 ÷ .97 = $10000 = assessment; $10000 — $9700 = $300 = cost of collection, Ans.

4. $756000 = ———, taxable property;
   $18000 ÷ .97 = $18556.70 = amount of tax to be raised;
   $1.50 × 450 = $675 = amount assessed on the polls;
   $18556.70 — $675 = $17881.70 = amount to be assessed on the property;
   $17881.70 ÷ 756000 = $0.0236 (nearly), tax on each dollar.

$15600 \times .0236 = 368.16, A's property tax;

$1.50 \times 3 = 4.50, A's poll tax;

$368.16 + $4.50 = 372.66, amount of A's tax, Ans.

(ART. 427, p. 317.)

2. $500 + $150 + $30 = 680, amount of expenditures;

$680 - $350 = 330, amount of rate money;

$330 \div 5500 = 0.06, rate per day;

$60 + 60 + 30 = 150$ days' attendance for A;

$150 \times 0.06 = 9, A's bill, Ans.

3. $150 + $18.50 = 168.50, amount of expenditures;

$168.50 - $63.50 = 105, amount of rate money;

$105 \div 3000 = 0.035, rate per day for each pupil;

$121 \times 0.035 = 4.235, A's rate bill, } Ans.

$173 \times 0.035 = 6.055, B's rate bill, }

GENERAL AVERAGE.

(ART. 432, p. 320.)

(2.)

CONTRIBUTORY INTERESTS.		LOSS FOR GENERAL BENEFIT.	
Vessel,	$31500	Thrown overboard,	$6500
Cargo,	6235	Repairs less ⅓,	700
Freight less ½,	2080	Cost of detention,	142
Entire contrib. int.,	$39815	Entire loss,	$7342

$7342 \div 39815 = .18\frac{1}{2}$ (nearly), the loss per cent.;

$31500 \times .18\frac{1}{2} = 5827.50, am't payable by vessel;

$2080 \times .18\frac{1}{2} = $ 384.80$, am't payable by freight;

$2145 \times .18\frac{1}{2} = $ 396.825$, am't pay'e by Manning & Bro.;

$1460 \times .18\frac{1}{2} = $ 270.10$, am't pay'e by Anderson & Fiske;

$960 \times .18\frac{1}{2} = $ 177.60$, am't payable by Smidt & Huber;

$670 \times .18\frac{1}{2} = $ 123.95$, am't pay'e by Greenwood & Co.;

$1000 \times .18\frac{1}{2} = $ 185.00$, am't payable by A., R., & H.

EQUATION OF PAYMENTS.

(ART. **435**, p. **322**.)

3. $200 to be paid in 3 months is the same as $100 in 6 months; and $300 in 5 months is the same as $100 in 15 months; and $500 in 10 months is the same as $100 in 50 months. If, then, $100 is to be paid in 6 + 15 + 50 = 71 months, $1000 should be paid in $\frac{1}{10}$ of 71 months = $\frac{71}{10}$ = 7mo. 3da., Ans.

OPERATION.

$$\begin{array}{rcl} \$ \ 200 \times \ 3 &=& 600 \\ \$ \ 300 \times \ 5 &=& 1500 \\ \$ \ 500 \times 10 &=& 5000 \\ \hline \$ \ 1000 & & 1000)\overline{7100}(7\tfrac{1}{10} \text{ months, Ans.} \\ & & \underline{7000} \\ & & 100 \end{array}$$

4. $2000 ×

$$\begin{array}{rcl} 500 \times 12 &=& 6000 \\ 4000 \times 24 &=& 96000 \\ \hline 6500 & & 102000 \end{array}$$

102000 ÷ 6500 = $15\tfrac{9}{13}$mo. = 15mo. $20\tfrac{10}{13}$da., Ans.

5. $50 to be paid in 2 months is the same as $100 in 1 month; $150 in 8 months is the same as $100 in 12 months. The equated time, then, will be as if $100 were to be paid in 1 month, $100 in 5 months, and $100 in 12 months; that is, $100 in 1 + 5 + 12 = 18 months; consequently $300 in $\frac{1}{3}$ of 18 months = 6 months, Ans.

OPERATION.

$$\begin{array}{rcl} \$ \ 50 \times 2 &=& 100 \\ \$ 100 \times 5 &=& 500 \\ \$ 150 \times 8 &=& 1200 \\ \hline \$ 300 & & 300)\overline{1800}(6 \text{ months, Ans.} \\ & & \underline{1800} \end{array}$$

15

6. The first bill due is that for $600, on May 1.

        Due May 1, $600
        "   July 7,   370 × 67 =   24790
        "   July 15,   560 × 75 =   42000
        "   Oct. 20,   420 × 172 =   72240
                   1950   139030

139030 ÷ 1950 = 71 days, nearly; May 1 + 71 days =
July 11, Ans.

7. The first bill due is that for $675.25, on June 1, 1855.

        Due June 1, $675
        "   Nov. 4,   376 × 156 =   58656
        '   "   25,   822 × 177 = 145494
               1856.
        Due June 1,   961 × 366 = 351726
        "   Apr. 1,   145 × 305 =   44225
        "   Aug. 10,   811 × 436 = 353596
        "   "   12,   568 × 438 = 248784
        "   "   15,   370 × 441 = 163170
                   4728   1365651

1365651 ÷ 4728 = 289 days; June 1, 1855 + 289 days
= March 16, 1856, Ans.

(Art. 436, p. 324.)

2. As ½ of $144 is paid 7 months before it is due, it is evident
the remainder, $72, is payable in 14 months; but $48 of
this sum is paid in 4 months, which is 10 months before it
is due. There will then remain $24 unpaid; and the
question will be, How long may $24 be kept to pay the
interest of $72 for 10 months? $72 for 10 months is
the same as $1 for 720 months; and $1 for 720 months
is the same as $24 for $\frac{1}{24}$ of 720 months = 720 ÷ 24 =
30 months. To the 30 months we add the 4 months, and
we have the whole equated time; thus, 30 + 4 = 34
months = 2y. 10mo., Ans.

$$\underline{144 \times 7} = 1008$$
$$72$$
$$\underline{48} \times 4 = \underline{192}$$
$$120 \qquad 24)816(34\text{mo.} = 2\text{y.}\,10\text{mo., Ans.}$$
$$24 \qquad 72$$
$$\overline{96}$$
$$96$$

3. The payments in this problem were not due before Nov. 23, 1856; the days are reckoned from the time each payment was made to the end of 8 months, Nov. 23.

$$\$\,8000$$

Paid April 5, $\overline{1200} \times 232 = 278400$

"   July   4, $1500 \times 142 = 213000$

"   Sept. 25, $1800 \times 59 = 106200$

"   Oct.   1, $1000 \times 53 = 53000$

"   Nov. 20, $\underline{500} \times 3 = \underline{1500}$

$$6000 \qquad\qquad 652100$$

Balance unpaid, $\$\,2000$

$652100 \div 2000 = 326$ days; Nov. 23, 1856 $+$ 326 days $=$

[Oct. 15, 1857, Ans.

4. $\$\,133\frac{1}{3}$ in 2 months is the same as $\$\,1$ in $266\frac{2}{3}$ months; and $\$\,266\frac{2}{3}$ in 3 months is the same as $\$\,1$ in 800 months; $\$\,400$ in 6 months is the same as $\$\,1$ in 2400 months; and $\$\,1$ in $266\frac{2}{3} + 800 + 2400 = 3466\frac{2}{3}$ months is the same as $\$\,800$ for $\frac{1}{800}$ of $3466\frac{2}{3}$ months $= 3466\frac{2}{3} \div 800 = 4\frac{1}{3}$ months. And if $\frac{1}{2}$ of $\$\,800$ be paid down, the remainder, $\$\,400$, may be kept twice $4\frac{1}{3}$ months $= 8\frac{2}{3}$ months, Ans.

OPERATION.

$$\$133\tfrac{1}{3} \times 2 = 266\tfrac{2}{3}$$
$$266\tfrac{2}{3} \times 3 = 800$$

$$
\begin{array}{l}
\underline{400 \ \times 6 = 2400} \\
800 \qquad 400)3466\tfrac{2}{3}(8 \text{ months.} \\
\underline{400} \qquad\ \ 3200 \\
400 \qquad\ \ \overline{\ 266\tfrac{2}{3}} \\
\qquad\qquad\quad\ \ 30 \\
\qquad\ 400)8000(20 \text{ days.} \\
\qquad\qquad\ 800 \\
\qquad\qquad\ \overline{\quad 0}
\end{array}
$$

5. The payments made in this bill were not due before March 25, 1857, 6 months from Sept. 25, 1856.

1856.   3051

Paid Oct.   4, $\overline{476 \times 172}$ = 81872
"   Nov. 12,   375 × 133 = 49875
"   Dec.   5,   800 × 110 = 88000

1857.

"   Jan.   1, 200 ×   83 = 16600
$$\qquad\qquad\qquad \overline{1851} \qquad\quad \overline{236347}$$

Balance unpaid, $1200

236347 ÷ 1200 = 197 days, nearly; March 25, 1857 + 197
                            [days = Oct. 8, 1857, Ans.

AVERAGING OF ACCOUNTS.

(ART. 438, p. 327.)

2. The first item in this account was due July 4, 1855.

Days reckoned from July 4, 1855.			Days reckoned from July 4, 1855.		
July 4, $ 876			Aug. 10, $ 816 × 37 = 11692		
Aug. 20, 816 × 47 = 38852			Sept. 1, 675 × 59 = 39825		
Aug. 29, 178 × 56 = 9968			Sept. 25, 512 × 83 = 42496		
Sept. 25, 387 × 83 = 32121			Nov. 20, 162 × 139 = 22518		
Dec. 5, 419 × 154 = 64526			Dec. 1, 100 × 150 = 15000		
$ 2176 144967			$ 1765 181531		

$2176 — $1765 = $411, difference of items; 144967 — 131531 = 13436, difference of products; 13436 ÷ 411 = 32 + days; July 4, 1855 + 33 days = Aug. 6, 1855, Ans.

3. The first item due in this account is the cash payment of $700, April 1; from this date the time is reckoned.

Due 1856.			Due 1856.		
Sept. 1,	$721 × 153 =	110313	April 1,	$700	
Sept. 20,	815 × 172 =	140180	Nov. 30,	570 × 248 =	188510
Oct. 11,	588 × 193 =	113484	July 20,	500 × 110 =	55000
Oct. 30,	300 × 212 =	63600	Sept. 25,	100 × 177 =	17700
Dec. 15,	625 × 258 =	161250	1857.		
1857.			Mar. 30,	750 × 363 =	272250
Jan. 13,	560 × 292 =	163520	April 30,	330 × 394 =	130020
*Feb. 28,	685 × 333 =	228105	May 20,	500 × 414 =	207000
Mar. 25,	365 × 358 =	130670	$3450		820480
$4659		1111122			

1111122 — 820480 = 290642, balance of products;

$4659 — $3450 = $1209, balance of the items;

290642 ÷ 1209 = 240 days; 240 days forward from April 1, 1856 = November 27, 1856, Ans.

* See note 2, p. 350, National Arithmetic.

4. In this problem the time is reckoned from the first date in the account to the date of each item, it being due from date.

1856. (Time from March 1.)			1856. (Time from April 1.)		
Mar. 1,	$36.25		April 1,	$48.25	
April 7,	18.15 × 87 =	671.55	May 20,	90.10 × 49 =	4414.90
June 15,	48.26 × 106 =	5115.56	June 17,	12.50 × 77 =	962.50
July 21,	91.20 × 142 =	12950.40	July 4,	20.00 × 94 =	1880.00
Aug. 1,	80.00 × 153 =	4590.00	July 10,	25.00 × 100 =	2500.00
$228.86		23327.51	$195.85		9757.40

23327.51 ÷ 223.86 = 104 days; March 1 + 104 days = June 13;

9757.40 ÷ 195.85 = 50 days, nearly; April 1 + 50 days = May 21;

15*

June 13 is the average time of the debit items becoming due; and May 21 is the average time of the credit items becoming due. From May 21 to June 13 = 23 days = difference between the average dates; then the amount of the smaller side, 195.85 × 23 = 4504.55; 4504.55 ÷ 28.01 (= 223.86 — 195.85, balance of the account) = 161 days nearly; hence, June 13 (the average date of the larger size) + 161 days = Nov. 21, 1856, Ans.

$223.86 — $195.85 = $28.01, balance due Nov. 21; $28.01 ÷ 1.01 (the amount of $1 from Sept. 21, 1856, to Nov. 21, 1856) = $27.73, the cash value of balance, Sept. 1, 1856, Ans.

5. In the adjustment of this account, the time is reckoned for the debit items from the first date; after ascertaining the average time of payment, the 8 months of credit are added.

1856.		
May 1,	$ 300	
July 7,	760 × 67 =	50920
Sept. 11,	417 × 133 =	55461
Nov. 25,	288 × 208 =	59904
Dec. 20,	571 × 233 =	133043
	$ 2336	299328

1857.		
Jan. 1,	$ 500	
*Oct. 18,	482 × 290 =	139780
Mar. 19,	750 × 77 =	57750
April 1,	210 × 90 =	18900
May 25,	100 × 144 =	14400
	$ 2042	230830

299328 ÷ 2336 = 128 days; May 1 + 128 days = Sept. 6, 1856.

230830 ÷ 2042 = 113 days; Jan. 1 + 113 days = April 24, 1857.

Sept. 6, 1856, is the average date of the debits; and Sept. 6, 1856 + 8 mo. = May 6, 1857, the average time of the debits becoming due; April 24 is the average time of the credits becoming due. The difference between April 24 and May 6 is 12 days; 2042 (amount of smaller side) × 12 = 24504; 24504 ÷ 294 (balance of the account)

* Due Oct. 18.

= 83 days; May 6 (average time of the larger side) +
83 days = July 28, 1857, Ans.

Also, what will be the value of the balance on Nov. 28, 1857?
$294 is the balance; from July 28 to Nov. 28 are 4
months; the amount of $294 for 4 months = $294 ×
1.02 = $299.88, Ans.

6. In this problem the first item of debits becoming due is that
of $560, on June 1; and the first item of credits becom-
ing due is that of $100, cash paid June 20.

Due June 1, $560.			Due June 20, $100.		
846 × 71 =	60066		820 × 119 =	97580	
728 × 111 =	80808		350 × 79 =	27650	
400 × 59 =	23600		800 × 56 =	44800	
560 × 345 =	193200		630 × 271 =	170730	
600 × 200 =	120000		400 × 130 =	52000	
500 × 343 =	171500		750 × 254 =	190500	
$4194	649174		$3850	583260	

649174 ÷ 4194 = 155 days; June 1 + 155 days = Nov. 3,
1856.

583260 ÷ 3850 = 151 days; June 20 + 151 days = Nov. 18,
1856.

Nov. 18 — Nov. 3 = 15 days, the difference between the ave-
rage date of the debits and credits becoming due; 3850
(the amount of the smaller side) × 15 = 57750; 57750
÷ 344 (the balance of the account) = 168 days. Since
the amount of the larger side becomes due first, Nov. 3,
the 168 days must be counted backward from that date;
therefore, Nov. 3, 1856 — 168 days = May 19, 1856,
Ans.

The time from this date to the time of settlement, 12mo. 5da.;
therefore, $344 × 1.060⅚ = $364.93, the value of the
balance, May 24, 1857, Ans.

(Art. **439**, p. **331**.)

ALFRED HICKS *in account with* KEEN & LEE.

<table>
<tr><td colspan="3">1857.</td><td colspan="3">1857.</td></tr>
<tr><td>Due July 1,</td><td>$ 156 × 153 =</td><td>23868</td><td>Due Feb. 1,</td><td>$ 120 × 303 =</td><td>36360</td></tr>
<tr><td>" Feb. 3,</td><td>100 × 301 =</td><td>30100</td><td>" July 20,</td><td>420 × 134 =</td><td>56280</td></tr>
<tr><td>" July 20,</td><td>317 × 134 =</td><td>42478</td><td>" Nov. 1,</td><td>300 × 30 =</td><td>9000</td></tr>
<tr><td>" " 30,</td><td>162 × 124 =</td><td>20088</td><td>" " 1,</td><td>50 × 30 =</td><td>1500</td></tr>
<tr><td>" May 15,</td><td>100 × 200 =</td><td>20000</td><td colspan="3">1858.</td></tr>
<tr><td colspan="3">1858.</td><td>" Feb. 20,</td><td>213 × 81 =</td><td>17253*</td></tr>
<tr><td>" Jan. 10,</td><td>100 × 40 =</td><td>4000*</td><td>$ 890</td><td></td><td>6)120398</td></tr>
<tr><td></td><td>$ 835</td><td>6)140534</td><td>100</td><td></td><td>20.065</td></tr>
<tr><td></td><td>218</td><td>23.422</td><td>$ 990</td><td></td><td></td></tr>
<tr><td></td><td>$ 1048</td><td></td><td></td><td></td><td></td></tr>
</table>

$ 1048 — $ 990 = $ 58 = balance of items.

$ 23.422 — $ 20.065 = $ 3.36 = balance of interest.

$ 58 + $ 3.36 = $ 61.36, balance due Dec. 1, 1857.

* These products becoming due after settlement, are transferred each to its opposite side ; but the items themselves must be added in their own places.

4. In finding the balance of this account, the time is reckoned from the date of each item, since it is due from date.

<table>
<tr><td>$ 200 × 264 =</td><td>52800</td><td>$ 300 × 248 =</td><td>74400</td></tr>
<tr><td>300 × 198 =</td><td>59400</td><td>350 × 222 =</td><td>77700</td></tr>
<tr><td>250 × 181 =</td><td>45250</td><td>400 × 205 =</td><td>82000</td></tr>
<tr><td>600 × 175 =</td><td>105000</td><td>320 × 144 =</td><td>46080</td></tr>
<tr><td>400 × 125 =</td><td>50000</td><td>600 × 109 =</td><td>65400</td></tr>
<tr><td>500 × 103 =</td><td>51500</td><td>100 × 95 =</td><td>9500</td></tr>
<tr><td>100 × 69 =</td><td>6900</td><td>200 × 52 =</td><td>10400</td></tr>
<tr><td>120 × 14 =</td><td>1680</td><td>150 × 25 =</td><td>3750</td></tr>
<tr><td>$ 2470</td><td>372530</td><td>$ 2420</td><td>369230</td></tr>
</table>

372530 — 369230 = 3300 ; 3300 ÷ 6000 = $ 0.55, balance of interest at 6 per cent. ; $ 0.55 ÷ 6 = $ 0.09⅙ ; $ 0.09⅙ × 7 = $ 0.64, balance of interest at 7 per cent. ;

Items of debit, $2470   Balance of items, $50
Items of credit, 2420   Balance of interest, 0.64
Balance of items, $50;   Bal. due Mar. 25, 1857, $50.64, Ans.

ACCOUNTS OF STORAGE.

(ART. 441, p. 333.)

2. 1857.   chests.   da.   prod.
     May 16, Rec.   4560 × 14 =   63840
      "   30, Deliv. 564
               Bal. 3996 × 2 =   7992
     June 1, Deliv. 904
               Bal. 3092 × 38 = 117496
     July 9, Deliv. 1000
               Bal. 2092 × 25 =   52300
     Aug. 3, Deliv. 1500
               Bal.   592 × 13 =   7696
      "   16, Deliv. 592   30)249324
          Chests chargeable for 1mo., 83108
   8310.8 × $0.03 = $249.32,4, cost of storage, Ans.

3. 1857.   Bales.   da.   prod.
     Jan.   1, Rec.   2310 × 15 = 34650
      "   16, "   120
                       2430 × 16 = 38880
     Feb.   1, Rec.   300
                       2730 × 11 = 30030
     Feb. 12, Deliv. 1000
                       1730 × 17 = 29410
     Mar.   1, Deliv. 600
                       1130 × 33 = 37290
     Apr.   3, Deliv. 400 (carried forward).

Apr.   8, Deliv.   400 (brought forward).
                   $\overline{730 \times 7 =}$ 5110
Apr. 10, Deliv.   312
                   $\overline{418 \times 21 =}$ 8778
May   1, In store, 418ba.   30)$\overline{184148}$.
      Bales chargeable for 1 month, 6138

6138 $\times$ $ 0.05. = $ 306.90, cost of storage up to May 1.

———

MISCELLANEOUS EXAMPLES.

(PAGE 333.)

1. The ratio of $ 1120, A's gain, to $ 3500, A's stock = $\frac{1120}{3500}$
   = $\frac{8}{25}$.
   The ratio of $ 880, B's gain, to $ 2200, B's stock = $\frac{880}{2200}$ =
   $\frac{10}{25}$.
   The ratio of $ 1200, C's gain, to $ 2500, C's stock = $\frac{1200}{2500}$
   = $\frac{12}{25}$.
   $\frac{10}{25} - \frac{8}{25} = \frac{2}{25}$ = the gain of 2mo., B's time more than A's;
   $\frac{2}{25} : \frac{8}{25} :: 2mo. : 8mo., A's time; $ 8 + 2 = 10mo., B's
   time;
   $\frac{2}{25} : \frac{12}{25} :: 2mo. : 12mo., C's time, Ans.

2. $ 540 + $ 660 = $ 1200; $ 540 $\div$ 1200 = 45cts. on $ 1;
   $ 15000 $\times$ .45 = $ 6750, paid by the bankrupt; then,
   $ 15000 — $ 6750 = $ 8250, Ans.

3. $ 64.50 — $ 1.50 = $ 63, A's property tax; $ 50.50 —
   $ 1.50 = $ 49, B's property tax; $ 63 $\div$ .007 = $ 9000,
   A's property; $ 49 $\div$ .007 = $ 7000, B's property, Ans.

4. $ 20 + $ 30 + $ 150 = $ 200, total expenses; $ 200 —
   $ 50 = $ 150, raised by tax; $ 150 $\div$ .03 = 5000, days
   of attendance, Ans.

5. Kimball's whole loss was made up *minus* a 5 per cent. tax on
   his share of the cargo; therefore, $ 7000 $\times$ .05 = $ 350,
   Ans.

6. $50 for 4mo. is $1 for 200mo.; and $100 for 8mo. is $1 for
   800mo. If, then, $1 is to be paid in 200 + 800 = 1000
   months, $150 should be paid in $\frac{1}{150}$ of 1000mo. = $\frac{1000}{150}$
   = 6⅔mo. It appears, then, that $150 is paid 6⅔mo.
   before it is due. The question now is, In how much *less*
   than 10mo. should the $250 be paid? As we have before
   shown that $1 is to be paid in 1000mo., $250 should be
   paid in $\frac{1}{250}$ of 1000mo. = 1000 ÷ 250 = 4mo. We
   find, then, that the time in which B is to pay A is 4mo. *less*
   than it otherwise would have been, on account of A's mak-
   ing present payment. We therefore subtract 4mo. from
   10, and find the true answer; thus 10 − 4 = 6mo., Ans.

<div align="center">

OPERATION.

50 × 4 = 200
100 × 8 = 800
─────
150   150)1000(6⅔mo.
            1000
            ─────

150 × 6⅔ = 1000 ÷ 250 = 4mo.
10 − 4 = 6mo., Ans.

(7.)
</div>

$\frac{1}{3} = \frac{4}{12}$ $\frac{4}{12} + \frac{3}{12} + \frac{2}{12} + \frac{3}{12} = \frac{12}{12}$

$\frac{1}{4} = \frac{3}{12} \times 6 = \frac{18}{12}$ $\frac{12}{12} + \frac{18}{12} + \frac{36}{12} = \frac{79}{12}$

$\frac{1}{6} = \frac{2}{12} \times 8 = \frac{16}{12}$ $\frac{79}{12} \div \frac{12}{12} = 5\frac{19}{12}$mo. =

$\frac{1}{4} = \frac{3}{12} \times 12 = \frac{36}{12}$ 5mo. 25da., Ans.

8. $2000 + his services are worth $800 per year; but $4000
   + his services are worth $1100 per year; therefore,
   $2000 are worth $300 per year; hence his services with-
   out the $2000 are worth $800 − $300 = $500, Ans.

9. $100 × 4 = 400   3600 ÷ 400 = 9mo. for $400;
   $100 × 8 = 800   200 : 400 : : 9 : 18mo. for $200;
   $200 × 12 = 2400   that is, $200 running 18mo. is
   ─────   ─────   equal to $400 running 9mo. If
   $400   3600   now 18 be divided into two parts,

one of which shall be twice as great as the other, we have 12 and 6; hence, if one note of $200 run 12mo., and the other note of $200 run 6mo., it will be equivalent to $200 in 18mo., or to $400 in 9mo.; therefore, in 6mo. and 12mo., Ans.

10. The question involved in this problem is, In what time will the interest of $360 be $3.78; $360 × .06 = $21.60, interest of $360 for 1y.; then, 3.78 ÷ 21.60 will be the time in years (Art. 360) = $\frac{378}{2160}$ = $\frac{7}{40}$y. = 2.1mo. = 63da., Ans.

INSURANCE.

(ART. 445, p. 335.)

2. $896 × .12 = $107.52, Ans.

3. $17289 × .01¼ = 216.11¼, Ans.

4. $35000 × ¾ × .03¼ = $682.50; and $75000 × ⅔ × .02½ = $1250; $1250 + $682.50 = $1932.50, the amount of premium, Ans.

5. The loss was what the insurance cost; therefore, $3675 × .04⅞ = $179.15⅝, the premium; $179.15⅝ + $1, the cost of the policy = $180.15⅝, Ans.

6. 690.90 ÷ 9870 = .07, Ans.

7. .04¼ + .03⅞ + .04⅜ + .05 + .05⅓ = .23⅛; $47600 × .23⅛ = $11007.50, Ans.

(ART. 446, p. 336.)

2. $26250 ÷ .87½ = $30000, Ans.

3. $6370 ÷ .98 = $6500, Ans.

4. In this problem the rate per cent. and interest are given, by which to find the principal; then (Art. 358), $50 ÷ .01¼ = $4000, Ans.

5. As the policy is 10 per cent. of $600, the property must be 90 per cent. of $600; therefore $600 × .90 = $540, Ans.

6. $1.00 - .03 = .97$; $1000 \div .97 = $1080.927+.$
   $1.00 - .05 = .95$; $1030.927 \div .95 = $1085.187+.$
   $1.00 - .06 = .94$; $1085.187 \div .94 = $1154.454+.$
   $1.00 - .07 = .93$; $1154.454 \div .93 = $1241.348+$
   Ans.

LIFE INSURANCE.

(ART. 454, p. 340.)

2. $8000 × .0114 = $91.20, Ans.

3. $78000 × .0491 = $3829.80, Ans.

4. $2000 × .0088 = $17.60, Ans.

5. $12000 × .0373 = $447.60, the annual premium; the insured died in the third year, so that this premium was paid for three years; therefore, $447.60 × 3 = $1342.80, and $12000 − $1342.80 = $10657.20, Ans.

6. 80y. − 50. = 30y., for which the annual premium was paid; $5000 × .046 = $230; $230 × 30 = $6900, the amount of premiums paid; therefore $6900 − $5000 = $1900, Ans.

7. The number of years the premium is paid is 4;
   $4000 × $\frac{5\cdot2\cdot0}{100}$ = $208, the annual premium;
   The interest of $1 for 4y., and 3y., and 2y., and 1y., is respectively .24 + .18 + .12 + .06 = .60; and $208 × .60 = $124.80, the amount of interest; $208 × 4 = $832, the amount of premium; $124.80 + $832 = $956.80; then, $4000 − $956.80 = $3043.20, Ans.

8. $10000 × .02 = $200, the annual premium.
   The last annual premium paid is not charged with interest; to shorten the work, we take the amount of $1 at compound interest from the table, for the periods of 11y., and 10y., and 9y., etc.; these added together give $15.869-947, which is the sum of the amounts of an annual premium of $1 for 11y.; a premium of $200 will be 200

16

times this = $ 15.869947 × 200 = $ 3173.9894 ; to this add the premium for the 12th year, which is not chargeable with interest ; $ 3173.9894 + $ 200 = $ 33-73.9894 ; and $ 10000 — $ 3373.9894 = $ 6626.01, Ans.

NOTE. — The work of this problem might be much shortened by referring to the table of Annuities later in the book.

CUSTOM-HOUSE BUSINESS.

(ART. **460**, p. **343**.)

2. $ 4350 × .08 = $ 348, Ans.

3. $ 7890 × .15 = $ 1183.50 ; $ 1183.50 × .19 = $ 224-.865, Ans.

4. 986 × 4.84 × .24 = $ 1145.3376, Ans.

5. 112.50 ÷ 750 = 15 per cent., Ans.

6. 60 × .95 × 70   = 3990fr., value of champagne ;
   36 × .95 × 35   = 1197fr., value of port ;
   50 × (31 — 1) × 4 = 6000fr., value of sherry ;
                        ―――――
                        11187

   11187 × .30 = 3356.1fr. duties ; 3356.1 × .18$\frac{6}{10}$ = $ 624.2346, Ans.

7. $53.76 ÷ .08 = $672 ; 60 × (112 — 12) = 6000lb. ;
      $672 ÷ 6000 = 11$\frac{1}{5}$ cts., Ans.

8. 40 × 63 × .98 = 2469.6gal. molasses charged with duty ;
   24 × 400 × .90 = 8640lb. sugar charged with duty ;

2469.6 ×	3 ×	10 × .24 =	$177.81
8640 ×	1 ×	5 × .24 =	103.68
260 ×	2 × .08	=	41.60
410 ×	7 × .30	=	861.00

   $1184.09, Ans.

9. 270 × $50 = $13500 ; $16740 — $13500 = $3240 ;
   3240 ÷ 13500 = .24, Ans.

10. Whole invoice $ 20560

$$\underline{3000} \times .04 = \$120.00$$
$$4200 \times .08 = \quad 336.00$$
$$2100 \times .15 = \quad 315.00$$
$$\underline{6000}$$
$$\$\overline{15300}$$

Bal. of invoice $ 5260 $\times$ .30 = $\underline{1578.00}$

$ 2349.00, Ans.

11. 10 $\times$ 40 $\times$ $\frac{A}{20}$ $\times$ .24 = 24 £.

    200 $\times$ $\frac{A}{20}$ $\times$ .19 = 7.6 £.

    100 $\times$ $\frac{2\frac{1}{2}}{20}$ $\times$ .15 = 1.875£.

    60 $\times$ .04   = $\underline{2.4 \quad £.}$

                   35.875£. $\times$ 4.84 = $ 173.635,

                                        [Ans.

12. 32 $\times$ 32 = 1024yds.; $ 122.88 $\div$ .24 = $ 512, invoice value of the cloth; $ 512 $\div$ 1024 = $ 0.50 per yard; $ 512 + $ 122.88, the cost of duties, + $ 40.96, other charges, = $ 675.84; $ 675.84 $\div$ 1024 = $ 0.66, cost per yard, Ans.

COINS AND CURRENCIES.

(Art. **470**, p. **348**.)

3. 46£. 16s. 6d. = 46.825£.; 46.825 $\div$ $\frac{2}{5}$ = $ 117.06$\frac{1}{4}$, Ans.

4. 1032 $\times$ $\frac{3}{8}$ = 387£., Ans.

5. 515.70 $\div$ 4 = 128.925£.; 128.925£. = 128£. 18s. 6d., Ans.

6. 160.50 $\times$ .18$\frac{6}{10}$ = $ 29.853, Ans.

7. 728.41 $\div$ 4.84 = 150$\frac{244}{484}$£. = 150£. 9s. 11$\frac{61}{121}$d., Ans.

8. 12£. 12s. = 12.6£.; 12.6 $\div$ $\frac{7}{30}$ = $ 54, Ans.

9. 128£. 18s. 6d. = 128.925£.; 128.925 × 4 = $515.70,
   Ans.

10. 740.45 × 0.75 = $555.83⅜, Ans.

11. 46£. 16s. 6d. = 46.825£.; 46.825 ÷ ⅖ = $117.06¼;
    117.06¼ × $\frac{3}{10}$ = 35.118¾£. = 35£. 2s. 4½d., Ans.

12. 151 × 1.12 = $169.12; 169.12 ÷ .10 = 1691.2 reals
    plate, Ans.

13. 1000 × 1.06 = $1060; 1060 ÷ 18$\frac{6}{10}$ = 5698$\frac{8}{9}\frac{8}{9}$ francs,
    Ans.

14. 30 × 30 × 15 = 13500s. sterling = 675£.; 675 × 4.84
    = $3267; 3267 ÷ 4 = 816.75£. = 816£. 15s. Canada
    currency, Ans.

15. 410 × .80 = $328; 328 ÷ .69 = 475$\frac{2}{6}\frac{5}{9}$ thalers, Ans.

EXCHANGE.

(ART. 493, p. 354.)

2. $1950.50 × 1.00¼ = $1955.37, Ans.

3. $2000 × 1.005 = $2010, Ans.

4. $1744.40 ÷ .98 = $1780, face of draft, Ans.

5. $600 × .99 = $594; $594 — $6.30 (the interest of $600
   for 63 days) = $587.70, Ans.

6. $9256.40 × 1.00⅜ = 9291.11; $9291.11 — $50.91 (the
   interest of $9256.40 for 33 days) = $9240.20, Ans.

7. Find the value of $1 at ⅜ per cent. premium, and interest
   off for 33 days at 6 per cent.; $1 × 1.00⅜ = $1.00375;
   $1.00375 — $0.0055 = $0.99825, the value of $1 by
   the conditions of the question; hence, as $0.99825 is to
   $1, so is $9240.20 to that sum of which $9240.20 is
   the value or yield; therefore, $9240.20 ÷ .99825 =
   $9256.39+, Ans.

8. The yield of $1, by the conditions of the question, is $0.982;
   then, $1190.184 ÷ .982 = $1212, Ans.

(ART. **499**, p. **357**.)

3. $3676 \div 5\frac{29}{100} = \$706.92\frac{4}{13}$, Ans.

4. $3000\frac{12}{98} \times 0.35 = \$1050.21\frac{7}{4}$, Ans.

5. $81727.75 \div 4.867 = 16792.223£. = 16792£.$ 4s. $5\frac{1}{4}$d., Ans.

6. $79000 \times .186 = \$14694$, the par value of 79000 francs; $\$14694 - \$14400.12 = \$293.88$; $293.88 \div 14694 = .02$, Ans.

7. $5763.75 \times 0.74 = \$4265.175$, Ans.

8. $550.66 \div 1.10 = 500\frac{6}{10}$ millreas = 500 millreas 600 reas, Ans.

9. $10000 \div .68 = 14705\frac{40}{68}$ thalers = 14705 thalers 26 groschen $5\frac{11}{17}$ pfennings, Ans.

10. $400\frac{12}{43} \times 1.06 = \$424.265$, Ans.

11. 300 thalers 20 groschen 0 pfennings $= 300.6\frac{11}{18}$ thalers; $300.6\frac{11}{18} \times .69 = \$207.47\frac{11}{12}$, Ans.

12. $5694 \div .40 = 14235$ rupees, Ans.

13. $615.60 \div .80 = 769.5$ ducats = 769 ducats 5 carlini, Ans.

14. $7300 \div 1500 = \$4.86\frac{2}{3}$; $4.86\frac{2}{3} - 4.44\frac{4}{9} = .42\frac{2}{9}$; $.42\frac{2}{9} \div 4.44\frac{4}{9} = .09\frac{1}{2}$, Ans.

15. $868£.$ 17s. 6d. $= 868.875£.$; $868.875 \times 23.60 = 20505.45$ francs = 20505 francs 45 centimes, Ans.

16. $2640 \div .18 = 14666.66\frac{2}{3}$ lire = 14666 lire $66\frac{2}{3}$ centesimi, Ans.

17. $17280 \div .186 = 92903\frac{7}{31}$ francs; $92903\frac{7}{31} - 88128 = 4775\frac{7}{31}$; $4775\frac{7}{31} \div 88128 = 5\frac{1995}{47431}$ per cent., Ans.

18. English money at $8\frac{1}{2}$ per cent. premium $= \frac{40}{9} \times 1.085 = \frac{43.4}{9} = \$4.82\frac{2}{3}$; $17000 \times 4.82\frac{2}{3} = \$81984.444$, Ans.

16*

ARBITRATION OF EXCHANGES.

(ART. 504, p. 361.)

(2.)

$$1m. = 5.95fr.$$
$$5.20fr. = \$1$$
$$\$3500 = --m.$$

$$\frac{1 \times 5.20 \times 3500}{1 \times 5.95} = 3058.823\tfrac{9}{17} \text{ millreas} = 3058 \text{ millreas}$$

$823\tfrac{9}{17}$ reas, Ans.

(3.)

EXCHANGE DIRECT.

$$\$4\tfrac{3}{8} = 1\pounds.$$
$$2000\pounds. = \$9777.777$$

EXCHANGE THROUGH PARIS.

$$\$1 = 5.20fr.$$
$$24fr. = 1\pounds.$$
$$2000\pounds. = \$9230.769$$

EXCHANGE THROUGH HAMBURG.

$$\$0.35 = 1 \text{ mar. banc.}$$
$$13\tfrac{3}{4} \text{ m. b.} = 1\pounds.$$
$$2000\pounds. = \$9625.$$

Exchange through Paris is better than exchange direct by $447.008 ; and better than exchange through Hamburg by $394.231.

4. $5000.00
      12.50, $\tfrac{1}{4}$ per cent. discount added ;

$5012.50, exchange value of $5000 at New Orleans, to be paid in New York;

$5012.50
      25.0625, $\tfrac{1}{2}$ per cent. of $5012.50 subtracted ;

$4987.4375, exchange value of $5012.50 at St. Louis, or New Orleans. The exchange being made through New Orleans, $4987.4375 in St. Louis will pay a debt of $5000 in New York; $5000 × 1.015 = $5075 = the amount that must be paid by direct exchange; therefore, $5075 — $4987.4375 = 87.56\tfrac{1}{4}$, Ans.

5. $4.84\frac{2}{3} = 1£.

  1£. = $\frac{4230}{17}$ thalers.

  9760th. = $6698.25+; $6698.25×1.005=$6731.74+

                   [Ans.

6. $0.34 = 1 mark banco.

 2$\frac{1}{4}$ m. b. = 1 ruble.

 —— = $650.

 $\dfrac{650}{.34 \times 2\frac{1}{4}} = 764\frac{14}{17}$ rubles = 764 rubles 70$\frac{14}{17}$ kopecks,

                   [Ans.

7.   By the question, $1 on Boston = 1.00\frac{1}{4}$ on Philadelphia, by direct exchange; and $1 on Boston = $1 on Chicago, and $1 on Chicago = $0.98 on Philadelphia; consequently, $1 on Boston = $0.98 on Philadelphia, by circuitous exchange; therefore, exchange on Boston through Chicago is better than direct exchange by the difference between 1.00\frac{1}{4}$ and $0.98 = 2$\frac{1}{4}$ per cent., Ans.

8.   8 guilders = 1 Amsterdam ell,

 1 ell = $\frac{27}{36} = \frac{3}{4}$yd., and   ⎫

 8 guilders = $3.20, and   ⎬ Amsterdam.

 $3.20 = $\frac{3}{4}$yd., or 4.26\frac{2}{3}$ =1yd. ⎭

 3$\frac{1}{2}$ thalers = 1 Berlin ell,

 1 ell = $\dfrac{25\frac{1}{2}}{36} = 1\frac{7}{24}$yd., and ⎫

               ⎬ Berlin.

 3$\frac{1}{2}$ thalers = 3$\frac{1}{2}$ × .66 = $2.31,

 $2.31 = 1$\frac{7}{24}$yd., or 3.26\frac{2}{17}$ = 1yd. ⎭

 1£. = 4.86\frac{2}{3}$; $\frac{15}{20}$ of 4.86\frac{2}{3}$ = $3.65, ⎫

                ⎬ England.

 $3.65 = 1yd., bought in England. ⎭

 Therefore, Berlin is better for the purchase than Amsterdam or England, by the difference between 3.26\frac{2}{17}$ and 4.26\frac{2}{3}$, or $3.65 respectively.

(9.)

$4.80 = 1£.

1£. = 25¼ francs.

7000 francs = $ ——

$$\frac{4.80 \times 7000}{25\frac{1}{4}} = \$1330.69, \text{ Ans.}$$

(10.)

1£. = 13⅓ guilders.

1g. = 2⅕ francs.

— francs = 1000£.

$$\frac{13\frac{1}{3} \times 2\frac{1}{5} \times 1000}{1} = 29333\frac{1}{3} \text{ francs; } 29333\frac{1}{3} - 146\frac{2}{3} (\frac{1}{2} \text{ per}$$

cent. commission) = 4186⅔ whole gain; 4186⅔ ÷ 25000

(1000£. × 25 = 25000 francs) = 16⁵⁶⁄₇₅ gain per cent., Ans.

———

ALLIGATION.

(Art. **506**, p. **363**.)

(2.)		(3.)

$1.00 × 19 = $19.00   22 × 3 = 66

 .66 × 40 =   26.40   20 × 3 = 60

 .50 × 11 =   5.50   6) ‾‾126‾‾

      ‾‾70)‾‾ $50.90   21, Ans.

        $0.727¼, Ans.

(4.)

70 × 20 = $14.00

60 × 15 =   9.00

40 × 80 = 32.00

    ‾‾115)‾‾ ‾‾55.00‾‾

         $0.47¹³⁄₂₃, Ans.

(ART. **509**, p. **365**.)

(2.)

$$80 \begin{cases} \text{1bu. at } 45, \text{ gain } 35 \\ \text{1bu. at } 75, \text{ gain } 5 \end{cases} = 40 \text{ gain.}$$
$$\begin{cases} \underline{\text{1bu. at 100, loss } 20 \quad = 20 \text{ loss}} \\ \text{1bu. at 100, loss } 20 \quad = 20 \text{ loss} \end{cases} = 40 \text{ loss.}$$

1bu. of barley, 1bu. of rye, and 2 of wheat, Ans.

(3.)

$$20 \begin{cases} \begin{cases} 1 \text{ of } 24, \text{ loss } 4 \\ 1 \text{ of } 23, \text{ loss } 3 \end{cases} = 7 \text{ loss.} \\ \begin{cases} 1 \text{ of } 19, \text{ gain } 1 \\ 1 \text{ of } 15, \text{ gain } 5 \end{cases} = 6 \text{ gain.} \\ \underline{1 \text{ of } 19, \text{ gain } 1 \quad = 1 \text{ gain}} \end{cases} = 7 \text{ gain.}$$

1 part of 24, 1 of 23, 1 of 15, and 2 of 19, Ans.

(4.)

$$75 \begin{cases} \begin{cases} 1 \text{ gal. at } \quad 0, \text{ gain } 75 \\ 1 \text{ gal. at } \quad 60, \text{ gain } 15 \end{cases} = 90 \text{ gain.} \\ \begin{cases} 1 \text{ gal. at } \quad 80, \text{ loss } \quad 5 \\ 1 \text{ gal. at } 120, \text{ loss } 45 \end{cases} \\ \underline{8 \text{ gal. at } \quad 80, \text{ loss } (8 \times 5) \, 40} \end{cases} = 90 \text{ loss.}$$

1 gal. of water, 1 of 60 cts., 1 of 120 cts., and 9 of 80 cts, Ans.

(ART. **510**, p. **366**.)

(2.)

$$100 \begin{cases} 20 \text{ at } \quad 0, 2000 \text{ gain} = 2000 \text{ gain.} \\ \begin{cases} 1 \text{ at } 175, \quad 75 \text{ loss} \\ 1 \text{ at } 125, \quad 25 \text{ loss} \end{cases} \\ \underline{19 \text{ at } 175, 1425 \text{ loss}} \\ 19 \text{ at } 125, \quad 475 \text{ loss} \end{cases} = 2000 \text{ loss.}$$

20 gallons of each price, Ans.

(3.)

$$190 \left\{ \begin{array}{l} \left. \begin{array}{l} \text{1 at 180, gain   10} \\ \text{10 at 170, gain 200} \end{array} \right\} = \text{210 gain.} \\ \left. \begin{array}{l} \text{4 at 220, loss 120} \\ \text{1 at 200, loss   10} \\ \hline \text{8 at 200, loss   80} \end{array} \right\} = \text{210 loss.} \end{array} \right.$$

9 bushels at $2.00; 1 bushel at $1.80, Ans.

(4.)

$$\left. \begin{array}{l} \text{1 at 8, gain } 4\frac{1}{2} \\ \text{3 at } 9\frac{1}{4}, \text{ gain } 9\frac{3}{4} \\ \text{4 at } 10\frac{1}{2}, \text{ gain 8} \end{array} \right\} = 22\frac{1}{4} \text{ gain.}$$

$$\left. \begin{array}{l} \text{1 at 13,   loss   } \frac{1}{2} \\ \text{6 at } 13\frac{1}{2}, \text{ loss   6} \\ \text{1 at 14,   loss } 1\frac{1}{2} \\ \hline 4\frac{1}{2} \text{ at 13, loss } 2\frac{1}{4} \\ \text{8 at 14, loss 12} \end{array} \right\} = 22\frac{1}{4} \text{ loss.}$$

Ans. 1lb. at 8 cts., 5½lb. at 13 cts., and 9lb. at 14cts.

. (5.)

$$50 \left\{ \begin{array}{l} \text{10 of 58, loss 80   } = \text{80 loss.} \\ \left. \begin{array}{l} \text{1 of 45, gain   5} \\ \hline \text{15 of 45, gain 75} \end{array} \right\} = \text{80 gain.} \end{array} \right.$$

Ans. 16 bushels of barley.

(ART. **511**, p. **367.**)

(2.)

$$15 \left\{ \begin{array}{l} \left. \begin{array}{l} \text{1 at 8, gain 7} \\ \text{1 at 10, gain 5} \\ \text{1 at 12, gain 3} \end{array} \right\} = \text{15 gain.} \\ \left. \begin{array}{l} \text{1 at 20, loss   5} \\ \hline \text{2 at 20, loss 10} \end{array} \right\} = \text{15 loss.} \end{array} \right.$$

$1 + 1 + 1 + 3 = 6$; sugar at 8, 10, and 12 cents, will be
each 1 part in 6; and sugar at 20 cents will be 3 parts
in 6; $\frac{1}{6}$ of 200 = 33⅓lb. of 8, 10, and 12 cents; $\frac{3}{6}$ of 200
= 100lb. of 20 cents, Ans.

(3.)

$$1.90 \left\{ \begin{array}{l} \text{10bu. at 1.70, gain 2.00} \quad = 2.00 \text{ gain.} \\ \underline{\text{4bu. at 2.20, loss } 1.20} \\ \text{8bu. at 2.00, loss } 0.80 \end{array} \right\} = 2.00 \text{ loss.}$$

$10 + 4 + 8 = 22$bu.; $48 - 22 = 26$bu. Then, as the gain on 1bu. at $1.80 equals the loss on 1bu. at $2.00, $\frac{1}{2}$ of $26 = 13$bu. $=$ the quantity at $1.80, and $13 + 8 = 21$bu. $=$ the quantity at $2.00, Ans.

(4.)

5lb. $= 60$oz.; 5oz. at 22 carats give a loss equal the gain on the 5oz. at 18 carats; and $5 + 5 = 10$oz.; $60 - 10 = 50$oz. Then,

$$20 \left\{ \begin{array}{l} \text{1oz. at 15, gain 5} \\ \text{1oz. at 17, gain 3} \end{array} \right\} = 8 \text{ gain.} \\ \text{4oz. at 22, loss } 8 \quad = 8 \text{ loss.}$$

$1 + 1 + 4 = 6$; $\frac{1}{6}$ of $50 = 8\frac{1}{3}$oz. $=$ the quantity at 15 carats, and at 17 carats; and $\frac{4}{6}$ of $50 = 33\frac{1}{3}$oz.; $33\frac{1}{3} + 5 = 38\frac{1}{3}$oz. $=$ the quantity at 22 carats, Ans.

(5.)

As 20 animals were bought for $20, the average price of them was $1.00.

$$100 \left\{ \begin{array}{l} \dfrac{\text{2 sheep at 400, loss } 600}{\text{1 sheep at 400, loss } 300} \right\} = 900 \text{ loss.} \\ \left. \begin{array}{l} \text{1 lamb at } 50, \text{ gain } 50 \\ \dfrac{\text{1 kid } \text{ at } 25, \text{ gain } 75}{\text{1 kid } \text{ at } 25, \text{ gain } 75} \\ \text{14 lambs at } 50, \text{ gain } 700 \end{array} \right\} = 900 \text{ gain.} \end{array} \right.$$

Ans. 3 sheep, 15 lambs, 2 kids.

MISCELLANEOUS EXAMPLES.

(Page 368.)

(1.)

$$97\frac{1}{2} \left\{ \begin{array}{l} \text{9 at } 80, \text{ gain } 157\frac{1}{2} \\ \underline{\text{1 at } 120, \text{ loss } \quad 22\frac{1}{2}} \\ \text{6 at } 120, \text{ loss } 135 \end{array} \right\} = 157\frac{1}{2} \text{ loss.}$$

$6 + 1 = 7$ men at $1.20, Ans.

2. 5000 rix dollars 12 skillings $= 5000\frac{1}{4}$ rix dollars; $5000\frac{1}{4}$
    $\times 1.06 = \$5300.265$, Ans.

3. If Sanford remits the amount, he buys a bill at Liverpool
on New Orleans, and pays 10 per cent. premium; but if
Lassale at New Orleans draws on Liverpool for the
amount, he receives the amount at only 8 per cent. pre-
mium; therefore the difference is the difference between
1£. at 10 per cent. premium ($\$4.88\frac{8}{9}$) and 1£. at 8 per
cent. premium ($\$4.80$) $= \$4.88\frac{8}{9} - \$4.80 = \$0.08\frac{8}{9}$,
and this difference multiplied by $1500\frac{3}{4}$; then $\$0.08\frac{8}{9} \times$
$1500\frac{3}{4} = \$133.40$, Ans.

4. $\$1.56$ is a gain of 20 per cent.; therefore $\$156 \div 1.20 =$
$\$1.30$, the actual value of the mixture; hence,

$$130 \begin{cases} 17 \text{ at } 126, \text{ gain } 68. \\ 7 \text{ at } \underline{\quad} \text{ loss } 68. \end{cases}$$

That is, 7 gallons cost so much that the loss, when sold at
130, was 68; then $68 \div 7 = 9\frac{5}{7}$cts. loss per gallon;
and $\$1.30 + \$0.09\frac{5}{7} = \$1.39\frac{5}{7}$, Ans.

5. 100 ounces 20 tari 10 graini $= 100.68\frac{1}{3}$ ounces; $100.68\frac{1}{3}$
    $\times 2.40 = \$241.64 \div .16 = 1510.25$ lire $= 1510$
lire 25 centesimi, Ans.

6.
         20 U. S. gal. $= 1$ eimer of Sweden.
          3 eimers of S. $= 4$ eimers of Trieste.
        24 eimers of T. $= 9$ ahms Danish.
        33 ahms D. $= 5$ carri of Naples.
        12 carri of N. $= \underline{\quad}$ U. S. gal.

$$\frac{20 \times 3 \times 24 \times 33 \times 12}{1 \times 4 \times 9 \times 5} = 3168\text{gal.}; \quad 3168 \times \$0.80$$

(value of 1 ducat) $= \$2534.40$, cost of 12 carri of wine.
Again,

           20 U. S. gal. $= 1$ eimer of Sweden.
            3 eimers of S. $= 4$ eimers of Trieste.
        170 eimers of T. $= \underline{\quad}$ U. S. gal.

$$\frac{20 \times 3 \times 170}{1 \times 4} = 2550 \text{gal.} \; ; \; 2550 \times \$0.84\frac{7}{8} \text{ (the value of}$$

1 florin 45 kreutzers in U.S. money) = $2164.31¼, cost of
170 eimers of Trieste; hence, 12 carri of wine will cost
$2534.40 — $2164.31¼ = $370.08¾ *more* than 170
eimers of Trieste of wine, Ans.

7. 60s. = 3£.; 3 × 4.80 = $14.40; $14.40 ÷ 8.25 (bu.
in 1qr.) = 1.74\frac{6}{11}$, the limited cost of a bushel delivered
in Liverpool; this sum *less* the freight will be the limited
cost of a bushel in Baltimore; 12d. = $\frac{12}{240}$ of 1£., of
$4.80 = $0.24; then, 1.74\frac{6}{11}$ — $0.24 = 1.50\frac{6}{11}$,
Ans.

8. 87 ÷ 1.16 = 75 cts., the actual value of the mixture.
Since there is a difference of 12 cts. per pound in the two
ingredients of the mixture, 11 pounds cancels eleven parts
of the difference, and the 5 pounds cancels five parts of
the difference; therefore, $\frac{11}{16}$ of 12 (the amount cancelled
by the 11 pounds) must be deducted from 75 in finding
the value of the 5 pounds per pound; 75 — $\frac{11}{16}$ of 12 =
66¾ cts., the value of each pound of the 5 pounds; 75 +
$\frac{5}{16}$ of 12 = 78¾ cts., the value per pound of the 11
pounds, Ans.

INVOLUTION.

		5.	$2\frac{1}{2}\frac{1}{3}$.
1.	512.	6.	15625.
2.	1024.	7.	$16\frac{12144}{15625}$.
3.	$\frac{27}{64}$.	8.	282475249.
4.	$50\frac{46}{81}$.	9.	.000004100625.

17

(Art. **516**, p. **370**.)		
2.	2097152.	
3.	40353607.	
4.	60466176.	
5.	281950621875.	
6.	$\frac{64}{729}$.	
7.	22071204.	
8.	36372961.	

9.	96889010407
10.	2176782336.
11.	205891132094649+.
12.	363.691179+.
13.	$\left\{\begin{array}{l} 157\frac{283}{1024}. \\ 1.800943+. \\ 116\frac{1321}{2401}. \end{array}\right.$

EVOLUTION.

EXTRACTION OF THE SQUARE ROOT.

(Art. **525**, p. **376**.)	
5.	1856.
6.	999.
7.	$\frac{7}{12}$.
8.	15.3.
9.	$6\frac{1}{4}$.
10.	.027.
11.	4.16.

12.	$7\frac{1}{4}$.
13.	$-\ 9\frac{3}{4}$.
14.	$19\frac{1}{13}$.
15.	1.4.
16.	81.
17.	27.
18.	64.
19.	3105671.

(Art. **526**, p. **378**.)	
2.	2.5298+.
3.	1.41421+.

4.	1.77482393+.
5.	19.3132079+.
6.	2.98831055+.

EXTRACTION OF THE CUBE ROOT.

(Art. **529**, p. **383**.)

3.	426.
4.	$\frac{5}{7}$.
5.	4.39.
6.	379.
7.	392.
8.	.899.

9.	478.
10.	$1\frac{1}{7}$.
11.	$3\frac{8}{11}$.
12.	327.
13.	4968.
14.	7583.

(Art. **530**, p. **383**.)

1.	1.2599+.	3.	1.442249+.
2.	2.2239+.	4.	2.08008382301904+.

EXTRACTION OF ANY ROOT.

(Art. **532**, p. **384**.)

(2.)	(3.)	(4.)
*3)998001	*2)262144	*3)43046721
3)332667	2)131072	3)14348907
*3)110889	2)65536	3)4782969
3)36963	*2)32768	3)1594323
*3)12321	2)16384	*3)531441
3)4107	2)8192	3)177147
*37)1369	*2)4096	3)59049
37)37	2)2048	3)19683
1	2)1024	*3)6561

$3 \times 3 \times 3 \times 37 = 999$,   *2)512   3)2187

[Ans.   2)256   3)729

2)128   3)243

*2)64   *3)81

2)32   3)27

2)16   3)9

*2)8   3)3

2)4   1

2)2 $3 \times 3 \times 3 \times 3 = 81$,

1   [Ans.

$2 \times 2 \times 2 \times 2 \times 2 \times 2 = 64$, Ans.

(5.)	(6.)
*3)14348907	*5)11390625
3)4782969	5)2278125
3)1594323	5)455625
3)581441	. 5)91125
3)177147	5)18225
*3)59049	5)3645
3)19683	*3)729
3)6561	3)243
3)2187	3)81
3)729	3)27
*3)243	3)9
3)81	3)3
3)27	1
3)9	$5 \times 3 = 15$, Ans.
3)3	
1 $3 \times 3 \times 3 = 27$, Ans.	

HORNER'S METHOD OF EXTRACTING ROOTS.

(Art. 533, p. 387.)

```
                    (3.)
0      0     41678648568(3467, Ans.
8      9     27                              (4.)
8      9     14678                0     0     48614208(852,
8     18     12304                8     9     27       [Ans.
6    2700    2869648              8     9     16614
8     876    2117786             8    18     15875
90    3076    251912563          6    2700   789208
4     392    251912563          8    475    789208
94   846800                     90    3175
4     6156                       5    500
98   352956                     95   867500
4     6192     (Brought up.)     5    2104
1020  35914800     1032         100   369604
6      72709        6             5
1026  35987509     10880        1050
6                   7             2
1032 (Carried up.)  10387        1052
```

(5.)

0	0	1.05(1.016397, Ans.
1	1	1
1	1	50000
1	2	30301
2	30000	19699
1	301	18468
300	30301	1231
1	302	929
301	30603	302
1	18·	279
302	3078	23
1	18	22
303	3096	1
·	· · ·	

(6.)

184528125(45, Ans.

4	16	64	256	1024
4	16	64	256	82128125
4	32	192	1024	82128125
8	48	256	12800000	
4	48	384	3625625	
12	96	640000	16425625	
4	64	85125		
16	16000	725125		
4	1025			
200	17025			
5				
205				

17*

(7.)

0	0	0	100(3.162278, **Ans.**
8	9	27	81
$\overline{8}$	$\overline{9}$	$\overline{27}$	$\overline{190000}$
8	18	81	113521
$\overline{6}$	$\overline{27}$	$\overline{108000}$	$\overline{7647900}$
8	27	5521	7360080
$\overline{9}$	$\overline{5400}$	$\overline{113521}$	$\overline{287820}$
8	121	5643	252672
$\overline{120}$	$\overline{5521}$	$\overline{1191640}$	$\overline{85148}$
1	122	35040	·25294
$\overline{121}$	$\overline{5643}$	$\overline{1226680}$	$\overline{9854}$
1	123	35484	8853
$\overline{122}$	$\overline{5766}$	$\overline{1262164}$	$\overline{1001}$
1	74	120·	1012
$\overline{123}$	$\overline{5840}$	$\overline{126336}$	
1	74	120	
$\overline{124}$	$\overline{5914}$	$\overline{126456}$	
··	74	1·	
	$\overline{5988}$	$\overline{12647}$	
	··	··	

(8.)

0	0	0	0	6561(5.7995466,
5	25	125	625	3125 [**Ans.**
$\overline{5}$	$\overline{25}$	$\overline{125}$	$\overline{625}$	$\overline{343600000}$
5	50	375	2500	289192057
$\overline{10}$	$\overline{75}$	$\overline{500}$	$\overline{81250000}$	$\overline{54407943}$
5	75	750	10063151	49025772
$\overline{15}$	$\overline{150}$	$\overline{1250000}$	$\overline{41313151}$	$\overline{5382171}$
5	100	187593	11466854	5073080
$\overline{20}$	$\overline{25000}$	$\overline{1437593}$	$\overline{52780005}$	$\overline{309141}$
5	1799	200529	169808·	282755
$\overline{250}$	$\overline{26799}$	$\overline{1638122}$	$\overline{5447808}$	$\overline{26386}$
7	1848	213808	171936	22624
$\overline{257}$	$\overline{28647}$	$\overline{1851930}$	$\overline{5619244}$	$\overline{3762}$
7	1897	292·	1745·	3394
$\overline{264}$	$\overline{30544}$	$\overline{18812}$	$\overline{568670}$	$\overline{368}$
7	1946	292	1745	339
$\overline{271}$	$\overline{32490}$	$\overline{19104}$	$\overline{565415}$	$\overline{29}$
7	··	292	10·	
$\overline{278}$		$\overline{19396}$	$\overline{56551}$	
7		··	10	
$\overline{285}$			$\overline{56561}$	
·			···	

APPLICATION OF POWERS AND ROOTS.

(Page 392.)

1. $\sqrt{141376} = 376$, Ans.

2. $1760 \times 9 = 15840$; $\sqrt{15840} = 125.857+$ feet, Ans.

3. $144 \times 144 = 20736$; $64 \times 64 = 4096$; $20736 - 4096$ $= 16640$; $\sqrt{16640} = 128.99+$ feet, Ans.

4. $20 \times 20 = 400$; $16 \times 16 = 256$; $12 \times 12 = 144$; 400 $+ 256 + 144 = 800$; $\sqrt{800} = 28.28+$ feet, Ans.

5. $40 \times 40 = 1600$; $1600 \div 4 = 400$; $\sqrt{400} = 20$ rods, Ans.

6. $60 : 90 :: 66^2 = 4356 : 6534$; $\sqrt{6534} = 80.83+$ rods, Ans.

7. 2h. : 3h. :: $(\frac{3}{4})^2 = \frac{9}{16} = .5625 : .84375$; $\sqrt{.84375} =$ .918+inch, Ans.

8. $2^2 = 4 : 1.5^2 = 2.25 :: 50m. : 28m. 7\frac{1}{2}sec.$, Ans.

9. $4 \times 4 \times 3 = 48 : 6 \times 6 \times 2 = 72 :: 4h. : 6h.$, Ans.

10. $40 \times 90 = 3600$; $\sqrt{3600} = 60$, Ans.

11. $31\frac{1}{4} \times 20 = 625$; $\sqrt{625} = 25$lb., Ans.

12. $2 : 3 :: 2400 : 3600$; $\sqrt{3600} = 60$ trees in length. $3 :$ $2 :: 2400 : 1600$; $\sqrt{1600} = 40$ trees in breadth. 60 $- 1 = 59 \times 7 = 413$; $40 - 1 = 39 \times 7 = 273$; 413 $\times 273 = 112749$ square yards, Ans.

13. $50 \div 2 = 25$; $25^2 = 625$; $625 - 600 = 25$; $\sqrt{25} =$ 5; $25 + 5 = 30$ years the older; $25 - 5 = 20$ years the younger, Ans.

14. $128 \times 128 = 16384$; $72 \times 72 = 5184 + 16384 =$ 21568; $\sqrt{21568} = 146.86+$ miles, Ans.

15. $100 \times 100 = 10000$; $70 - 5 = 65$; $65 \times 65 = 4225$; $10000 - 4225 = 5775$; $\sqrt{5775} = 75.993420+$; 80 $\times 80 = 6400$; $50 - 5 = 45$; $45 \times 45 = 2025$; 6400 $- 2025 = 4375$; $\sqrt{4375} = 66.143782+$; 75.993420

+ 66.143782 = 142.137202 × 142.137202 = 20202-
.984192388804; 70—50 = 20; 20 × 20 = 400; 20202-
.984192388804+400=20602.984192388804; $\sqrt{}$ 20602-
.984192388804 = 143.537306+ feet, Ans.

16. $\sqrt{16}$ = 4; 44 + 4 = 48; 48 ÷ 2 = 24, the larger num-
ber; 44 — 4 = 40; 40 ÷ 2 = 20, the smaller, Ans.

17. Let A B represent the height of the tree, E the top of the

stump, C the point on which the top of the
tree will fall. As the tree will rest on the
stump, it is evident that A E will be equal
to C E. By drawing D E at right angles to
A C, it is evident that A D will be equal to
D C; that is, the line A C is bisected in D;
therefore we have two similar triangles, A B
C and A D E. This is evident from the fact
that each of these triangles has one right
angle, and that the angle A is common
to both triangles. Therefore, as A B is to A C, so is A D to
A E. If, then, we take A E from A B, the remainder, E B, will
be the answer required.

<div align="center">FIRST OPERATION.</div>

A B = 80; B C = 40; by Art. 535, A C = $\sqrt{A B^2 +}$
$\overline{B C^2}$ = $\sqrt{80^2 + 40^2}$ = $\sqrt{8000}$; and A D = $\frac{1}{2}$ A C =
$\sqrt{40^2 + 20^2}$ = $\sqrt{2000}$. Then, by Art. 539, A B : A C ::
A D : A E, and A B^2 : A C^2 :: A D^2 : A E^2; hence, 6400 :
8000 :: 2000 : 2500, and $\sqrt{2500}$ = 50. Therefore, 80ft. —
50ft. = 30ft., Ans.

<div align="center">BY ALGEBRA.</div>

Let x represent B E, 80 — x = C E, and 40 = C B. Then
$\overline{80 - x}^2 - x^2$ = 40^2; 6400 — 16x + x^2 — x^2 = 1600. And
160x = 6400 —1600 = 4800.

x = 30 feet = B E, Ans.

80 feet evidently equals the length of the part broken off and the stump together. The distance from the bottom of the tree to the point on which the top may fall, 40 feet, represents the base of a right-angled triangle, of which the part of the tree broken off is the hypothenuse, and the part left standing on the stump is the perpendicular. Then, according to Art. **553,** $40^2 = 1600 \div 80 = 20$; $80 - 20 = 60$; $60 \div 2 = 30$ feet, Ans.

18. $400 \times 400 = 160000$; $160 \times 160 = 25600$; $160000 - 25600 = 134400$; $\sqrt{134400} = 366.6 - 50 = 316.6$, Ans.

19. $70 \times 70 = 4900$; $40 \times 40 = 1600$; $30 \times 30 = 900$; $4900 - 1600 = 3300$; $\sqrt{3300} = 57.445 +$; $4900 - 900 = 4000$; $\sqrt{4000} = 63.245 + 57.445 = 120.69 +$ feet, Ans.

20. $\frac{1}{10} \times \frac{1}{10} = \frac{1}{100}$: $1\frac{2}{3}$in. : : 450lb. : 45000lb., Ans.

21. 10 acres $= 435600$ square feet; $\sqrt{435600} = 660$ feet $=$ each side of the square plat; $660 \div 6 = 110 =$ the number of vines in each row, and also the number of rows, in the square order; $110 \times 110 = 12100 =$ the number of vines, in the square order.

In the quincunx order, the vines are disposed in the form of equilateral triangles; the distance between the rows, therefore, must equal the altitude of such triangles, having 6 feet for each of their equal sides. Hence, $6^2 - 3^2 = 27$; $\sqrt{27} = 5.196 +$ feet $=$ the distance of the rows from each other; $660 \div 5.196 = 127 =$ the number of rows in the field; and the number of vines will be the same as in the square order. Therefore, $127 \times 110 = 13970 =$ the number of vines in the quincunx order; and $13970 - 12100 = 1870 =$ the number more of vines in the quincunx than in the square order, Ans.

In the square order no vine need be set *nearer* than 3 feet of the edge of the plat, and in the quincunx order nearer than $1\frac{1}{2}$ feet of the edge of the plat, and answer the conditions of the question.

22. $40 \times 40 = 1600$; $4 \times 4 = 16$; $1600 - 16 = 1584$;

$1584 \div 4 = 396$; $396 \times 3 = 1188$; $1188 + 16 = 1204$; $\sqrt{1204} = 34.698$; $40 - 34.698 = 5.302$; $5.302 \div 2 = 2.651$in., the part A will grind off. $1204 - 396 = 808$; $\sqrt{808} = 28.425$; $34.698 - 28.425 = 6.273$; $6.273 \div 2 = 3.136+$in., the part B will grind off. $808 - 396 = 412$; $\sqrt{412} = 20.297$; $28.425 - 20.297 = 8.128$; $8.128 \div 2 = 4.064$in., part C grinds off. $412 - 396 = 16$; $\sqrt{16} = 4$; $20.297 - 4 = 16.297$; $16.297 \div 2 = 8.148+$in., part D will grind off.

Ans. A, 2.651in.; B, 3.136+in.; C, 4.064in.; D, 8.148+in.

23. $49\frac{5}{8}$ feet $= 49.625$ feet; $49.625 \times 144 = 7146$ square inches; $1.5 \times 1.5 \times 2 = 4.5$; $7146 - 4.5 = 7141.5$; $7141.5 \div 6 = 1190.25$; $\sqrt{1190.25} = 34.5$; $34.5 + 1.5 = 36$ inches, Ans.

To understand the operation of this question, we will take six small square pieces of board, each of the same dimensions, and with these we will construct a cubic box; but, in so doing, we shall find that we need two small cubes, each of which is of the thickness of the board or plank used.

Now, if the box, after being completed, was a cube whose sides measured 36 inches each, and if the board was $1\frac{1}{2}$ inches thick, it would require 7146 square inches of the board to make the box, as the pupil can readily perceive.

But our box was made of six square pieces of board and two small cubes, each measuring, in the present case, $1\frac{1}{2}$ inches square. If we deduct the contents of these two squares, $= 1.5 \times 1.5 \times 2 = 4.5$ square inches, from the superficial contents of the board, $= 7146$ inches, we have $7146 - 4.5 = 7141.5$ square inches remaining; and if we divide these inches by 6, we have the superficial contents of one of the square boards of which we make our box. Thus, $7141.5 \div 6 = 1190.25$. The square root of this number, $\sqrt{1190.25} = 34.5$, will be the width of each board. To this number we must add the thickness of the board, 1.5 inches, and we have the answer, $34.5 + 1.5 = 36$ inches.

24. $22\frac{3}{7}\frac{1}{2}$ feet $= 22\frac{3}{7}\frac{1}{2} \times 144 = 3242$ square inches; $2.5 \times 2.5 = 6.25$ inches; $3242 - 6.25 = 3235.75$; $3235.75 \div 7 =$

462.25; $\sqrt{462.25} = 21.5$; $21.5 + 2.5 = 24$ inches, the width of the box; $24 \div 2 = 12$ inches, the height; $24 \times 2 = 48$ inches, the length.

From each of these numbers we subtract 5 inches, the thickness of the two sides of the box; $12 - 5 = 7$; $24 - 5 = 19$; $48 - 5 = 43$. The inside dimensions of the box will therefore be 7, 19, and 43 inches; and its contents will therefore be $7 \times 19 \times 43 = 5719$ cubic inches, Ans.

To understand the above operation, we will construct a box that shall be twice as wide as its height, and twice as long as its width. With the materials used to construct this box the pupil will find that he can construct a cubical box whose sides will measure half the length of the former box. And, if it be constructed as the box in question 44, there will be material remaining sufficient to make one of the sides, after deducting the square of the thickness of the plank. Thus, if our box was 12 inches high, 24 inches wide, and 48 inches long, and was made of a plank $2\frac{1}{2}$ inches thick, it would require one whose superficial contents were 3242 inches. From this sum we deduct the square of the thickness of the plank, $2.5 \times 2.5 = 6.25$ inches; $3242 - 6.25 = 3235.75$ inches. This sum, as we have before shown, is sufficient not only to construct the cubical box, but there will be sufficient remaining, wanting the square of the thickness of the plank, to make another, similar to one of the six squares of which we made the box. This will be evident, if the box be cut into two parts, and one of them placed on the other. Therefore, we divide 3235.75 by 7, because there are materials sufficient for 7 squares, and the quotient is 462.25. The square root of this number is the length of one of the squares of which the box is made. $\sqrt{462.25} = 21.5$ inches. To this number we add the thickness of the plank, and we have the width of the required box. $21.5 + 2.5 = 24$ inches, width of the box; $24 \div 2 = 12$ inches, height; and $24 \times 2 = 48$ inches, length, Ans.

We have copied, by permission, from the *Massachusetts Teacher*, the following illustrations, with diagrams, of the 23d and 24th problems.

(23.)

Fig. 1.

Suppose the 6 pieces of which the box is made to be so arranged (Fig. 1) that the edges of the top, bottom, and sides, will appear at the ends, as in the shaded parts about E; and that the edges of the top and bottom will appear at the sides, as in the shaded parts above and below S.

The external area of each face of the box may be considered as divided into, 1st, a large square, as at E; 2d, 4 strips, one on each side of the large square, having each a width equal to the thickness of the board ($1\frac{1}{2}$in.), and the same length as one side of the large square; and 3d, 4 small squares, each having, for the length of a side, the thickness of the board. In the 6 faces of the box, then, there are 6 large squares + 24 strips + 24 small squares.

But the shaded parts, though forming part of the external area of the sides and ends, do *not* form part of the side and end *pieces* of the box,* and are not to be reckoned as consuming any part of the surface of the board. If, then, from the large squares, strips, and small squares, that make up the whole external area of the box, we deduct 12 strips (2 for each side, and 4 for each end), and 16 small squares (4 for each side, and 4 for each end), we have left 6 large squares + 12 strips + 8 small squares = the area of the board = $49\frac{5}{8}$sq. ft. = 7146sq. in.

From this deduct the area of the 8 small squares (($1\frac{1}{2}$in.)^2 × 8 = 18sq. in.) and we have 6 large squares + 12 strips = 7146sq. in. — 18sq. in. = 7128 sq. in. Divide this by 6, and we find one large square + 2 strips = $1\frac{128}{6}$sq. in. = 1188 sq. in. This large square and the 2 strips may be arranged as in Fig. 2, which will be an exact square, if we fill the corner C ($1\frac{1}{2}$in.)^2

Fig. 2.

Strip.	C
Large Square.	Strip.

A   B

* Notice the difference between the side and side *piece*, and the end and end *piece*, of the box.

= 2¼sq. in.   Then 1188sq. in. + 2¼sq. in. = the area of the square (Fig. 2) completed = $\frac{4761}{4}$sq. in.   Then, $\sqrt{\frac{4761}{4}}$sq. in. = $\frac{69}{2}$in. = length of one side of the square, or the line A B. This, it is evident (see Fig. 1), is 1½in. less than the length of a side of the box; therefore, $\frac{69}{2}$in. + 1½in. = 36in., the length of one side.

(24.)

Fig. 3.

Let, in Fig. 3, the shaded parts about E E represent the edges of the top, bottom, and sides, at the end of the box ; and the shaded parts above and below S S, the edges of the top and bottom, at the side.   These shaded parts represent the thickness of the plank, and form part of the external area of the side and end of the box, but no part of the side and end *pieces*.

If we draw the line A B vertically across the middle of the end of the box, the whole end is divided into 2 equal squares; but, taking away the shaded portions, it is evident that the end *piece* is not divided by this line into squares, since we have diminished each square of the end in one direction by twice the thickness of the plank, and in the other by only once its thickness.

To get two equal squares in the end *piece*, let there be marked off on each side of A B, by dotted lines, two strips, each as wide as the plank is thick.   We may now suppose the *end* of the box (not the end piece) to be divided into, 1st, 2 large squares, E and E ; 2d, 8 strips, each equal in length to the side of a *large square*, and in width to the thickness of the plank (2¼in.) ; and 3d, 8 small squares, each having its side equal in length to the thickness of the plank.   Since the box is twice as wide as it is high, and twice as long as wide, the area of an end is doubled in a side, and quadrupled in the top or bottom.   Then an end, a side, and the top or bottom, contain 7 times as many large squares, strips, and small squares, as an end; that is, 14 large squares + 56

18

strips + 56 small squares; and both ends, both sides, and the top and bottom, or the whole external area of the box, = 28 large squares + 112 strips + 112 small squares.

But these exceed the area of the 6 *pieces* of which the box is made, by the strips and small squares in the edges of the top and bottom at the sides, and of the top, bottom, and sides, at the ends. Referring to Fig. 3, and noticing that the strips marked off by dotted lines are part of the pieces in which they are found, and not to be deducted, we see that we must deduct, for each side, 8 strips and 16 small squares; and for an end, 6 strips and 8 small squares; or 28 strips and 48 small squares for both sides and both ends. Subtracting these from the large squares, strips, and small squares of the whole external area of the box, we have 28 large squares + 84 strips + 64 small squares = the area of the 6 pieces = $22\frac{37}{72}$sq. feet. = 3242sq. in. From this deduct the 64 small squares ($(2\frac{1}{2}in.)^2 \times 64 = 400$sq. in.), and we have 28 large squares + 84 strips = 3242sq. in. — 400sq. in. = 2842 sq. in. Divide by 28, and we find 1 large square + 3 strips = $2\frac{842}{28}$sq. in. = $29\frac{3}{7}$sq. in.

This large square and the three strips may be arranged as in Fig. 4; namely, a strip and a half on each of two adjacent sides of the *large square*. This will be an exact square if we fill out the corner C, which contains a square each side of which is one and a half times the width of a *strip* ($2\frac{1}{2}$in. $\times 1\frac{1}{2} = \frac{15}{4}$in.). Adding this small square ($(\frac{15}{4}$in.$)^2 = 22\frac{5}{16}$sq. in.), we have $29\frac{3}{7}$sq. in. + $22\frac{5}{16}$sq. in. = $18\frac{84}{16}$sq. in. = area of the square Fig. 4, completed. Then $\sqrt{18\frac{84}{16}}$sq. in. = $4\frac{3}{4}$in. = length of a side of the square, or the line D F.

Fio. 4.

Comparing this with Fig 3, we see it wants half the thickness of the plank ($2\frac{1}{2}$in. $\div 2 = 1\frac{1}{4}$in.) of being the external height of the box. Then, $4\frac{3}{4}$in. + $1\frac{1}{4}$in. = $4\frac{3}{4}$in. = 12in. = external height of the box; 12in. $\times 2 = 24$in. = external width of the box; and 24in. $\times 2 = 48$in. = external length of the box.

Subtract from each of these dimensions twice the thickness of the plank, and we have 12in. — 5in. = 7in. = internal height of the box; 24in. — 5in. = 19in. = internal width of the box; 48in. — 5in. = 43in. = internal length of the box, and the product of the internal dimensions = 5719 cubic in. = the contents of the box.

25. $3 \times 3 \times 3 = 27 : 6 \times 6 \times 6 = 216 : : 4$lb. : 32lb., Ans.

26. $1 \times 1 \times 1 = 1 : 3.5 \times 3.5 \times 3.5 = 42.875 : : \$120 : \$5145$, Ans.

27. 5ft. 10in. = 70in; 10ft. $4\frac{3}{5}$in. = 124.6in.; $70 \times 70 \times 70 = 343000$; $124.6 \times 124.6 \times 124.6 = 1934434.936$; $343000 : 1934434.936 : : 180$lb. : $1015.1+$lb., Ans.

28. 2lb. : 2000lb. : : $4 \times 4 \times 4 = 64$in. : 64000 ;
   $\sqrt[3]{64000} = 40$in. = 3ft. 4in. high ;
   2lb. : 2000lb. : : $3 \times 3 \times 3 = 27$in. : 27000in. ;
   $\sqrt[3]{27000} = 30$in. = 2ft. 6in. wide ;
   2lb. : 2000lb. : : $\frac{1}{4} \times \frac{1}{4} \times \frac{1}{4} = \frac{1}{64} : \frac{1000}{64}$;
   $\sqrt[3]{\frac{1000}{64}} = \frac{10}{4} = 2\frac{1}{2}$in. thick, Ans.

29. $12096 \div 56 = 216$; $\sqrt[3]{216} = 6$; $56 \times 6 = 336$;
   $336 \times 6 = 2016$; 336 and 2016, mean proportions ;
   Then, $56 : 336 : : 2016 : 12096$, Ans

30. $5 \times 5 \times 5 = 125$ft. : $20 \times 20 \times 20 = 8000$ft. : : 1cwt. : 64cwt., Ans.

31. $6 \times 6 \times 6 = 216$ft. : $10 \times 10 \times 10 = 1000$ft. : : 1da. : 4.629+da., Ans.

32. $6 \times 6 \times 6 = 216$ft. : $8 \times 8 \times 8 = 512$ft. : : 600lb. : 1422.2+lb., Ans.

33. $5 \times 5 \times 5 = 125$; $125 \div 4 = 31.25$; $125 - 31.25 = 93.75$; $\sqrt[3]{93.75} = 4.542+$; $5 - 4.542 = .45+$in., the first woman's share. $93.75 - 31.25 = 62.50$; $\sqrt[3]{62.50} = 3.968$; $4.542 - 3.968 = .57+$in., share of the second woman. $62.50 - 31.25 = 31.25$; $\sqrt[3]{31.25} = 3.149$; $3.968 - 3.149 = .82+$in., third woman's share.   3.149+in., fourth woman's share.

34. If Wells have 100 per cent., Rowe will have 108 per cent.,
and Northend 110 per cent. But Pierce has 10 per cent.
more than Rowe; therefore he will have $108 \times 1.10 =$
118.8 per cent. $118.8 + 108 + 100 + 110 = 436.8$;
5 tons = 100cwt.

Then 436.8 : 118.8 : : 100cwt. : $27\frac{54}{273}$cwt. for Pierce.

And 436.8 : 108   : : 100cwt. : $24\frac{198}{273}$cwt. for Rowe.

And 436.8 : 100   : : 100cwt. : $22\frac{244}{273}$cwt. for Wells.

And 436.8 : 110   : : 100cwt. : $25\frac{50}{273}$cwt. for Northend.

To find the feet in height that each must take, we adopt the
following rule, and say,. As the relative value of all their
shares is to the relative value of each share, so is the cube
of the height of the pyramid or stack to the cube of the
height of each man's part of the stack. But we are to
compute from the top of the stack each time, and then
subtract as in the following process :

$16 \times 16 \times 16 = 4096$ft., cube of the height of the stack.
436.8 : 118.8 : : 4096 : 1114.02197 ; $\sqrt[3]{1114.02197}$
$= 10.366+$ft. in height for Pierce.

$436.8 : 118.8 + 108 = 226.8 : : 4096 : 2126.76923076$;
$\sqrt[3]{2126.76923076} = 12.859+$ from the top of the
stack.   From this number we subtract the height of
Pierce's stack, $12.859 - 10.366 = 2.493$ft. for the
height of Rowe's stack.

$436.8 : 118.8 + 108 + 100 = 326.8 : : 4096 : 3064$-
.49816849 ; $\sqrt[3]{3064.49816849} = 14.525$ from the top of
the stack.   From this we subtract the height of the other
two stacks; $14.525 - 12.859 = 1.666$ft. for the height
of Wells' stack.

If from the height of the stack, 16ft., we subtract the last
root, we have the remaining height of the stack for North-
end ; thus, $16 - 14.525+ = 1.474$ft., height of North-
end's stack.

NOTE. — The decimals in the answer to the above question will vary
according to the degree of accuracy required.

ARITHMETICAL PROGRESSION.

2. $\dfrac{39 - 3}{19 - 1} = 2$y., Ans.

3. $\dfrac{45 - 5}{11 - 1} = 4$m., Ans.

2. $\dfrac{51 - 7}{4} + 1 = 12$da., Ans.

3. $\dfrac{103 - 1}{2} + 1 = 52$w., Ans.

2. $\dfrac{100 + 4}{2} \times 17 = 884$, Ans.

3. $320 \times 30 = 9600 =$ rods in 30m.; but there will be one more stone in this distance than there are rods, because there will be a stone at each end of the 30 miles. The man must travel 2 rods to bring the first stone to the basket, and 60 miles and 2 rods to bring the last stone; wherefore the following formula:

$$\dfrac{\overline{19202 + 2} \times 9601}{2} = 92188802\text{rd.} = 288090\text{m. 2rd., Ans.}$$

2. $\dfrac{\overline{45 + 3} \times \overline{45 - 3 + 2}}{2 \times 2} = 528.$ sum of the series, Ans.

3. $\dfrac{\overline{618 \times 6} \times \overline{618 - 6} + 12}{2 \times 12} = \$162.24$, Ans.

18*

(ART. **561**, p. **399**.)

2. $\dfrac{100010000 \times 2}{10000} - 20000 = 2$, Ans.

3. $\dfrac{528 \times 2}{22} - 3 = \$45$; $\dfrac{45 - 3}{22 - 1} = \$2$ difference, Ans.

(ART. **562**, p. **400**.)

2. $\dfrac{49 - 4}{6 - 1} = 9$, common difference.

As there are 6 terms, the third and fourth are required; $4 + 9 + 9 = 22$, the third term; $22 + 9 = 31$, the fourth term, Ans.

3. $\dfrac{30 - 20}{7 - 1} = 1\frac{2}{3}$, the common difference.

$20 + 1\frac{2}{3} = 21\frac{2}{3}$; $21\frac{2}{3} + 1\frac{2}{3} = 23\frac{1}{3}$; $23\frac{1}{3} + 1\frac{2}{3} = 25$; $25 + 1\frac{2}{3} = 26\frac{2}{3}$; $26\frac{2}{3} + 1\frac{2}{3} = 28\frac{1}{3}$. $21\frac{2}{3}$, $23\frac{1}{3}$, 25, $26\frac{2}{3}$, and $28\frac{1}{3}$, Ans.

GEOMETRICAL PROGRESSION.

(ART. **565**, p. **401**.)

2. $5 \times 3^{7-1} = 3645$, seventh term, Ans.

3. $\dfrac{72}{3^{6-1}} = \dfrac{8}{27}$, first term, Ans.

4. $\dfrac{885735}{3^{12-1}} = \dfrac{885735}{177147} = 5$, twelfth term;

$5 \times 3 = 15$, eleventh term; $15 \times 3 = 45$, tenth term, [Ans.

5. $5 \div (\frac{1}{3})^{7-1} = 5 \div \frac{1}{729} = 3645$, first term, Ans.

6. $50 \times 1.06^{5-1} = 63.123848$, last term, Ans.

7. $2 \times 2^{30-1} = \$10737418.24$, Ans.

8. $\$160 \times 1.06^{7-1} = \$226.96305796096$, Ans.

9. $\$300 \times 1.05^{9-1} = \$443.23,6+$, Ans.

10. $\$100 \times 1.06^{81-1} = \$574.84911729132501162641063323$-
   10802645846357252196069357387776, Ans.

(ART. 566, p. 402.)

5. $\dfrac{1.06^4 - 1}{1.06 - 1} \times 50 = 218.7308$, sum of the series, Ans.

6. $\dfrac{2^{40} - 1}{2 - 1} \times 10 = \$109951162777.50$, Ans.

7. $\frac{2}{3} \div (1 - \frac{1}{2}) = \frac{2}{3} \div \frac{1}{2} = \frac{4}{3} = 1\frac{1}{3}$, Ans.

8. By examining this question, we find there have been 21
   deposits. The amount of the last deposit is $\$10.60$, the
   $\$10$ being on interest only one year. The last but one is
   $\$11.236$. The last but two is $\$11.91016$. The last but
   three is $\$12.6247696$, and so on. Thus we have a regu-
   lar geometrical series, the ratio of which is 1.06, the first
   term $\$10.60$, the number of terms 21, to find the sum of
   all the series.

   $$\dfrac{1.06^{21} - 1}{1.06 - 1} \times 10.60 = \$423.922 +, \text{ Ans.}$$

9. $.008 = \frac{8}{1000}$; $.000497133 = \frac{497133}{1000000000}$, the first term;
   $\frac{1}{1000000}$, the ratio.

   $1 - \frac{1}{1000000} = \frac{999999}{1000000}$; $\frac{497133}{1000000000} \div \frac{999999}{1000000} =$
   $\frac{497133000000}{999999000000000} = \frac{497133}{999999000}$; $\frac{497133}{999999000} + \frac{8}{1000}$
   $= \frac{8079125}{999999000} = \frac{93}{9768}$, Ans.

10. $10 \div (1 - \frac{9}{10}) = 10 \div \frac{1}{10} = 100$ miles, Ans.

(ART. 567, p. 403.)

2. $512 \div 1 = 512$; $\sqrt[9]{512} = 2$ ratio, Ans.

3. $\dfrac{1328600 - 5}{1328600 - 885735} = 3$ ratio, Ans.

4. $\sqrt[12-1]{\dfrac{2048}{1}} = 2$ ratio. $\dfrac{2048 \times 2 - 1}{1} = \$4095$ debt,
   [Ans.

(Art. **568**, p. **404.**)

2. $128 \div \frac{1}{2} = 256$; $\sqrt[3]{256} = 4$ ratio; $\frac{1}{2} \times 4 = 2$; $2 \times 4 = 8$; $8 \times 4 = 32$. 2, 8, and 32, Ans.

3. $2187 \div 3 = 729$; $\sqrt[3]{729} = 3$; $3 \times 3 = 9$; $9 \times 3 = 27$; $27 \times 3 = 81$; $81 \times 3 = 243$; $243 \times 3 = 729$. 9, 27, 81, 243, and 729, Ans.

(Art. **569**, p. **405.**)

2. $20480 \div 5 = 4096 = 4^6$; $6 + 1 = 7$, Ans.

3. $2048 \div 1 = 2048 = 2^{11}$; $11 + 1 = 12$ months, Ans.

ANNUITIES.

(Art. **574**, p. **408.**)

2. $\dfrac{1.06^5 - 1}{1.06 - 1} \times \$500 = \$2818.546+$, Ans.

3. $\dfrac{1.05^9 - 1}{1.05 - 1} \times \$80 = \$882.125$, Ans.

4. $\dfrac{1.035^{15} - 1}{1.035 - 1} \times \$1000 = \$19295.68$, Ans.

5. $\dfrac{1.035^6 - 1}{1.035 - 1} \times \$30 = \$196.50$, Ans.

6. $\dfrac{1.015^{22} - 1}{1.015 - 1} \times \$150 = \$3875.63$, Ans.

(Art. **575**, p. **409.**)

2. $\$6.801692 \times 100 = \$680.169$, Ans.

3. $\$5.786373 \times 200 = \$1157.274$, Ans.

4. $\$13.331709 \times 500 = \$6665.854$, Ans.

5. $\$7.360087 \times 500 = \$3680.043$, Ans.

6. $\$12.561102 \times 80 = \$1004.888$, Ans.

(ART. **576**, p. **409**.)

2. $963 ÷ .06 = $16050, Ans.

3. $6335 ÷ .07 = $90500, Ans.

4. $1200 ÷ .05 = $24000, Ans.

(ART. **577**, p. **410**.)

2. $11.469421 — $6.801692 = $4.667729; $4.667729 ×
350 = $1633.705, Ans.

3. $13.590326 — $6.732745 = $6.857581; $6.857581 ×
70 = $480.03, Ans.

4. $240 ÷ .06 = $4000, the present worth of $240 in
perpetuity.
$16.617546, the present value of an annuity of $1, due
100 years hence.
$16.617546 × 240 = $3988.211 ;
$4000 — $3988.211 = $11.789, Ans.
or,
$1.06^{100} = $339.302084+.
$4000 ÷ 339.302084 = $11.789, Ans.

(ART. **578**, p. **411**.)

2. $3680.04 ÷ 7.360087 = $500, Ans.

3. $882.12,5 ÷ 11.026564 = $80. Ans.

4. $279 ÷ 6.975319 = $40, Ans.

PERMUTATIONS AND COMBINATIONS.

(ART. **581**, p. **412**.)

2. 1 × 2 × 3 × 4 × 5 × 6 = 720 changes, Ans.

3. 1 × 2 × 3 × 4 × 5 × 6 × 7 × 8 × 9 × 10 = 3628800
days, Ans.

4. 1 × 2 × 3 × 4 × 5 × 6 × 7 × 8 × 9 × 10 × 11 × 12
= 479001600 changes.   365d. 5h. 49m. = 525949 min-

utes; 479001600 ÷ 10 = 47900160 minutes; 47900160
÷ 525949 = 91y. 38801m. = 91y. 26d. 22h. 41m., Ans.

5. $1 \times 2 \times 3 \times 4 \times 5 \times 6 \times 7 \times 8 \times 9 \times 10 \times 11 \times 12$
$\times 13 \times 14 \times 15 \times 16 \times 17 \times 18 \times 19 \times 20 \times 21$
$\times 22 \times 23 \times 24 \times 25 \times 26 = 40329146112660563\text{-}$
5584000000 changes, Ans.

(ART. **582**, p. **412**.)

2. $6 \times 5 \times 4 \times 3 = 360$ changes, Ans.

3. $26 \times 25 \times 24 \times 23 \times 22 \times 21 = 165765600$, **Ans.**

(ART. **583**, p. **413**.)

2. $\dfrac{10 \times 9 \times 8 \times 7 \times 6 \times 5 \times 4}{1 \times 2 \times 3 \times 4 \times 5 \times 6 \times 7} = \dfrac{720}{6} = 120$, Ans.

3. $\dfrac{100 \times 99 \times 98 \times 97 \times 96 \times 95 \times 94 \times 93 \times 92 \times 91}{1 \times 2 \times 3 \times 4 \times 5 \times 6 \times 7 \times 8 \times 9 \times 10} =$
$\dfrac{628156509555294720}{3628800} = \$173103094564.40$, **Ans.**

ANALYSIS BY POSITION.

(ART. **587**, p. **414**.)

(2.)		
Supposed number,	120	
⅓ of 120	=	$\overline{40}$
¼ of 120	=	30
		$\overline{70}$
Result found,	$\overline{50}$	

50 : 60 : : 120 : 144, Ans.

(3.)		
Supposed number,	36	
½ of 36	=	18
⅓ of 36	=	12
¼ of 36	=	9
		$\overline{9}$
Result found,	75	

75 : 125 : : 36 : 60, Ans.

(4.)		
C's assumed age,		20
B's age	=	60
A's age	=	120
		$\overline{200}$

200 : 140 : : 20 : 14, C's age;
14 × 3 = 42, B's age; 42 × 2 = 84, A's age, Ans.

(5.)	
Assumed sum,	$400
	1.60
Amount for 10 yr.,	$640.00

640 : 560 : : 400 : 350, Ans.

(Art. **588,** p. **415.**)

2. First suppose each laid out $ 500 ; then

4)$ 500 $ 500
   125   225
   ‾‾‾‾   ‾‾‾‾
   625 = A's money.   275 = B's money.

Then, by the question, 2 × 275 = $ 550 should be A's money, but A's money is $ 625 ; therefore $ 625 — $ 550 = $ 75 is the first error.

Again, we suppose each laid out $ 800 ; then

4)$ 800 $ 800
   200   225
   ‾‾‾‾   ‾‾‾‾
   1000 = A's money.   575 = B's money.

Then, by the question, 2 × $ 575 = $ 1150 should be A's money, but A's money is $ 1000 ; therefore $ 1150 — $ 1000 = $ 150+, second error ; then, by the rule, 75 + 150 : 800 — 500 : : 75 : 100 ; and 100 + 500 = 600, the sum of dollars each invested, Ans.

3. We first suppose the age of the youngest to be 10. Then, by the question, the age of the next older will be 14, and the next 18, and the oldest will be 22. But, by the supposition, the age of the oldest was twice the age of the youngest, that is, 2 × 10 = 20 ; but the age of the oldest is 22, therefore the first error is 22 — 20 = 2— too small.

Again, we suppose the age of the youngest to be 16. Then the age of the next older will be 20, and the age of the next 24, and the age of the oldest will be 28. But, by the supposition, the age of the oldest was twice the age of the youngest, that is, 2 × 16 = 32 ; but the age of the oldest is 28 ; therefore, the second error is 32 — 28 = 4+ too large ; then, by the rule, 2 + 4 : 16 — 10 : : 4 : 4 ; 16 — 4 = 12, the age of the youngest ; 12 × 2 = 24, age of the oldest ; 24 — 4 = 20, age of the second ; 20 — 4 = 16, age of the third son, Ans.

4. We suppose the value of the first horse to be \$20. Then 20 + 50 = \$70 will be twice the value of the second horse; that is, the value of the second horse will be \$35. Then, by the question, 35 + 50 = \$85 will be three times the value of the first horse; that is, the first horse will be worth \$28⅓. But, by the supposition, he should be worth but \$20; therefore 28⅓ — 20 = \$8⅓— is the first error. Again, we suppose the value of the first horse to be \$32. Then 32 + 50 = \$82 will be twice the value of the second horse; that is, the second horse will be worth \$41. Then, by the question, 41 + 50 = \$91 will be three times the value of the first horse; that is, the first horse will be worth \$30⅓. But, by the supposition, he should be worth \$32; therefore, 32 — 30⅓ = 1⅔, the second error; then, 8⅓ + 1⅔ : 32 — 20 :: 8⅓ : 10; and 10 + 20 = \$30, value of the first horse; $\frac{30+50}{2}$ = \$40, value of the second horse, Ans.

5. If we suppose the time to be 3 o'clock, it will be 9 hours to midnight, and ⅔ of 3 hours will be equal to $\frac{8}{33}$ of 9 hours; but ⅔ of 3 hours is ⅔ × ¾ = $\frac{6}{3}$ = 2 hours, and $\frac{8}{33}$ of 9 hours is $\frac{8}{33}$ × $\frac{9}{1}$ = $\frac{72}{33}$ = 2$\frac{2}{11}$ hours; therefore the first error will be 2$\frac{2}{11}$ — 2 = $\frac{2}{11}$—. Again, we suppose the time to be 4 o'clock. Then the time to midnight will be 8 hours; therefore, by the question, ⅔ of 4 hours will be equal to $\frac{8}{33}$ of 8 hours, but ⅔ of 4 hours is ⅔ × ¼ = $\frac{8}{3}$ = 2⅔ hours; and $\frac{8}{33}$ of 8 hours is $\frac{8}{33}$ × $\frac{8}{1}$ = $\frac{64}{33}$ = 1$\frac{31}{33}$ hours; therefore, the second error will be 2⅔ — 1$\frac{31}{33}$ = $\frac{8}{11}$+. Then, by the rule, $\frac{2}{11}$ + $\frac{8}{11}$: 4 — 3 :: $\frac{20}{110}$: $\frac{22}{110}$ = ⅕; 3 + ⅕ = 3⅕ hours, the time after noon = 12 minutes past 3, Ans.

6. We first suppose their income to be \$360 each. Then, as A saves $\frac{1}{12}$ of his income, he will spend \$360 ÷ 12 = \$30; \$360 — \$30 = \$330 annually. As B spends \$100 per annum more than A, he will spend \$330 + \$100 = \$430 each year; and in 10 years he will spend

10 × $430 = $4300. As his income, by the supposi-
tion, is only $360 per annum, it would be in ten years
10 × $360 = $3600. His debt would therefore be
$4300 — 3600 = $700. But by the question it was
only $600; therefore the first error will be $700 —
$600 = $100— too small.

Again, we suppose their income to be $300 annually. Then
as A saves $\frac{1}{12}$ of his, he will spend $300 ÷ 12 = $25;
$300 — $25 = $275 annually; and B, by the question,
will spend $275 + $100 = $375, and in 10 years he
will spend 10 × $375 = $3750. B's income by the
question will be only 10 × $300 = $3000; therefore
his debt will be $3750 — $3000 = $750. But, by the
question, it was only $600, therefore the second error will
be $750 — $600 = $150— too small; then (the errors
being both made by results too small, the difference is
taken), 150 — 100 : 360 — 300 : : 100 : 120; 120 +
360 = $480, Ans.

7. It appears, by the tenor of the question, that 90 must be so
divided into two parts that, if the larger part be multi-
plied by 60, and the smaller part by 80, the difference of
the products shall be 3300. We therefore suppose the
larger part to be 60, and the smaller part 30, and pro-
ceed according to the rule, thus: 60 × 60 = 3600;
30 × 80 = 2400. The difference between these prod-
ucts is 3600 — 2400 = 1200, which is 3300 — 1200 =
2100 *less* than it should be. Again, we divide 90 into
the two parts 80 and 10, and multiply them by 60 and
80 as before, and find the result as follows: 80 × 60 =
4800; 10 × 80 = 800; 4800 — 800 = 4000, which is
4000 — 3300 = 700 *more* than it should be. Hence we
have the statement, 700 + 2100 : 80 — 60 : : 700 : 5;
80 — 5 = 75, the days of labor; and 90 — 75 = 15,
days of idleness, Ans.

8. First suppose 48 the weight of the fish; as the body weighs

as much as the head and tail, its weight will be half of
the whole fish; half of 48 = 24; but 24 + 15 + (15 + ⅕
of 24) = 58; therefore, 58 — 48 = 10, first error.

Again, suppose the weight of the fish to be 60; but 30 +
15 + (15 + ⅕ of 30) = 65 for the weight of the fish
by the conditions of the question; therefore 65 — 60 = 5,
second error.   Then, 10 — 5 : 60 — 48 : : 10 : 25;
therefore, 25 + 48 = 72, weight of the fish, Ans.

9. Assume 300 pounds to be growing on each acre (any other
number would answer as well); then 3⅓ acres will con-
tain 1000 pounds.   We now suppose the weekly increase
to be 9 pounds; then 3⅓ acres will, in four weeks, pro-
duce 120 pounds.

$$3\tfrac{1}{3} \times 300 = 1000$$
$$9 \times 3\tfrac{1}{3} \times 4 = \underline{120}$$
Amount of 3⅓ acres in 4 weeks = 1120lbs.

Having found that 12 oxen will eat 1120 pounds of grass in
4 weeks, we wish to know how many pounds 21 oxen
would eat in 9 weeks, which, by the following process, we
find to be 4410 pounds.   Thus,

$$\left.\begin{array}{c} 12 : 21 \\ 4 : 9 \end{array}\right\} : : 1220 : 4410\text{lbs.}$$

But we find the amount of the grass of 10 acres in 9 weeks
to be 3810 pounds.   Thus,

$$300 \times 10 = 3000$$
$$9 \times 10 \times 9 = \underline{810}$$
$$3810\text{lbs.}$$

But, by the supposition, 21 oxen in 9 weeks would eat 4410lbs.

The first error will therefore be   —600

We next suppose the weekly increase to be 18 pounds per
acre; therefore the amount of the grass of 3⅓ acres in 4
weeks will be 1240 pounds.   Thus,

$$300 \times 3\tfrac{1}{3} = 1000$$
$$18 \times 3\tfrac{1}{3} \times 4 = \underline{240}$$
$$1240\text{lbs.}$$

And the amount of 10 acres in 9 weeks would be 4620lbs.
Thus,

$$10 \times 300 = 3000$$
$$10 \times 18 \times 9 = 1620$$
$$\overline{\hphantom{10 \times 18 \times 9 = }4620\text{lbs.}}$$

But, by the last supposition, we find that 21 oxen in 9 weeks
would eat 4882½ pounds. Thus,

$$\left.\begin{array}{c}12 : 21 \\ 4 : 9\end{array}\right\} : : 1240 : 4882\tfrac{1}{2}\text{lbs.}$$

By subtracting 4620 from 4882½ pounds, we find
the second error, to be —262½.

$$\begin{array}{r}4882\tfrac{1}{2} \\ 4620 \\ \hline -262\tfrac{1}{2}\end{array}$$

Hence, the statement, $600 - 262\tfrac{1}{2} : 18 - 9 : : 600 : 16$;
and $16 + 9 = 25$ pounds, weekly increase.

Having assumed 300 pounds to the acre, and found the
weekly increase to be 25 pounds to the acre, which is 8⅓
per cent., we now proceed to find the amount of the pro-
duce of 24 acres for 18 weeks. Thus,

$$24 \times 300 = 7200$$
$$25 \times 18 \times 24 = 10800$$

Amount of 24 acres for 18 weeks = $\overline{18000\text{lbs.}}$

$$3\tfrac{1}{3} \times 300 = 1000$$
$$3\tfrac{1}{3} \times 4 \times 25 = 333\tfrac{1}{3}$$

Actual amount of 3⅓ acres for 4 weeks = $\overline{1333\tfrac{1}{3}\text{lbs.}}$

The question now is, If 12 oxen eat 1333⅓ pounds of grass
in 4 weeks, how many oxen will eat 18000 pounds in 18
weeks? Then,

$$\left.\begin{array}{c}1333\tfrac{1}{3}\text{lbs.} : 18000\text{lbs.} \\ 18 \text{ weeks} : 4 \text{ weeks}\end{array}\right\} : : 12 : 36 \text{ oxen, Ans.}$$

10. By trial the required number is found to be between 26 and
and 27, which numbers may be assumed successively.
Then, by extracting the square root of 26, trebling the
root, and taking the result from 26, we get 10.703; 11—

10.703 = .297, first error; proceeding the same way
with 27, the result is 11.412; 11.412 — 11 = .412,
second error; then, by the rule, .297 + .412 : 27 — 26 ::
.297 : .42; and .42 + 26 = 26.42, the first approxima-
tion. Assume now 26.42 for the number; then, 26.42 —
3 times its square root = 10.999883269; 11 — 10.999-
883269 = .000116731, first error; next assume 26.421;
26.421 — 3 times its square root = 11.000591445;
11.000591445 — 11 = .000591445, second error. Then,
.000116731 + .000591445 : 26.421 — 26.42 :: .000116-
731 : .0001648; and 26.42 + .0001648 = 26.4201648,
Ans.

SCALES OF NOTATION.

(ART. 592, p. 418.)

(2.)	(3.)
2)37	3)1000000
2)18 1	3)333333 1
2)9 0	3)111111 0
2)4 1	3)37037 0
2)2 0	3)12345 2
1 0	3)4115 0
Ans. 100101.	3)1371 2
	3)457 0
	3)152 1
	3)50 2
	3)16 2
	3)5 1
	1 2

Ans. 1212210202001, in the ternary scale; and

9)1000000
9)111111 1
9)12345 6
9)1371 6
9)152 3
9)16 8
1 7

In the nonary scale, 1783661, Ans.

(4.)

12)476897
12)39741 5
12)3311 9
12)275 e
12)22 e
1 t Ans. 1*tee*95.

(ART. 593, p. 419.)

(2.)

234
5
―――
13
5
―――
69, Ans.

(3.)

21122
3
―――
7
3
―――
22
3
―――
68
3
―――
206, Ans.

19*

(4.)	(5.)
100101	13579
2	12
——	——
2	15
2	12
——	———
4	185
2	12
——	————
9	2227
2	12
——	—————
18	26733
2	
——	
37, Ans.	

11)26733
11)2430 3
11)220 t
· 11)20 0
   1 9
Ans. 190t3.

(6.)

123454321
6
——
8
6
——
51
6
———
310
6
————
1865
6
—————
67167
6
——————
403004
6
———————
2418025

12)2418025
12)201502 1
12)16791 t
12)1399 3
12)116 7
   9 8
Ans. 9873t1.

(ART. **594**, p. **420**.)

(1.)

45324502
25405534
115134440, the sum, ⎱ Ans.
15514524, the diff., ⎰

(2.)

2483
589
1*t*985
18502
11184
13122*t*5, Ans.

(3.)

589)1184323(2483, Ans.
   *e*56
   22*t*3
   1*te*0
   3*e*32
   39*t*0
   1523
   1523

(4.)

1̇1̇1̇2̇2̇4̇4̇1̇(2405, Ans.
  4
44)312
  304
5205)42441
  42441

DUODECIMALS.

(ART. **598**, p. **421**.)

(1.)

121ft. 3′ 9″
105ft. 11′ 8″
 80ft. 0′ 6″
 15ft. 10′ 0″ 4‴
Ans. 323ft. 1′ 11″ 4‴

(2.)

462ft. 4′ 9″
307ft. 9′ 1″
Ans. 154ft. 7′ 8″

3. 92ft. 0′ 6″ — 21ft. 9′ 10″ = 70ft. 2′ 8″ ; and 70 ft. 2′ 8″
  + 19ft. 10′ 8″ 6‴ = 90ft. 0′ 11″ 6‴, Ans.

(ART. **600**, p. **422**.)

2. 48ft. 6′ × 24ft. 3′ = 1176sq. ft. 1′ 6″, Ans.

3. 20ft. $+$ 14ft. 6′ $=$ 34ft. 6′, $\times$ 2 $=$ 69ft. $\times$ 10ft. 4′ $=$ 713ft.;
   3ft. 2′ $\times$ 6ft. $\times$ 2 $=$ 38ft.; 4ft. 4′ $\times$ 4ft. $=$ 17ft. 4′, $+$
   38ft. $=$ 55ft. 4′; 713ft. $-$ 55ft. 4′ $=$ 657ft. 8′; 657ft.
   8′ $\div$ 9 $=$ 73$\frac{2}{4}$ square yards, Ans.

4. 53ft. 6′ $\times$ 10ft. 3′ $\times$ 2ft. $=$ 1096ft. 9′, Ans.

5. 6ft. 8′ $+$ 5ft. 9′ $+$ 4ft. 6′ $+$ 3ft. 10′ $=$ 20ft. 9′, $\times$ 3ft. 5′
   $\times$ 4 $=$ 283sq. ft. 7′, Ans.

6. 97ft. 9′ $\times$ 3ft. 6′ $=$ 342ft. 1′ 6″, $\div$ 4 $=$ 85$\frac{51}{256}$ cord ft., $\div$
   8 $=$ 10$\frac{177}{256}$ cords, Ans.

7. 100ft. $\times$ 6ft. 11′ $=$ 691ft. 8′ $\div$ 4 $=$ 172$\frac{11}{12}$ cord ft. $\div$ 8 $=$
   21$\frac{88}{9}$ cords, Ans.

(ART. 601, p. 423.)

2. 834sq. ft. 3′ $\div$ 17ft. 9′ $=$ 47ft., Ans.

3. 18ft. 9′ $\times$ 3 $=$ 56ft. 3′; 84ft. 4′ 6″ $\div$ 56ft. 3′ $=$ 1ft. 6′,
   Ans.

   NOTE.—The thickness of the plank, 3′, should not be regarded as 3′ in working the problem, but simply as 3 times the thickness of board measure.

4. 792ft. 6′ 9″ 2‴ $\div$ 12ft. 7′ 8″ $=$ 62ft. 8′ 6″, Ans.

MISCELLANEOUS EXAMPLES.
(PAGE 424.)

1. As $52.50 is the average of salary, $52.50 $-$ $20 $=$ $32.50,
   average of increase; $32.50 $\times$ 2 $=$ $65, whole increase;
   $65 $+$ 20 $=$ $85, salary received last month $=$ last
   term; then, (Art. 558) $\frac{85-20}{5}$ $+$ 1 $=$ 14 months, Ans.

2. 20ft. $+$ 16ft. 6′ $=$ 36ft. 6′ $\times$ 2 $=$ 73ft. $\times$ 9ft. 6′ $=$ 693ft.
   6′; 20ft. $\times$ 16ft. 6′ $=$ 330ft.; 330ft. $+$ 693ft. 6′ $=$
   1023ft. 6′ $\times$ 3 $=$ 3070ft. 6′ $\div$ 9 $=$ 341yd. 1ft. 6′;
   341yd. 1ft. 6′ $-$ 90yd. $=$ 251yd. 1ft. 6′, Ans.

3. (Art. 565.) $(1\frac{1}{2})^{10} = \frac{59049}{1024}$; $\frac{59049}{1024} \times 1024 = 59049,
   the share of the eldest, Ans.

4. (Art. 583.) $\dfrac{20\times19\times18\times17\times16\times15\times14\times13\times12\times11}{1\times2\times3\times4\times5\times6\times7\times8\times9\times10}$
   $$[= $1847.56, \text{ Ans.}$$

5. 340ft. ÷ 3ft. 9′ = 90ft. 8′ = 30yd. 0ft. 8′, Ans.

6. By Table (p. 406) the amount of $1 for 6 years is $6.97-5319 ; therefore, $700 × 6.975319 = $4882.72, Ans.

7. (1.) We first suppose the time to be $60\frac{1}{2}$ seconds after 12 o'clock. The hour-hand then will have passed $\frac{60.5}{432000}$ of the distance from 12 to 12 again, and the second-hand will have passed once round and $\frac{1}{120}$ of another time. The difference between these two numbers is $\frac{1}{120} - \frac{60.5}{432000} = \frac{3128}{86400}$. The minute-hand will have passed $\frac{60.5}{3600}$ of the distance from 12, and the difference between this number and $\frac{1}{120}$ is $\frac{60.5}{3600} - \frac{1}{120} = \frac{1122}{86400}$. We now find the difference between this last number and $\frac{3128}{86400}$; $\frac{1122}{86400} - \frac{3128}{86400} = \frac{2133}{86400}$—, first error, too small.

We next suppose the time to be 61 seconds after 12 o'clock. The hour-hand then will have passed $\frac{61}{432000}$ of the distance from 12 to 12, and the second-hand will have passed once round and $\frac{1}{60}$ of another time. The difference of these two numbers is $\frac{1}{60} - \frac{61}{432000} = \frac{6139}{432000}$. We now find the difference between the second-hand and minute-hand. The minute-hand has moved in 61 seconds $\frac{61}{3600}$ of the distance from 12 to 12 ; the difference between $\frac{61}{3600} - \frac{1}{60} = \frac{12}{43200}$. We next find the difference between this last number and $\frac{6139}{432000}$; $\frac{6139}{432000} - \frac{12}{43200} = \frac{6019}{432000} = \frac{1294}{86400}+$, second error. As the denominators of our errors are the same number, we may reject them in the operation ; for when fractions have a common denominator their values are as their numerators. 133 + 1294 : 61 — 60.5 : : 133 : $\frac{665}{1427}$; and $\frac{665}{1427} + 60.5 = 60\frac{780}{1427}$ seconds, Ans.

(2.) Suppose the time to be $61\frac{1}{2}$ seconds after 12 o'clock. Then the hour-hand will have moved $\frac{61.5}{432000}$ of the distance from 12 o'clock to 12 again, and the minute-hand will have moved $\frac{61.5}{3600}$ of this distance, and the second-hand will have moved once round and $\frac{1.5}{60}$ again. The difference between $\frac{61.5}{432000}$ and $\frac{61.5}{3600}$ is $\frac{6765}{432000}$. The difference between $\frac{1.5}{60}$ and $\frac{61.5}{3600}$ is $\frac{3420}{432000}$. We then find the dif-

ference between $\frac{676.5}{43200}$ and $\frac{342.0}{43200} = \frac{334.5}{43200}$—, the first error.

We then suppose the time to be 62 seconds after 12 o'clock. The hour-hand will then have moved from 12 o'clock $\frac{62}{43200}$ of the distance to 12 again, and the minute-hand have moved $\frac{62}{3600}$ of the distance, and the second-hand will have gone once round and $\frac{2}{60}$ of the distance again. The difference between $\frac{62}{3600}$ and $\frac{62}{43200}$ is $\frac{682}{43200}$. The difference between $\frac{2}{60}$ and $\frac{62}{3600}$ is $\frac{826}{43200}$. The difference between $\frac{682}{43200}$ and $\frac{826}{43200}$ is $\frac{14}{43200}$+, second error. $334.5 + 14 : 62 - 61.5 :: 14 : \frac{14}{697}$; and $62 - \frac{14}{697} = 61\frac{683}{697}$ seconds, Ans.

(3.) We will first suppose the time to be 59 seconds after 12 o'clock; the hour-hand will then have advanced $\frac{59}{43200}$ of the distance from 12 o'clock to 12 again, and the second-hand will be within $\frac{1}{60}$ of the distance to 12; therefore, the whole distance between the hour-hand and the second-hand will be $\frac{1}{60} + \frac{59}{43200} = \frac{779}{43200}$; and the distance between the hour-hand and minute-hand will be $\frac{58}{3600} - \frac{59}{43200} = \frac{649}{43200}$, and the difference between $\frac{779}{43200}$ and $\frac{649}{43200} = \frac{130}{43200}$—, the first error.

Again, we will suppose the time to be 58 minutes after 12 o'clock. The distance then between the second-hand and hour-hand will be $\frac{2}{60} + \frac{58}{43200} = \frac{1498}{43200}$. The distance between the hour-hand and minute-hand will be $\frac{58}{3600} - \frac{58}{43200} = \frac{638}{43200}$, and $\frac{1498}{43200} - \frac{638}{43200} = \frac{860}{43200}$— will be the second error. $860 - 130 : 59 - 58 :: 130 : \frac{13}{73}$; and $59 + \frac{13}{73} = 59\frac{13}{73}$ seconds, Ans.

MENSURATION.

(Art. 613, p. 426.)

1.　$18 \times \frac{12}{2} = 108$, Ans.

2.　$15.6 + 9.2 + 10.4 = 35.2$ feet; $35.2 \div 2 = 17.6$ feet; $17.6 - 15.6 = 2.00$; $17.6 - 9.2 = 8.4$; $17.6 - 10.4$

$= 7.2$; $17.6 \times 2 \times 8.4 \times 7.2 = 2128.896$; $\sqrt{2128}$-
.$896 = 46.139+$ feet, Ans.

3. $40 \times \frac{15}{2} = 300$, Ans.

4. $336 \div 3 = 112$, each side of the field; $112 \div 2 = 56$, half
the base; $112^2 - 56^2 = 9408$; $\sqrt{9408} = 97$, the per-
pendicular height, very nearly; $112 \times \frac{97}{2} = 5432$ rods
$= 33$ acres 152 rods, Ans.

(ART. **621**, p. **427**.)

1. $15 \times 2 = 30$, Ans.

2. $128 \times 48 = 6144$, Ans.

3. $12 \times 8 = 96$, Ans.

4. $358 \times 194 = 69452$, Ans.

5. $693 \times 693 = 480249$ft.; $480249 \div 272\frac{1}{4} = 1764$ rods;
$1764 \div 160 = 11$ acres 4 rods, Ans.

6. $40 \times 40 = 1600$; $20 \times 20 \times 2 = 800$; $1600 - 800 = 800$, Ans.

7. $\sqrt{3600} = 60$ yards; $3600 \div 2 = 1800$ yards; $\sqrt{1800} = 42.427+$ yards; 60 yards $- 42.427$ yards $= 17.573$
yards; $17.573 \div 2 = 8.78+$ yards, Ans.

(ART. **622**, p. **428**.)

1. $\frac{15+33}{2} \times 20 = 1080$sq. ft., Ans.

2. $\frac{186+473}{2} \times 986 = 620687$ links; $620687 \div 625$ (the links
in a square rod) $= 993$ rods 3 yards $= 6$ acres 33 rods
3 yards, Ans.

(ART. **623**, p. **428**.)

1. Drawing the diagonal divides the garden into two triangles,
with sides 328, 598, 298, and 598, 456, 572.

328	$612 - 328 = 284$, rem.
598	$612 - 598 = 14$, rem.
298	$612 - 298 = 314$, rem.

2)1224

612, half sum.

598   813 — 598 = 215, rem.
456   813 — 456 = 357, rem.
572   813 — 572 = 241, rem.
────────
2)1626
────────
813, half sum.

· 612 × 284 × 14 × 314 = 764059968 ; $\sqrt{764059968} =$
27641.63 ; 813 × 215 × 357 × 241 = 15038837415 ;
$\sqrt{15038837415} = 122632.97$; 27641.63 + 122632.97
= 150274.6sq. ft. = 3 acres 1 rood 31 rods 29 yards
3.85 feet, Ans.

2. $\frac{2 \cdot 8 \cdot 2}{2}$ × 17.56 = 77.4396 square chains, area of one
    triangle ;
    $\frac{7 \cdot 7 \cdot 2}{2}$ × 17.56 = 67.8694 square chains, area of the other
    triangle ;
    77.4396 + 67.8694 = 145.309 square chains, the area of
    the whole field ; 145.309 ÷ 10 (10 square chains make
    1 acre) = 14.5309 acres = 14 acres 2 roods 5 rods,
    nearly, Ans.

(ART. 626, p. 429.)

1. $\frac{172 \cdot 05}{2}$ × 250°× 5 = 107531.25 square feet, Ans.
2. $\frac{308 \cdot 305}{2}$ × 356 × 6 = 329269.74yd., Ans.
3. 60² × 4.828427 = 17382.3372 yards = 3 acres 2 roods
    14 rods 19 yards, nearly, Ans.
4. 243² × 7.694209 = 454335.34724 = 10 acres 1 rood 28
    rods 24 yards 6.34724 feet, Ans.

(ART. 633, p. 430.)

1. 144 × 3.141592 = 452.389248, Ans.
2. 7964 × 3.141592 = 25019.638688, Ans.
3. 512 × 2 × 3.141592 = 3216.9984 feet = 4 furlongs 34
    rods 5 yards 1 foot, Ans.

(ART. 634, p. 430.)

1. 1043 × .318309 = 331.997, Ans.

2. $25000 \times .318309 = 7957.74$, Ans.

3. $50 \times .318309 = 15.91549$, Ans.

(Art. 635, p. 430.)

1. $761^2 \times .785398 = 454840.475158$, Ans.

2. 1 mile $= 320$ rods; $320 \times 3 = 960$; $960^2 \times .785398 = 723822.7968$ square rods $= 4523.89 +$ acres, Ans.

3. $1284^2 \times .079577 = 131195.098512$ square yards $= 27$ acres 17 rods 0.848512 square yards, Ans.

4. $\frac{189}{2} \times \frac{532}{2} = 22477$ inches $= 17$ yards 3 feet 13 inches, Ans.

(Art. 636, p. 430.)

1. $79 \times \frac{47}{2} = 1856.5$, Ans.

2. The area of a circle of which the radius is $25 = 50^2 \times .785398$; then, $360^\circ : 26^\circ : : 50^2 \times .785398 : 141.8$ sq. ft., Ans.

(Art. 637, p. 431.)

1. $360^\circ : 49.25^\circ : : 24^2 \times .785398 : 61.889$, area of sector A B C E; $\sqrt{12^2 - 5^2} = 10.908 =$ perpendicular D E; $10.908 \times 5 = 54.54$, area of triangle A C E; $61.889 - 54.54 = 7.35$, nearly, area of the segment A B C A, Ans.

2. By the second rule, $\dfrac{15 \times 24 \times 2}{3} + \dfrac{15^3}{24 \times 2} = 310.3125$ square rods $= 1$ acre 3 roods 30 rods 9.4 yards, Ans.

(Art. 638, p. 431.)

1. The first step in the working of this problem is to find the height of the segments lying on each side of the zone; the heights are elements necessary in calculating their areas. Let H F B C be the zone; the radii A C, A B, A F, A H, are each 12 feet;

20

A H $= 12$; $12^2 = 144$;

H K $= \dfrac{20.8}{2} = 10.4$; $10.4^2 = 108.16$.

$144 - 108.16 = 35.84$; $\sqrt{35.84} = 5.9 =$ A K ; $12 - 5.9 = 6.1 =$ G K, the height of the segment whose cord is 20.8 ; then, $\dfrac{20.8 \times 6.1 \times 2}{3} + \dfrac{6.1^3}{20.8 \times 2} = 90.03$, area of the segment H G F H ;

A C $= 12$; $12^2 = 144$;

C E $= \dfrac{23.25}{2} = 11.625$; $11.625^2 = 135.14$; $144 - 135.14 = 8.86$;

$\sqrt{8.86} = 2.97 =$ A E ; $12 - 2.97 = 9.03 =$ D E, the height of the segment whose cord is 23.25 ; then $\dfrac{23.25 \times 9.03 \times 2}{3} + \dfrac{9.03^3}{23.25 \times 2} = 155.79$, area of the segment C D B C ;

$24^2 \times .7854 = 452.39$, area of the whole circle ;

$155.79 + 90.03 = 245.82$, area of the two segments ;

$\overline{206.57}$, area of the zone, Ans.

2. Let 10, the radius, be the hypothenuse of a right-angled triangle, and 8, half the cord, be the base; then, $10^2 - 8^2 = 36$; $\sqrt{36} = 6$, the perpendicular from the centre to the cord ; $10 - 6 = 4$, height of each segment; then, by the rule (Art. **637**), $\dfrac{16 \times 4 \times 2}{3} \times \dfrac{4^3}{16 \times 2} = 44.66$, area of each segment ; $44.66 \times 2 = 89.32$, area of both segments ; $20^2 \times .785 =$

$ 314,$ area of the circle ;

$ \underline{89.32,}$ area of the segments.

$ \overline{224.68,}$ or 224.7, nearly,

area of zone, Ans.

(Art. **639**, p. **431**.)

1. By rule, Art. **637**, $\dfrac{72 \times 30 \times 2}{3} + \dfrac{30^3}{72 \times 2} = 1627.5$sq. ft.

$\dfrac{72 \times 20 \times 2}{3} + \dfrac{20^3}{72 \times 2} = \underline{1015.5}$sq. ft.

Ans. 612 sq. ft.

(Art. **640**, p. **431**.)

1. $(20 + 10) \times (20 - 10) \times .7854 = 235.62$sq. yd., Ans.
2. $(157 + 128) \times (157 - 128) \times .7854 = 6491.331$sq. yd.
   = 1 acre 1 rood 14 rods 17 yards 7.4 feet, Ans.

(Art. **641**, p. **431**.)

1. $50 \times .886227 = 44.31135$ rods, Ans.
2. $360 \times .282094 = 101.55$ rods, Ans.
3. $10000 \times .282094 = 2820.94$ rods, Ans.

(Art. **642**, p. **432**.)

1. $44.31135 \times 1.12838 = 50.000041113$ rods, Ans.

(Art. **643**, p. **432**.)

1. $30 \times .866025 = 25.98$ inches, Ans.
2. $5000 \times .275664 = 1378.320$ feet, Ans.
3. $80 \times .275664 = 22.05$ inches, Ans.

(Art. **644**, p. **432**.)

1. $30 \times .707106 = 21.21$ inches square, Ans.
2. $80 \times .707106 = 56.56848$ feet, Ans.
3. $5000 \times .225079 = 1125.395$ rods, Ans.
4. $100 \times .225079 = 22.5$ inches square, Ans.
5. $18 \div .225079 = 79.97$ inches, Ans.
6. 20 rods = 330 feet; $330 \div .225079 = 1466.15$ feet, Ans.

(ART. **645**, p. **482**.)

1. 86.2 ÷ 2.155 = 40 inches, Ans.

(ART. **647**, p. **433**.)

1. 24 × 18 × .785398 = 339.2919, Ans.

2. 33$\frac{5}{12}$ × 20$\frac{1}{4}$ × .785398 = 531.469sq. feet = 59sq. yd. 67sq. inches, Ans.

SOLIDS.

(ART. **650**, p. **433**.)

1. 23 + 34 + 19 = 76 inches = 6$\frac{1}{3}$ feet, the perimeter; 6$\frac{1}{3}$ × 13 = 82.33 feet, the area of the sides; by Art. **613**, 38 × 15 × 4 × 19 = 43320; $\sqrt{43320}$ = 208.1 inches, the area of one of the ends; 208.1 × 2 = 416.2; 416.2 ÷ 144 = 2.89, area of both ends in feet;

$\qquad$ 82.33, area of sides;
$\qquad$ 2.89, area of the ends;
$\qquad\overline{}$
$\qquad$ 85.22 feet, surface of the prism, Ans.

2. 33 × 5 = 165 inches = 13$\frac{3}{4}$ feet, the perimeter; 13$\frac{3}{4}$ × 14 = 192.5 feet, area of the sides; and, 33² × 1.720477 × 2 = 3747.19sq. inches = 26.02sq. feet, the area of the two ends; then, 192.5 + 26.02 = 218.52sq. feet, surface of the prism, Ans.

3. 57in. = 4$\frac{3}{4}$ feet; 4$\frac{3}{4}$ × 13 = 61.75sq. feet, the convex surface of cylinder; (4$\frac{3}{4}$)² × .079577 × 2 = 3.59sq. ft., area of the two ends; then, 61.75 + 3.59 = 65.34sq. ft., surface of cylinder, Ans.

4. 1 acre = 43560sq. feet; 1$\frac{3}{4}$ × 3.14159 = 5.49778 feet, the circumference of the cylinder; 5.49778 × 5$\frac{1}{4}$ = 28.86334, convex surface of the cylinder; 43560 ÷ 28.86334 = 1509.18 times, Ans.

5. 16 × 10 × 4 = 640sq. feet; 640 ÷ 9 = 71$\frac{1}{9}$sq. yards, Ans.

(ART. **651**, p. **434**.)

1. $2.5^2 - 1.25^2 = 4.6875$; $\sqrt{4.6875} = 2.16506 =$ the perpendicular of the triangle marked by the end of the prism; and 2.16506×1.25 (half the base) $= 2.706 =$ area of the end of the prism; $2.706 \times 12 = 32.47$ cubic feet, Ans.

2. (Art. **613**.) $6 \times 1 \times 2 \times 3 = 36$; $\sqrt{36} = 6 =$ area of the end; then, $6 \times 10 = 60$ cu. feet, Ans.

3. $3\frac{1}{6} \times 2\frac{2}{3} \times 2\frac{1}{2} = 21\frac{1}{6}$ cu. feet, Ans.

4. $6^2 \times .079577 \times 9 = 25.78$ cu. feet, Ans.

(ART. **656**, p. **435**.)

1. $2\frac{2}{3} \times 2\frac{3}{5} = 7\frac{1}{6}$ feet, area of the base; $2\frac{3}{5} \times 4 = 10\frac{2}{5}$ feet, the perimeter of the base; $7\frac{1}{6} + 10\frac{2}{5} \times \dfrac{3\frac{3}{4}}{2} = 27\frac{1}{6}$ sq. feet area, Ans.

2. $9 \times \frac{20}{2} = 90$ feet, Ans.

(ART. **657**, p. **435**.)

1. $(2\frac{1}{2})^2 \times .785398 \times 12\frac{.5}{3} = 20.45$, Ans.

2. By Art. **613**, $9 \times 4 \times 3 \times 2 = 216$; $\sqrt{216} = 14.69693$, the area of the base; $14.69693 \times 14\frac{.5}{3} = 71.035$ cu. feet, Ans.

(ART. **658**, p. **435**.)

(1.)

$3 \times 5 = 15$, perimeter of smaller end;

$5 \times 5 = 25$, perimeter of larger end;

$\overline{40} \times 5 = 200$ = surface of the sides;

$3^2 \times 1.720477 = 15.4842 =$ surface of smaller end;

$5^2 \times 1.720477 = \underline{43.0119} =$ surface of larger end;

$ 258.4961$ inches, surface of the frus-

[tum, Ans.

20*

(2.)

$3\frac{7}{12} \times 3.14159 = 11.2573$, circumference of larger end;

$1\frac{11}{12} \times 3.14159 = 6.02138$, circumference of smaller end;

$\overline{17.27868} \times 4\frac{1}{2} = 77.75406 =$ convex

[surface of the frustum;

77.75406, convex surface;

$(\frac{13}{12})^2 \times .785398 = 10.08472$, surface of larger end;

$(\frac{23}{12})^2 \times .785398 = 2.885246$, surface of smaller end;

$\overline{90.724026}$ sq. feet, Ans.

(ART. **659.** p. **435.**)

1. $27 \times 27 = 729$, area of larger end; $16 \times 16 = 256$, area of smaller end;

$729 \times 256 = 186624$; $\sqrt{186624} = 432$; $432 + 256 + 729 = 1417$; $1417 \times \dfrac{18\frac{2}{3}}{3} = 8816.888$; $8816.888 \div 144 = 61.228$ cubic feet, Ans.

2. $2^2 \times .7854 = 3.1416$, area of larger end;

$1^2 \times .7854 = .7854$, area of smaller end;

$3.1416 \times .7854 = 2.46741264$; $\sqrt{2.46741264} = 1.5708$;

1.5708,

3.1416, area of larger end;

.7854, area of smaller end;

$\overline{5.4978} \times \frac{4.0}{3} = 73.304$ cubic feet, Ans.

(ART. **666,** p. **436.**)

1. $24 \times (24 \times 3.14159) = 1809.55$ sq. in., Ans.

2. $7957\frac{3}{4} \times 25000 = 198943750$, Ans.

(ART. **667,** p. **436.**)

1. $12^3 \times .523598 = 904.78$, Ans.

2. $25000 \times .31831 = 7957.75$, diameter; $7957.75^3 \times .5236 = 263858149120.06886875$, Ans.

(ART. **668**, p. **437**.)

1. $12\frac{1}{2} \times 3.141592 \times 2 = 78.54$ sq. feet, Ans.

2. $7970 \times 3.141592 \times 2143.623553 = 53673093.12$ sq. miles, Ans.

(ART. **669**, p. **437**.)

1. $(3^2 + (4\frac{1}{2})^2 \times 3) \times 3 \times .5236 = 109.56$ cu. feet, Ans.

2. $(9^2 + 10^2 \times 3) \times 9 \times .5236 = 1795.42$ cu. feet. Ans.

(ART. **670**, p. **437**.)

1. $(21 + 4) \times 4 \times 9.8696 = 986.96$ sq. in., Ans.

(ART. **671**, p. **437**.)

1. $(25 + 5) \times 5^2 \times 2.4674 = 1850.55$ cu. in., Ans.

(ART. **672**, p. **437**.)

1. $20^2 \times 32 \times .523598 = 6702.05$ cu. in., Ans.

2. $38^2 \times 48 \times .523598 = 36291.62$ cu. feet, Ans.

(ART. **674**, p. **438**.)

1. $24 \times \frac{2}{3} = 16$ feet, Ans.

2. $30 \times 1\frac{1}{3} = 40$ feet, Ans.

3. $(26 + 14) \div 2 = 20;\ 30 \times 20 \div 12 = 50$ feet, Ans.

(ART. **675**, p. **438**.)

1. $3 \times 5 \times 15 \times 3 = 675;\ 675 \div 12 = 56\frac{1}{4}$ feet, Ans.

2. $2 \times 6 \times 10 \times 20 \div 12 = 200$ feet, Ans.

3. $10 \times 17 \times 20 \div 12 = 283\frac{1}{3}$ feet, Ans.

(ART. **676**, p. **438**.)

1. $30 \times 10^2 \div 144 = 20\frac{5}{6}$ feet, Ans.

2. $50 \times 14^2 \div 144 = 68\frac{1}{18}$ feet, Ans.

3. $90 \times 30^2 \div 144 = 562\frac{1}{2}$ feet, Ans.

<div align="center">(Art. 679, p. 439.)</div>

1. $27 + (8 \times .70) = 32.6$; $32.6^2 \times 45 \times .0034 = 162.602$ wine gallons, Ans.

2. $30 + (8 \times .65) = 35.2$; $35.2^2 \times 42 \times .0034 = 176.9349$ wine gallons, Ans.

3. Consider the tub as the frustum of a cone, and apply the rule in Art. **659**; by this rule get the contents of the tub in inches, and change the inches to their equivalent in gallons;

   $30^2 \times .7854 = 706.86$, area of smaller end;

   $40^2 \times .7854 = 1256.64$, area of larger end;

   $1256.64 \times 706.86 = 888268.5504$; $\sqrt{888268.5504} = 942.48$; $942.48 + 706.86 + 1256.64 = 2905.98$; $2905.98 \times \frac{10}{3} = 48433$ cubic inches; $48433 \div 231 = 209.66\frac{2}{3}$ liquid gallons, Ans.

4. $\dfrac{10 \times 5 \times 4 \times 1728}{231} = 1496\frac{8}{77}$ wine gallons, Ans.

5. $\dfrac{12 \times 6 \times 2 \times 1728}{282} = 882\frac{1}{4}\frac{8}{7}$ beer gallons, Ans.

6. $\dfrac{15 \times 5 \times 7 \times 1728}{2150.42} = 421.8$ bushels, Ans.

<div align="center">TONNAGE.</div>

<div align="center">(Art. 681, p. 440.)</div>

1. $191\frac{6}{12} = \frac{2298}{12}$; $36\frac{5}{12} = \frac{437}{12}$; $\frac{2298}{12} - \frac{2}{5}$ of $\frac{437}{12} = \frac{10172}{60}$; $\frac{10172}{60} \times \frac{437}{12} \times \frac{437}{24} \times \frac{1}{95} = 1184\frac{427}{3200}$ tons, Ans.

2. $184\frac{6}{12} - \frac{2}{5}$ of $38\frac{11}{12} = \frac{2662}{60}$; $\frac{2662}{60} \times 38\frac{11}{12} \times 19\frac{11}{24} \times \frac{1}{95} = 1284\frac{286947}{547200}$ tons, Ans.

3. $195\frac{2}{12} - \frac{2}{5}$ of $39\frac{4}{12} = 171\frac{17}{30} \times 39\frac{4}{12} \times 19\frac{8}{12} \times \frac{1}{95} = 1397\frac{182}{1283 5}$ tons, Ans.

4. $78 - \frac{2}{5}$ of $21 = 65.4$; $65.4 \times 21 \times 9 \times \frac{1}{95} = 130\frac{53}{475}$ tons, Ans.

5. $141 \times 30 \times 15 \times \frac{1}{95} = 667\frac{17}{19}$ tons, Ans.

6. $479 - \frac{2}{5}$ of $80 = 431$; $431 \times 80 \times 40 \times \frac{1}{95} = 14517\frac{17}{19}$ tons, Ans.

MISCELLANEOUS QUESTIONS.

(PAGE **441**.)

1. $\frac{7}{8} \times \frac{5}{9} = \frac{18}{63}$; $1 - \frac{18}{63} = \frac{33}{63}$, Ans.

2. As there is a son and a daughter, the son will have $\frac{4}{7}$ of the estate, the wife $\frac{2}{7}$, and the daughter $\frac{1}{7}$. If there had been only a daughter, her share would have been $\frac{3}{7}$; consequently she loses $\frac{3}{7} - \frac{2}{7} = \frac{8}{21}$. Hence

$$\frac{8}{21} : \frac{7}{21} : : \$2400 : \$2100, \text{ Ans.}$$

3. From the conditions of the question, it will readily be seen that it was a little more than half-past 5. At 5½ o'clock the minute-hand was at 6, and the hour-hand half-way between 5 and 6, or 2½ spaces from 6. The minute-hand moves twelve times as fast as the hour-hand; hence, while the minute-hand was moving from 6 to the required position, the hour-hand moved $\frac{1}{12}$ as far, and was then as far from the 6 point as the minute-hand was beyond. Therefore, the sum of the spaces passed over by the hour and minute hands = 2½ minute spaces. Hence 2½m. = $\frac{13}{12}$ of the required time beyond half-past 5, and $\frac{13}{12} = 2$m. $18\frac{6}{13}$s. 5h. 30m.+ 2m. $18\frac{6}{13}$sec. = 5h. 32m. $18\frac{6}{13}$sec., Ans.

(4.)

```
        6)97deg. 55m. 7fur. 35rd. 4ft. 6in.(16deg.
          96
          ──
           1
          69⅙
        6)124⅙(20m.              6)208⅓(34rd.
          120                      204
          ───                      ───
            4⅙                       4⅓
            8                       16½
        6)40⅙(6fur.              6)75½(12ft.
          36                       72
          ──                       ──
           4⅓                       3½
          40                       12
          ───                    6)48(8in.
          208⅓                     48
```

Ans. 16deg. 20m. 6fur. 34rd. 12ft. 8in.

5. $\frac{1}{3} + \frac{1}{4} = \frac{7}{12}$; $\frac{1}{3} = \frac{4}{12}$; $\frac{1}{4} = \frac{3}{12}$;

    $\frac{7}{12} : \frac{4}{12} :: \$100,000 : \$57,142\frac{6}{7}$, A's part, $\Big\}$ Ans.

    $\frac{7}{12} : \frac{3}{12} :: \$100,000 : \$42,857\frac{1}{7}$, B's part,

6. If the first man's share be subtracted from the whole, there will remain $\frac{18}{18} - \frac{7}{18} = \frac{11}{18}$; and $\frac{7}{18}$ of $\frac{11}{18} = \frac{77}{324} =$ the second son's share. And $\frac{7}{18} - \frac{77}{324} = \frac{49}{324} =$ difference of their legacies. $\frac{7}{18} = \frac{126}{324}$; $\frac{126}{324} + \frac{77}{324} = \frac{203}{324} =$ legacy of both sons. Hence $\frac{324}{324} - \frac{203}{324} = \frac{121}{324} =$ wife's legacy. Therefore

    $\frac{49}{324} : \frac{121}{324} :: 257£. 3s. 4d. : 635£. 0s. 10\frac{28}{49}d.$, Ans.

7. $63 \times 12 \times 12 \times 1000 \times 3 = 27216000$; $27216000 \div 16 = 1701000$lb.; $1701000 \div 2000 = 850\frac{1}{2}$ tons, Ans.

8. 4ft. $= 48$in.; 6in. $\times 2 = 12$in.; $48 - 12 = 36$in.; $36 \div 2 = 18$in.; $18 + 12 = 30$in.; 48in. : 30in. :: 200lb. : 175lb., Ans.

    $48 - 30 = 18$in.; 48in. : 18in. :: 200lb. : 75lb., Ans.

9. 25ft. 4in. $= 304$in.; 4ft. 5in. $= 53$in.; 3ft. 5in. $= 41$in.; $53 \times 41 = 2173$; $53 - 41 = 12$in.; $12 \times 12 = 144$; $144 \div 3 = 48$; $2173 + 48 = 2221$; $2221 \times .785398 = 1744.368958$; $1744.368958 \times 304 \times 8 = 4242305.305856$; $4242305.305856 \div 1728 = 2455.037792 =$ cubic feet in the pillars. $2455.037792 \times 3000 = 7365113.376 =$ weight in ounces; $7365113.376 \div 16 = 460319.586$lbs.; $460319.586 \div 2000 = 230.15+$ tons, Ans.

10. If $\frac{4}{7}$ of a certain sum be taken, and $\$410$ be left, it is evident that $\$410$ is $\frac{4}{7}$ of that sum, which is $\overline{410 \times 7} \div 4 = \$717\frac{1}{2}$. Now, if $\$717\frac{1}{2}$ remain of a certain quantity after $\frac{1}{4}$ be subtracted, it is certain that the number from which it is taken is $\frac{4}{3}$ of $\$717\frac{1}{2} = \$956.66\frac{2}{3}$, Ans.

11. $\frac{1}{4} : \$15.60 :: \$100 : \$6240 =$ sum remitted; $\$96 : \$100 :: \$6240 : \$6500 =$ value of goods sold; $\$6500 - \$6240 = \$260 =$ commission, Ans.

12. $\$107.50 : \$100 :: \$9675 : \$9000$; $\frac{9}{40} \times \$9000 = 2025£.$ sterling $=$ the bill; $\$100 - \$0.25 = \$99.75$;

$100 : $99.75 : : $9675 : $9650.81¼; $102 : $100 : :
$9650.81¼ : 9461.58\frac{3}{34}$ for investment, Ans.

13. 15 × 30 = 450; 15 × 15 = 225; 225 ÷ 3 = 75; 450
+ 75 = 525; 525 × 220 = 115500 = contents of the
whole monument, and from this we deduct the contents of
the cylinder. 15 × 11 = 165; 4 × 4 = 16; 16 ÷ 3 =
5⅓; 165 + 5⅓ = 170⅓; 170⅓ × .785398 = 133.779459⅓;
133.779459⅓ × 220 = 29431.481053⅓ = contents of the
cylinder; 115500 − 29431.481953⅓ = 86068.51894+
cubic feet of the monument, Ans.

<div align="center">(14.)</div>

$\frac{1}{12}$ × 1 + $\frac{1}{12}$ × ½ + $\frac{1}{12}$ × ⅓ = $\frac{22}{36}$, A's product;
$\frac{1}{12}$ × ½ + $\frac{1}{12}$ × ⅓ = $\frac{10}{36}$, M's product;
$\frac{1}{12}$ × ⅓ = $\frac{4}{36}$, P's product;

$\frac{36}{36}$, sum of the products.

$\frac{36}{36}$: $\frac{22}{36}$: : $300: $183.33⅓ = A pays, ⎱
$\frac{36}{36}$: $\frac{10}{36}$: : $300: $ 83.33⅓ = M pays, ⎰ Ans.
$\frac{36}{36}$: $\frac{4}{36}$: : $300: $ 33.33⅓ = P pays, ⎰

<div align="center">(15.)</div>

A 20 × $132 = $2640
B 25 × $120 = $3000   85 × $6 = $510.
C 40 × $100 = $4000
———————————————
  85         $9640

$9640 : $2640 : : $510: 139\frac{13}{24}$$\frac{1}{1}$, A receives, ⎱
$9640 : $3000 : : $510: 158\frac{117}{242}$, B receives, ⎰ Ans.
$9640 : $4000 : : $510: 211\frac{149}{241}$, C receives, ⎰

<div align="center">(16.)</div>

$100 × $5.00 = $500 given for the flour;
$500 × $0.20 = $100 gained on the flour;
——————————————
         $600

$100 × $0.03,0⅓ = $3.05 bank interest of $100 for 6
months; $100 − $3.05 = $96.95 : $100 : : $600 :
618\frac{1698}{1939}$; 618\frac{1698}{1939}$ ÷ 100 = 6.18\frac{1698}{1939}$, Ans.

17. We first find the number of square feet in an acre. 160 ×
272¼ = 43560 feet. If we extract the square root of
this number, we obtain the side of a square field that will
contain an acre; thus, $\sqrt{43560}$ = 208.712+ feet. We
now divide this number by 3.5 feet, and obtain 59.632+,
the number of divisions in the first row. We perceive,
therefore, that there will be 60 hills, there being one more
hill than divisions. Now, if we divide 208.712+ by 59,
the quotient will be 3.537 feet; that is, the hills in the
first row may be 3.537 feet apart, instead of 3.5 feet.
Thus, our first row will contain 60 hills, which will be
3.537 feet apart. Our next row will contain but 59 hills,
the hills being planted in the quincunx order, thus:

    To find the distance between the rows, we square 3.5 =
12.25 ; we then take half of 3.537 = 1.768, which we
square = 3.125824 ; we subtract this last number from
12.25, and obtain 9.124176. The square root of this
number is 3.0206 feet, equal the distance between the
rows. Now, if we divide 208.712+ by 3.0206, we obtain
69+ ; therefore, the number of rows will be 70. To
obtain the number of hills in the field, we multiply 70 by
60 = 4200. But, as there are 70 rows, and as half of
the rows contain only 59 hills, we subtract 35 from 4200.
Thus, 4200 — 35 = 4165 hills, Ans.

18. $300 : $700 : : 20 months : 46⅔ months, Ans.

19. $1500 ÷ 150 = 10; 10 + 2 = 12 children. $1500 ×
2 = $3000; $3000 ÷ 3 = $1000; $3000 + $1000
= $4000; $4000 ÷ 4 = $1000; $4000 + $1000 =
$5000; $5000 × 2 = $10,000, Ans.

20. 7 — 5 = 2 miles which B gains each day, and he will have
to gain 80 miles before he overtakes A. 2 miles : 80
miles : : 1 day : 40 days, the time which it takes B to

overtake A. And as B travels 7 miles each day, he will have to go, before he overtakes A, 40 × 7 = 280 miles, Ans.

21. 16lb. : : 80lb. : : 24.4in. : 122 cubic inches of lead. $\frac{1}{4}$ × 2 = $\frac{1}{2}$in.; 1in. + $\frac{1}{2}$in. = 1.5 inches; 1.5 × 1.5 = 2.25; 2.25 × .785398 = 1.7671455 = area of a section of the pipe. From this we subtract the area of a section of the calibre of the pipe. 1 × .785398 = .785398; 1.7671455 — .785398 = .9817475; 122 ÷ .9817475 = 124.26+ inches, = 10.35+ feet, Ans.

22. .785398 × 2 × 2 = 3.141592; $\frac{3}{4}$ × $\frac{3}{4}$ × .785398 = .441-786; 3.141592 — .441786 = 2.699806; 2.699806 × 8 = 21.598448; $\frac{3}{8}$ × 2 = $\frac{6}{8}$ = $\frac{3}{4}$; $\frac{3}{4}$ + $\frac{3}{4}$ = 1.5; 1.5 × 1.5 = 2.25; .785398 × 2.25 = 1.7671455; 1.7671455 — .441786 = 1.3253595; 21.598448 ÷ 1.3253595 = 16.29+in., Ans.

23. Let $100 represent the *relative* value of what D pays; then $100 × 1.08 = $108 will represent what C pays; $108 × 1.10 = 118.80, what B pays; and $118 × 1.08 = $133.056, what A pays. $100 + $108 + $118.80 + $133.056 = $459.856.

$459.856 : $100 : : $100: 21.74\frac{17966}{22974}$, D pays.

$459.856 : $108 : : $100: 23.48\frac{18122}{22974}$, C pays.

$459.856 : $118.80 : : $100: 25.83\frac{11927}{22974}$, B pays.

$459.856 : $133.056 : : $100: 28.93\frac{12287}{22974}$, A pays.

20 × 20 × 20 = 8000; $459.856 : $133.056 : : 8000 : 2314.742006; $\sqrt[3]{}$2314.742006 = 13.22+ft., which A takes; $459.856 : $251.856 : : 8000ft. : 4381.47594ft.; $\sqrt[3]{}$4381.47594 = 16.36+ft.; 16.36 — 13.22 = 3.14+ ft. which B takes. $459.856 : $359.856 : : 8000ft. : 6260.324971ft. $\sqrt[3]{}$6260.324971 = 18.42ft.; 18.42 — 16.36 = 2.06+ft. which C takes. 20 — 18.42 = 1.58+ft. which remains for D.

24. As B paid 20 per cent. more than A, and 10 per cent. less than C, we obtain their shares paid as follows:

21

·For each dollar A pays, B pays $1.20, and C pays $1.33⅓ ;
$1 + $1.20 + $1.33⅓ = $3.53⅓.   Therefore,

$3.53⅓ : $1.00 : : $10.60 : $3.00, A paid.
$3.53⅓ : $1.20 : : $10.60 : $3.60, B paid.
$3.53⅓ : $1.33⅓ : : $10.60 : $4.00, C paid.

As A paid $3.00, his share of the stone will be

$$\frac{300}{1060} = \frac{15}{53}; \text{ B's, } \frac{360}{1060} = \frac{18}{53}; \text{ C's, } \frac{400}{1060} = \frac{20}{53}.$$

$65^2 = 4225$, square of the diameter of the stone.
$3^2 = 9$in., square of the place for the axle.
$4225 - 9 = 4216$, to be divided among A, B, and C.
$4216 \times \frac{15}{53} = 1193.20$, A's part.
$4216 \times \frac{18}{53} = 1431.84$, B's part.
$4216 \times \frac{20}{53} = 1591$, C's part.
$4225 - 1193.20 = 3031.80$; $\sqrt{3031.80} = 55$ inches.
$65 - 55 = 10$in.; $10 \div 2 = 5$ inches, A grinds off.
$3031.80 - 1431.8 = 1600$; $\sqrt{1600} = 40$ inches.
$55 - 40 = 15$; $15 \div 2 = 7\frac{1}{2}$ inches, B grinds off.
$1600 - 1591 = 9$; $\sqrt{9} = 3$ inches.
$40 - 3 = 37$; $37 \div 2 = 18\frac{1}{2}$ inches, C grinds off.
A grinds off 5 inches, B 7½in., and C 18½in., Ans.

NOTE. — In the solution of this problem we have omitted small fractions.

25. It is evident that in every case the drawing off of one gallon
from the cask full leaves in it $\frac{9}{10}$ of its previous contents.
Hence the quantity of wine left the first day is $\frac{9}{10}$ of 10
gallons; the second day, $\frac{9}{10}$ of that; and so on, till at the
20th day it is only 10 gallons multiplied by the twen-
tieth power of $\frac{9}{10}$; and if this quantity be taken from 10
gallons, the remainder will be the quantity of water. By
similar reasoning it would be shown that the quantity of
water contained in the cask, at the end of the second
period of twenty days, would be equal to the quantity
last mentioned, multiplied also by the twentieth power of
$\frac{9}{10}$. Now, the twentieth power of $\frac{9}{10}$, or .9, is .121576-
65459. ($.9^4 = .6561$; $.9^8 = .43046721$; $.9^8 \times .9^8 \times$

$.9^4 = .9^{20} = .12157665459.$) The product of this by 10 taken from 10, the remainder is 8.7842334541, the quantity of water in the cask at the end of 20 days; and the product of this by $.9^{20}$ is 1.0679577+ gallons, or more than a gallon and half-pint, Ans.

26. $18.5 \times 18.5 \times 18.5 \times 8 = 50653$; $\sqrt[3]{50653} = 37$in. wide; $8 \times 8 \times 8 \times 8 = 4096$; $\sqrt[3]{4096} = 16$in. deep, Ans.

27. As the metal is 1in. thick, the diameter of the inner sphere is 3in.; $5 \times 5 \times 5 \times .5236 \times \frac{128}{100} = 16.8861$lb., weight of the shell, if it were solid iron; $3 \times 3 \times 3 \times .5236 \times \frac{128}{100} = 3.6473976$lb., weight of the inner sphere, if it were iron; $16.8861 - 3.6473976 = 13.2387+$lb., Ans.

28. As the two hands had precisely changed positions, they together had passed round through all the spaces of the dial-face; but, as the minute-hand always goes through 60 spaces while the hour-hand goes through 5, both going through 65, therefore $65 : 5 : : 60$ (the distance passed over by both hands) : $4\frac{8}{13}$min. or spaces, passed over by the hour-hand, and which is also the distance the minute-hand was in advance of the hour-hand. But at 2 o'clock the hour-hand was 10 minutes in advance of the minute-hand; consequently the minute-hand had gained 10min. $+ 4\frac{8}{13} = 14\frac{8}{13}$min. on the hour-hand; then, since the minute-hand always gains 55min. in 60min., how long was it in gaining $14\frac{8}{13}$min.?

$55 : 60 : : 14\frac{8}{13} : 15\frac{12}{143}$min. $= 15$ min. $56\frac{92}{143}$sec. after 2, Ans.

29. $20 \times 20 = 400$; $400 \div 3 = 133.\dot{3}$; $\sqrt{133.\dot{3}} = 11.5469$; $\overline{11.5469}^3 = 1539.58+$cu. in., Ans.

30. $90 \times 40 = 3600$; $\sqrt{3600} = 60$lb., true weight, Ans. $90 - 60 = 30$lb.; $60 - 40 = 20$lb.; 30lb. : 20lb. : : 3ft. : 2ft.; that is, the arms of the scales are to each other as 2ft. to 3ft., Ans.

31. Both wheels being of the same height, and the outer

wheel making two turns while the inner one makes only one turn, it will follow that the outer ring will be twice the circumference of the inner ring. The distance between the rings being 5 feet, and the circumferences of circles being as their diameters, it will also follow that the diameter of the inner ring will be 10 feet, and the diameter of the outer ring 20 feet. And if the diameter be 20 feet, the circumference will be 62.83+ feet, Ans.

32. $72 \times 72 \times 3.141598 = 57001$d. $= 237$£. 10s. 1d., Ans.

33. The annexed diagram may represent the conical glass, A B C being the cone, and F D G H a globe or sphere immersed in it. If A B be 5 inches, A D will be 2.5 inches, because A D is half of A B. A D C is a right-angled triangle; therefore the side A C may be found; thus, $\sqrt{\overline{A D^2 + D C^2}} =$ A C; $\sqrt{\overline{2.5 \times 2.5 + 6 \times 6}} = 6.5$ = A C. Because A D E F is a regular figure, and the angles A D E and A F E being equal, each being a right angle, and the sides D E and F E being also equal, because they are radii of the circle D F H G, the sides A D and A F are also equal. A D is 2.5 inches; A F is also 2.5 inches. If A C be 6.5 inches, and A F 2.5 inches, F C will be 4 inches; 6.5 — 2.5 = 4 inches. Then, by similarity of triangles (see page 389), C D : D A : : C F : F E; 6in. : 2.5in. : : 4in. : 1⅔in. = F E. If F E be 1⅔in., F G will be 3⅓in. = ¹⁰⁄₃in, because F G is the diameter of the sphere, and F E the radius, or semi-diameter. By mensuration of solids (see pages 435 and 436), we find the contents of the cone and sphere in the following manner :

$5 \times 5 \times .785398 \times 2 = 39.2699$in. $=$ contents of the cone ;

$\frac{10}{3} \times \frac{10}{3} \times \frac{10}{3} \times .5236 = \underline{19.3925}$in. $=$ contents of the sphere ;

19.8774in. $=$ the cubic inches of water

that will remain in the cone after the sphere is immersed. Having taken it for "granted" that cones, spheres, and all similar bodies, are to each other as the cubes of their homologous sides, we say, As the quantity of water it requires to immerse the sphere in the *given* cone is to the cube of the diameter of the sphere, so is any other quantity of water in the conical glass to the cube of the diameter of a sphere that may be immersed in it. Now, the quantity of water given to immerse the *required* sphere is $\frac{1}{5}$ of the contents of the conical glass $= \frac{39.2699}{5} = 7.85398$ cubic inches. The cube of the diameter of the *given* sphere is $\frac{10}{3} \times \frac{10}{3} \times \frac{10}{3} = \frac{1000}{27}$in. Therefore

19.8774in. : $\frac{1000}{27}$in. : : 7.85398in. : 14.634114529+in.;

$\sqrt[3]{14.634114529} = 2.445+$in., Ans.

34. Let the larger circle of the annexed figure represent the farm of the lady, and the three smaller circles the farms of her daughters. To construct this figure, make the equilateral triangle C B D, each of whose sides is 10 rods, or inches. Bisect each of the sides D C, C B, B D, in the points L, E, K; and draw the lines I F, E G, H M, at pleasure. Upon the points C, D, B, as centres, and with the distance C L as a radius, describe the circles G L K, L H E, K E F. Upon the point A, as a centre, where the lines I F and H M intersect each other, and with the radius A G, describe the circle G I N F M, and it will touch the peripheries of the smaller circles without cutting them. The sides of the triangle being 10, the diameter of each of the smaller circles will be 10. Because C D E is a right-angled triangle, C E $=$ $\sqrt{\text{C D}^2 - \text{D E}^2}$; $\sqrt{10 \times 10 - 5 \times 5} = 8.660254+$;

21*

and as C D E and A D E are similar triangles, C E :
C D : : D E : D A; that is, 8.660254 : 10 : : 5 : 5.77-
35027 = A D. If we add H D = 5 to D A, we have
the semi-diameter of the larger circle, 5.7735027 + 5 =
10.7735027. By multiplying this last number by 2, we
have the diameter of the larger circle, 10.7735027 × 2
= 21.5470054. As the area of a circle may be found
by multiplying the square of the diameter by .785398,
therefore, by dividing the area by .785398, the quotient
will be the square of the diameter. The area of the lady's
field is 500 acres = 80000 square rods; 80000 ÷ .785398
= 101859.18, square of the diameter; √101859.18 =
319.154006+ rods = diameter of the lady's farm. To
find the diameter of each of the daughters' farms, we say,
As the diameter of the larger circle in the diagram is to
the diameter of one of the smaller circles in the diagram,
so is the diameter of the lady's farm to the diameter of
either of her daughters' farms. 21.5470054rd. : 10rd.
: : 319.154006rd. : 148.119889+rd. = diameter of the
daughters' farms; and the distance of their houses from
each other, 148.119889 × 148.119889 × .785398 =
17231.2406+ square rods in each of the daughters'
farms; 17231.24+rd. ÷ 160 = 107A. 2R. 31.24+
rods = acres, &c., in each of their farms; 107A. 2R.
31.24rd. × 3 = 323A. 0R. 13.72rd., amount of the
3 daughters' farms; 500A. — 323A. 0R. 13.72rd. =
176A. 3R. 26.28rd. the lady retained. To find the dis-
tance of the lady's dwelling-house from those of her
daughters, we subtract the semi-diameter of either of the
daughters' farms from that of the lady's; thus, 319.154+
rd. ÷ 2 = 159.577+rd.; 148.119+rd. ÷ 2 = 74.059+
rd.; 159.577+rd. — 74.059+rd. = 85.518+rd.
We therefore find that each daughter's farm contained
107A. 2R. 31.22p. The mother retained 176A. 3R.
26.34p. The distance from one daughter's house to the

other was 148.119817+ rods. The mother's dwelling-house was distant from her daughters, 85.51+ rods, Ans.

This question can also be solved by using the principle laid down in Art. **645.**

35. The pupil, to understand this problem, will first obtain the number of feet in the diameter of the garden ; $10 \times 16.5 = 165$ feet; $165 - 5 = 160$. The trees are, therefore, to be set on a piece of ground 160 feet in diameter.   Let the pupil place 1 tree in the centre of the garden; around this let him place 6 other trees, at the distance of 10 feet from each other; he will then perceive that they stand in a hexagonal form.   Let him enlarge this hexagon by placing another row of trees around it at the distance of 10 feet each; and this will require 12 additional trees.   If we examine this hexagon, we shall find that each side of it contains 3 trees.   Let us enlarge this hexagon, by placing another row of trees around it, and we shall find it will require 18 trees, and that each side of the hexagon contains 4 trees.   We continue thus to enlarge the hexagon, until we have set 8 rows round the centre tree. Each side of the hexagon will then contain 9 trees.   To compute the number of trees in the hexagon, we find the number of trees that compose the periphery of the first hexagon to be 6 trees, and the number that compose the periphery of the larger hexagon to be 48.   We therefore add 6 to 48, and multiply the sum by the half of $8 = 4$; thus, $6 + 48 = 54$; $54 \times 4 = 216$.   To this we add the tree in the centre, $216 + 1 = 217$. If we now examine our figure, we find we can set 4 more trees at the base of each side of the hexagon, within the limits of the prescribed field.   Therefore, 4 times $6 = 24$, to be added to 217 ; thus $217 + 24 = 241$ trees, Ans.

NOTE. — As the radius of the prescribed limits is 80 ft., $80 \div 10 = 8 =$ number of hexagons.

To prove that there can be 4 trees, and *only* 4, placed beyond each side, let A B represent one side of the outer hexagon, C being the centre of the garden, and the arc A E B the prescribed limit, 2½ feet from the outside of the garden. Draw C E perpendicular to A B, and it will also bisect it. $\overline{CD}^2 = \overline{CA}^2 - \overline{AD}^2 = 6400 - 1600 = 4800$; $\sqrt{4800} = 69.28 + = CD.$ C E $- CD = 80 - 69.28 = 10.72 = DE$; hence it is evident that there can be another row placed below A B. To find the distance of this row from A B, we have to find the altitude of an equilateral triangle, each side of which is 10 ft. $10^2 - 5^2 = 75$; $\sqrt{75} = 8.66 + = DF.$ $69.28 + 8.66 = 77.94 + = CF.$ Having placed 4 trees on this row, we wish to ascertain whether the one at G is within the limit. $\overline{CG}^2 = \overline{CF}^2 + \overline{FG}^2 = 6075 + 225 = 6300$; $\sqrt{6300} = CG.$ As this is less than 80, G is *within* the limit. If we add one more tree on a line with F G, its distance from C $= \sqrt{6075 + 625} = \sqrt{6700}$, which is greater than 80, and consequently the tree would be *without* the limit. Hence there can be *only* 4 trees added on each side.

36.   90s. $= 1080$d. ; 3s. 9d. $= 45$d.   As A would reap the field in 9 days, he would in 5 days reap $\frac{5}{9}$ of the field ; therefore, $1 - \frac{5}{9} = \frac{4}{9} =$ the part of the field which B and C reap ; $\frac{45}{1080} = \frac{9}{216}$; $\frac{4}{9} \div \frac{9}{216} = \frac{864}{81}$; $\frac{864}{81} - \frac{81}{81} = \frac{783}{81}$; $\sqrt{81} = 9$; $783 \div 9 = 87$; $87 \div 2 = 43.5$; $(43.5)^2 = 1892.25$; $1892.25 - 1080 = 812.25$; $\sqrt{812.25} = 28.5$; $43.5 - 28.5 = 15$ days $=$ the time B would reap the field. We therefore perceive that A would do $\frac{5}{9}$ of the work, and B $\frac{5}{15}$ of it, in 5 days ; $\frac{5}{9} + \frac{5}{15} = \frac{8}{9}$ of the work would be performed by A and B in 5 days. Therefore, $1 - \frac{8}{9} = \frac{1}{9}$ would be performed by C in 2 days, or $\frac{1}{18}$ in 1 day. And if $\frac{1}{18}$ of it be reaped in 1 day, it is evident that it would require 18 days for C to perform the whole labor. Therefore we find that B would reap the field in 15 days, and C in 18 days, Ans.   [See solution, p. 252.]

90s. $= 1080$d.; 3s. 9d. $= 45$d. Let $x =$ the time in which B can do the work. Then $9 : x :: 45 : \dfrac{45x}{9} =$ the sum which C must receive from A in part payment for his labor. Then $45 + \dfrac{45}{x} =$ the money received by C for his 2 days' labor. Now, it is evident that the sum received by C must bear the same proportion to the sum received for the whole work, as the part of the work which he performs bears to the whole work.

Hence $\dfrac{45 + \frac{45x}{9}}{1080} = \dfrac{x + 9}{216}$ denote the part of the work performed by C. Therefore $\dfrac{x + 9}{216}$ work : 1 work : : 2 days : $\dfrac{2}{\frac{x+9}{216}} = \dfrac{432}{x + 9} =$ the time in which C would do the whole work. Now, since from the question and the operation we see that A performs $\frac{5}{9}$ of the work, B $\dfrac{x}{9}$ of it, and C $\dfrac{x + 9}{216}$ of it, it is evident that $\dfrac{5}{9} + \dfrac{x}{9} + \dfrac{x + 9}{216} = 1$ work.

Or, $\dfrac{x}{9} + \dfrac{x + 9}{216} = 1 - \dfrac{5}{9} = \dfrac{4}{9}$, which, being reduced and transposed, gives $x = 15$ days $=$ the time in which B would reap the field. $\dfrac{432}{x + 9} = \dfrac{432}{24} = 18$ days $=$ the time in which C would reap the field, Ans.

37. $4 - \frac{1}{8} = 3\frac{7}{8}$; $4 : 3\frac{7}{8} :: 40 : \frac{155}{4}$; $1\frac{1}{2}$yd. $= 24$na.; 24na. $- 1\frac{1}{2}$na. $= 22\frac{1}{2}$na.; 24na. : $22\frac{1}{2}$na. : : $2\frac{1}{4}$yd. : $2\frac{7}{64}$yd. $= \frac{135}{64}$yd.; $\frac{155}{4} \times \frac{135}{64} = \frac{20925}{256} = 81\frac{189}{256}$yd.; 5qr. $= 1\frac{1}{4}$yd.; $20 - 1\frac{1}{4} = 18\frac{3}{4}$yd.; $\dfrac{18\frac{3}{4}}{20} = \frac{15}{16}$; 5qr. $= 20$na.; $20 - \frac{1}{2} = 19\frac{1}{2}$; $19\frac{1}{2} \times \frac{15}{16} = 18\frac{9}{32}$na.; $81\frac{189}{256}$yd. $= 1307\frac{13}{16}$na.; $1307\frac{13}{16} \div 18\frac{9}{32} = 71\frac{7}{13}$yd., Ans.

38. Let the tower at A be 30 feet high; that at B, 40; at C, 50.

First. What point F in the side A B is equally distant from
the top of the tower at A
and the top of that at B?

The square of the distance
from F to the top of the
tower A is the square of
its distance from the foot
of A + 900; the square
of the distance from F to
the top of B is the square
of the distance from the
foot B + 1600; if the distances of F from the tops of
A and B are equal, the square of its distance from the foot
A is greater by 700 than the square of its distance from
the foot B. $A F^2 - B F^2 = 700$. But $A F + B F = 200$; now, $A F^2 - B F^2 = (A F + B F) (A F - B F)$,
$A F - B F = 3\frac{1}{2}$; and therefore $A F = 101\frac{3}{4}$, $B F = 98\frac{1}{4}$.

Finding a similar point G on B C, we get $B G = 102\frac{1}{4}$,
$C G = 97\frac{3}{4}$.

At what point L does the line F L perpendicular to A B meet
B C? Draw C D perpendicular to A B.

Then, as A and B are similarly situated with regard to C,
A D = D B, and each = 100.

Then $D F = 1\frac{3}{4}$; therefore $C L = 3\frac{1}{2}$, as D F must be $\frac{1}{2}$ of
C L, if D B is $\frac{1}{2}$ of C B.

If $C L = 3\frac{1}{2}$, L G must be $C G - C L = 97\frac{3}{4} - 3\frac{1}{2} = 94\frac{1}{4}$.
Draw G K perpendicular to B C.

Now, the foot of the ladder is on the line F L, for every point
in F L is equally distant from the top of the two towers
A and B. Again, it is on the line G K, for every point
in G·K is equally distant from the top of the towers B
and C; therefore it is on the intersection N of F L and G K.

Now, the triangle L N G is similar to C D B; then L N is 2
times N G, and $\overline{L N}^2 = 4$ times $\overline{N G}^2$; then $\overline{L G}^2 = 3$
times $\overline{N G}^2$; $\overline{L G}^2 = 8883.0625$, then $\overline{N G}^2 = 2961$-
.020833.

The square of the length of the ladder = height of tower
C² + C G² + N G².

Square of height of C,	.		2500
C G²,	.	.	. 9555.0625
N G²,	.	.	. 2961.02083
Square of length of laddder,			15016.08333
Length of ladder,	.	.	122.54+

To find the distance of the foot of the ladder from the foot
of each tower, we subtract the square of the height of
each tower from the square of the length of the ladder.
This gives

$\overline{N\,A^2}$ = 14116.08⅓   N A = 118.811
$\overline{N\,B^2}$ = 13416.08⅓   N B = 115.827
$\overline{N\,C^2}$ = 12516.08⅓   N C = 111.875

SECOND SOLUTION.

A line drawn from either angle to the middle of the oppo-
site side divides the garden into two equal right-angled
triangles; and the length of this line, found in the usual
way, is 172.2+ft. Draw, in the same manner, lines from
the other two angles, and the three lines will intersect
each other at the centre; and the garden will be divided
into six equal triangles, *similar* to the first two. Then
172.2+ : 200 :: 100 : 115.6ft. = distance of the centre
from the foot of either tower. A ladder placed on this
centre, reaching to the top of one of the towers, will be
the hypothenuse of a vertical triangle, of which the tower
is the perpendicular, and 115.6ft. the base. Now, since
the three vertical triangles have equal bases, and, since the
height of the tower B is an arithmetical mean between the
heights of the towers A and C, it follows that the square of
one base, plus one third of the squares of the three perpen-
diculars, will equal the squares of an *average* hypothenuse,
or the length of a ladder, which, placed at some point, will
reach to the top of each of the towers. Finally, find the
distance of this point from the foot of each tower, as in the
last paragraph of the first solution.

ADDITIONAL SOLUTIONS.

Ex. 16. Arith. p. 295 (Key, p. 156). It is evident that the interest on the note, for the required time, at 6 per cent., is equal to the interest of the *nominal* present worth for the same time, at $6\frac{1}{2}$ per cent. Therefore, the note must exceed the nominal present worth in the ratio of $6\frac{1}{2}$ to 6, or of 13 to 12; hence the *nominal* discount, or interest of the note, must have been $\frac{1}{13}$ of the note. Then, since the interest of any sum for one year at 6 per cent. is $\frac{6}{100}$ of the same sum, we have $\frac{6}{100}$: $\frac{1}{13}$ :: 1 year : 1 year, 3 months, $11\frac{7}{13}$ days, Ans.

Ex. 36. Arith. p. 444 (Key, p. 248). As A could reap the field in 9 days, he would in 5 days reap $\frac{5}{9}$ of the field, and B and C would, in 5 days, reap $1 - \frac{5}{9} = \frac{4}{9}$ of the field. Now, the whole sum received for reaping the field was 90 shillings; consequently A would receive $\frac{5}{9}$ of 90s. = 50s. for his labor, and B and C $\frac{4}{9}$ of 90s. = 40s. for their labor.

But, by the question, B receives 3s. 9d. = 3.75s. less by employing C. Hence, as the sum which B receives is to the sum A receives, so is the sum B receives less by employing C to the sum A receives less by employing C. Of this proportion there are given only the second term, 50s., and the third term, 3.75s.

Since the product of the extremes is equal to the product of the means (Art. 336), it is evident that the product of the first and fourth terms will be $50 \times 3.75 = 187.5$.

Also, since the sum of the first, third, and fourth terms is 40s., and the difference between 40s. and the third term, 3.75s., is 36.25s., it is evident that the sum of the first and fourth terms will be 36.25.

Then, having the sum of the first and fourth terms, 36.25, and their product, 187.5, these terms may be found by Art. 552.

Thus, $36.25 \div 2 = 18.125$, half the sum of the two terms; $(18.125)^2 = 328.515625$, the square of half the sum; $328.515625 - 187.5 = 141.015625$, the square of half the difference; $\sqrt{141.015625} = 11.875$, half the difference of the first and fourth terms; $18.125 + 11.875 = 30s.$, the first term, or the sum B receives; and $18.125 - 11.875 = 6.25s.$, the fourth term, or the sum A receives less by employing C.

As B received 30 shillings, C received $40 - 30 = 10s.$

30s. : 90s. :: 5 days : 15 days, the time B would reap the field.
10s. : 90s. :: 2 days : 18 days, the time C would reap the field.

THE END.